

Plug-in socket for fastening to standard mounting rail 11-pole round  
Overall width 38 mm



### General technical data

Display version LED	No
Protection class IP	IP20
Design of the switching function positively driven	No
Reference code acc. to DIN EN 81346-2	U
Product component Plug-in socket	Yes
Design of the snap-on socket base	Standard socket

### Auxiliary circuit

Number of NC contacts for auxiliary contacts	0
Number of NO contacts for auxiliary contacts	0
Number of CO contacts	0
<ul style="list-style-type: none"> <li>for auxiliary contacts</li> </ul>	0

### Connections/ Terminals





Product function	No
<ul style="list-style-type: none"> <li>removable terminal</li> </ul>	No
Type of electrical connection	screw-type terminals
Type of connectable conductor cross-sections	1x (1,0 ... 2,5), 2x 1,0, 2x 1,5, 2x 2,5
<ul style="list-style-type: none"> <li>solid</li> </ul>	1x (1,0 ... 2,5), 2x 1,0, 2x 1,5, 2x 2,5

<ul style="list-style-type: none"> <li>finely stranded with core end processing</li> <li>at AWG conductors solid</li> </ul>	1x (1.0 ... 1.5), 2x 1.0, 2x 1.5 1x (18 ... 14), 2x 18, 2x 16, 2x 14
<b>Connectable conductor cross-section</b> <ul style="list-style-type: none"> <li>solid</li> <li>finely stranded with core end processing</li> </ul>	1 ... 2.5 mm <sup>2</sup> 1 ... 1.5 mm <sup>2</sup>
<b>AWG number as coded connectable conductor cross section</b> <ul style="list-style-type: none"> <li>solid</li> </ul>	18 ... 14
<b>Tightening torque</b> <ul style="list-style-type: none"> <li>with screw-type terminals</li> </ul>	0.5 ... 0.7 N·m

### Installation/ mounting/ dimensions

Mounting position	any
Mounting type	snap-on mounting
Height	26 mm
Width	38 mm
Depth	62 mm

### Certificates/ approvals

General Product Approval		Declaration of Conformity		other
				<a href="#">Miscellaneous</a> <a href="#">Confirmation</a>
UL	VDE		EG-Konf.	

### Further information

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=LZS:MT78750>

#### Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=LZS:MT78750>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/LZS:MT78750>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=LZS:MT78750&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=LZS:MT78750&lang=en)



last modified:

04/02/2020