



TERMINALS - 2019

Pre-Insulated	2
Open Barrel Bullet Style	5
Open Barrel Receptacles	6
Open Barrel Fuse Receptacles	10
Open Barrel Tabs	11
Open Barrel Eye	13
Splice & Miscellaneous	13
Insulators	14
Wire Seals	15
Deutsch	16
Ferrules	18
High Tension	19
Assortment Kits	20



Pre-Insulated

RED


Cable Size: 0.5 - 1.5mm² **Insulation:** Vinyl or Transparent Nylon **Crimp Barrel:** Tin-plated copper **Operating Temp:** 0 °C to 105 °C



TYPE	3.2mm Eye	4mm Eye	5mm Eye	6mm Eye	8mm Eye	3.2mm Fork
PART #	PIC001	PIC002	PIC003	PIC004	PIC005	PIC007
PACK QTY	100	100	100	100	100	100
HANDY PACK	-	-	R1-5/HP (25)	R1-6/HP (16)	-	-



TYPE	4mm Fork	6mm Fork	Joiner	Heat Shrink Joiner	Round Pin	Flat Pin
PART #	PIC008	PIC009	PIC011	PIC011KS	PIC010	RFPW
PACK QTY	100	100	100	50	100	100
HANDY PACK	-	-	R1C/HP (15)	-	-	-



TYPE	2.8mm Male	2.8mm Female	2.8mm Female	4.8mm Male	4.8mm Female	4.8mm Female
PART #	RQCM-3	PIC019	PIC019FI	RQCM-5	PIC013	PIC013FI
PACK QTY	100	100	100	100	100	100
HANDY PACK	RQCM-3/HP (10)	RQCF-3/HP (18)	-	-	-	-



TYPE	6.3mm Male	6.3mm Male	6.3mm Female	6.3mm Female	6.3mm Female	6.3mm Fem 90°
PART #	PIC014	PIC014T	PIC012	PIC016	PIC016T	RQCF-1-TFHP
PACK QTY	100	100	100	100	100	10
HANDY PACK	RQCM/HP (14)	(Mates 951)	RQCF/HP (18)	RQCF-1/HP (10)	-	Handy Pack Only



TYPE	6.3mm Piggyback	4mm Male Bullet	4mm Fem Bullet	Butt End Connector	6.3mm T Tap	Scotch Lock
PART #	PIC015	PIC017	PIC018	PIC059	951	564
PACK QTY	100	100	100	100	100	100
HANDY PACK	-	RBM-4/HP (14)	RBF-4/HP (12)	-	(Mates PIC014T)	564/HP (6)

Terminals



BLUE

Cable Size: 1.5 - 2.5mm² **Insulation:** Vinyl or Transparent Nylon **Crimp Barrel:** Tin-plated copper **Operating Temp:** 0 °C to 105 °C



TYPE	3.2mm Eye	4mm Eye	5mm Eye	6mm Eye	8mm Eye	10mm Eye
PART #	PIC020	PIC021	PIC022	PIC023	PIC024	PIC025
PACK QTY	100	100	100	100	100	100
HANDY PACK	-	-	B2-5/HP (25)	B2-6/HP (20)	B2-8/HP (14)	-



TYPE	4mm Fork	5mm Fork	Joiner	Heat Shrink Joiner	Round Pin	4.8mm Female
PART #	PIC028	PIC029	PIC031	PIC031KS	PIC030	BQCF-5-1
PACK QTY	100	100	100	50	100	100
HANDY PACK	-	-	B2C/HP (14)	-	-	-



TYPE	6.3mm Male	6.3mm Male	6.3mm Female	6.3mm Female	6.3mm Female	6.3mm Fem 90°
PART #	PIC033	PIC033T	PIC032	PIC035	PIC035T	BQCF-1-TFHP
PACK QTY	100	100	100	100	100	10
HANDY PACK	BQCM/HP (14)	(Mates 952)	BQCF/HP (14)	BQCF-1/HP (10)	-	Handy Pack Only



TYPE	6.3mm Piggyback	5mm Male Bullet	5mm Fem Bullet	4.6mm Joiner	4.6mm Dual Joiner	6.3mm T Tap
PART #	PIC034	PIC036	PIC037	PIC053	PIC052	952
PACK QTY	100	100	100	100	100	100
HANDY PACK	BQCMF/HP (10)	BBM-5/HP (14)	BBF-5/HP (11)	(Mates H852)	(Mates H852)	-



TYPE	Butt End Connector
PART #	PIC060
PACK QTY	100
HANDY PACK	-



Pre-Insulated

YELLOW

Cable Size: 2.5 - 6.0mm² **Insulation:** Vinyl or Transparent Nylon **Crimp Barrel:** Tin-plated copper **Operating Temp:** 0 °C to 105 °C



TYPE	4mm Eye	5mm Eye	6mm Eye	8mm Eye	10mm Eye	13mm Eye
PART #	PIC038	PIC039	PIC040	PIC041	PIC042	PIC043
PACK QTY	100	100	100	100	100	25, 100
HANDY PACK	-	Y3-5/HP (14)	Y3-6/HP (12)	Y3-8/HP (10)	Y3-10/HP (10)	-



TYPE	4mm Fork	5mm Fork	Joiner	Heat Shrink Joiner	Round Pin	6.3mm Male
PART #	PIC045	PIC046	PIC049	PIC049KS	PIC048	PIC087
PACK QTY	100	100	100	50	100	100
HANDY PACK	-	-	Y3C/HP (8)	-	-	YQCM/HP (11)



TYPE	6.3mm Female	6.3mm Female	6.3mm Female	9.5mm Female	9.5mm Female	5mm Male Bullet
PART #	PIC050	PIC055	PIC055T	PIC051	PIC090	PIC057
PACK QTY	100	100	100	100	25	100
HANDY PACK	YQCF/HP (12)	-	YQCF-1/HP (10)	YQCF-10/HP (10)	-	YBM-5/HP (8)



TYPE	5mm Fem Bullet	Butt End Connector
PART #	PIC058	PIC061
PACK QTY	100	100
HANDY PACK	YBF-5/HP (8)	-



Bullet Style Terminals

Application: Various Connector Types with Round Terminals

Material: Natural or Tin-plated Brass



TYPE	1.58mm Female	1.58mm Male	2.0mm Female	2.0mm Male	2.0mm Female	2.0mm Male
PART #	H9007	H9008	AMP350689	AMP350690	JD163304	JD163305
SERIES	CHMX	CHMX	MATE 'N' LOK	MATE 'N' LOK	MATE 'N' LOK	MATE 'N' LOK
WIRE SIZE	0.25 - 0.75mm ²	0.25 - 0.75mm ²	0.2 - 0.85mm ²	0.2 - 0.85mm ²	0.5 - 1.25mm ²	0.5 - 1.25mm ²
INSULATOR/SEAL	-	-	-	-	-	-
MATING PART	H9008	H9007	AMP350690	AMP350689	JD163305	JD163304
PACK QTY	25	25	25	25	25	25



TYPE	2.0mm Female	2.0mm Male	2.36mm Female	2.36mm Male	2.36mm Female	2.36mm Male
PART #	LLF-61T-2.0	LLM-61T-2.0	H9001	H9002	WPFT	WPMT
SERIES	6007	6007	CHX	CHX	Weather Pack	Weather Pack
WIRE SIZE	Up to 2.0mm ²	Up to 2.0mm ²	0.5 - 2.5mm ²	0.5 - 2.5mm ²	1.5 - 2.5mm ²	1.5 - 2.5mm ²
INSULATOR/SEAL	-	-	-	-	WPS Range	WPS Range
MATING PART	LLM-61T-2.0	LLF-61T-2.0	H9002	H9001	WPMT	WPFT
PACK QTY	25	25	25	25	25	25



TYPE	4.0mm Female	4.0mm Male	4.6mm Female	4.6mm Male	4.6mm Female
PART #	H2743	H2782	H2740ET	H1283	H852
SERIES	Universal	Universal	Universal	Universal	Lucas Style
WIRE SIZE	0.7 - 2.1mm ²	0.7 - 2.1mm ²	0.85 - 1.25mm ²	0.85 - 1.25mm ²	1.5 - 2.5mm ²
INSULATOR/SEAL	H2806	H2805	H2806	H2805	-
MATING PART	H2782	H2743	H1283	H2740ET	PIC052/PIC053
PACK QTY	25	25	25	25	10



Open Barrel


Receptacles 1.00mm - 1.80mm

Application: Connectors with a Tab Size of 1.00mm - 1.80mm

Material: Tin-plated Brass



TYPE	1.0mm Female	1.0mm Female	1.0mm Female	1.0mm Female	1.0mm Female	1.0mm Female
PART #	O40FT	ECUT	FATFT1.0	FRPFT	MECFT	M5556-TL
SERIES	O40 MK II	GMH ECU	Ford Auto Trans	O40 DL	EVO Camshaft	Molex M5557
WIRE SIZE	0.3 - 0.5mm ²	0.5 - 1.0mm ²	0.5 - 1.0mm ²	0.3 - 0.5mm ²	0.5 - 1.25mm ²	0.25 - 0.75mm ²
INSULATOR/SEAL	-	-	-	-	-	-
MATING PART	-	-	-	-	-	M5558-TL
PACK QTY	25	25	5	25	25	25



TYPE	1.2mm Female	1.3mm Female	1.5mm Female	1.5mm Female	1.5mm Female	1.5mm Female
PART #	NECUFT1.2	F1.1M	GT150FT	F1.2MULT/T	MP150FT	MP150FTPTS
SERIES	Nissan ECU	Bosch Micro Timer	Delphi GT150	Metripack Tangless	Metri-Pack 150	Metripack PullSeat
WIRE SIZE	0.3 - 0.5mm ²	0.5 - 1.0mm ²	0.75 - 1.0mm ²	0.35 - 0.5mm ²	0.85 - 1.25mm ²	0.85 - 1.25mm ²
INSULATOR/SEAL	-	GT150S	GT150S	F1.2MUTLT/S	MP150S	MP150S
MATING PART	-	-	GT150MT	-	MP150MT	MP150MT
PACK QTY	10	25	10	25	25	25



TYPE	1.5mm Female	1.5mm Female	1.5mm Female	1.8mm Female	1.8mm Female	1.8mm Female
PART #	MP150FTWPTS	N62FT1.5	OBD2FT	070R	070SSR	JD370
SERIES	Metripack PullSeat	Nissan 62	Metripack Tangless	070 Series	AMP Superseal	Econoseal MKII
WIRE SIZE	0.85 - 1.25mm ²	0.5 - 1.0mm ²	0.35 - 0.5mm ²	1.25 - 2.0mm ²	1.0 - 1.5mm ²	0.5 - 1.4mm ²
INSULATOR/SEAL	MP150S	-	-	070S	070S	070S
MATING PART	MP150MT	N62MT1.5	OBD2MT	070T	070SST	JD371
PACK QTY	25	25	25	25	25	25



Receptacles 1.80mm - 2.80mm

Application: Connectors with a Tab Size of 1.80mm - 2.80mm

Material: Tin-plated Brass



TYPE	1.8mm Female	2.2mm Female	2.2mm Female	2.2mm Female	2.2mm Female	2.2mm Female
PART #	NECUFT1.8	AUDPT	H25107	JD085	JD237	NEPFT2.2
SERIES	Nissan ECU	090 TS/DL/SL	090 (CHB)	090	090	Nissan Engine
WIRE SIZE	0.3 - 0.5mm ²	0.5 - 1.25mm ²	0.85 - 1.25mm ²	0.85 - 1.25mm ²	0.85 - 1.25mm ²	0.5 - 1.0mm ²
INSULATOR/SEAL	-	JD090S	JD090S	JD090S	JD090S	MP150S
MATING PART	-	AUDPMT	H25104	-	JD238	-
PACK QTY	10	10	25	25	25	25



TYPE	2.3mm Female	2.3mm Female	2.3mm Female	2.8mm Female	2.8mm Female	2.8mm Female
PART #	AUFT	DIT	MT-7-TERM	F1.1	F1.1HD	H3737
SERIES	090 MT/HW	090 MT/HW /HM	91	Bosch Junior Timer	Bosch Junior Timer	Bosch L-Jetronic
WIRE SIZE	0.3 - 1.25mm ²	0.3 - 1.25mm ²	0.85 - 1.25mm ²	0.5 - 1.5mm ²	1.0 - 3.0mm ²	0.3 - 1.6mm ²
INSULATOR/SEAL	AUS	DIS	JD090S	MP150S	MP150S	JD014
MATING PART	AUMT	AUMT	-	F1.2MT	F1.3&4MT	H2858
PACK QTY	25	25	25	25	25	25



TYPE	2.8mm Female	2.8mm Female	2.8mm Female	2.8mm Female	2.8mm Female	2.8mm Female
PART #	H3739	JD277	JD4960	MP280FT	MP280FT-12G	MP280FT-TL
SERIES	Universal Tang	AMP MIC Series II	Bosch BSK	Metripack 280	Metripack 280	MP280 Tangless
WIRE SIZE	0.3 - 1.6mm ²	0.5 - 2.0mm ²	0.5 - 1.0mm ²	0.85 - 1.5mm ²	2.0 - 3.0mm ²	2.0 - 3.0mm ²
INSULATOR/SEAL	H2800	-	MP150S	WPS Range	WPS Range	WPS Range
MATING PART	H2858	-	F1.3&4MT	MP280MT	MP280MT	MP280MT
PACK QTY	25	10	1	25	25	25



Open Barrel

Receptacles 2.80mm - 6.30mm

Application: Connectors with a Tab Size of 2.80mm - 6.30mm

Material: Natural or Tin-plated Brass



TYPE	2.8mm Female	3.0mm Female	4.8mm Female	4.8mm Female	4.8mm Female	4.8mm Female
PART #	VTDKFT	H25201	H1143	H1149	JD838	VYR
SERIES	110	118 (CHY)	Universal	Universal Tang	Standard Timer	187 TS/DL
WIRE SIZE	1.25 - 2.00mm ²	0.85 - 1.25mm ²	0.4 - 1.5mm ²	0.4 - 1.5mm ²	1.5 - 2.5mm ²	0.5 - 1.25mm ²
INSULATOR/SEAL	WPS Range	MP150S	H2088/H2801	H2088/H2801	MP150S	WPS Range
MATING PART	VTDPT	H25200	H2571	H2571	-	VYT
PACK QTY	10	25	25	25	25	25



TYPE	6.0mm Female	6.3mm Female	6.3mm Female	6.3mm Female	6.3mm Female	6.3mm Female
PART #	JD401	KK12-6.3FT	H953	H1074	H1971	H1972B
SERIES	250	Universal	Pre-Rolled	56/Sender	Small Wire	High Temp
WIRE SIZE	1.5 - 2.0mm ²	1.4 - 2.5mm ²	0.7 - 2.1mm ²	0.85 - 1.25mm ²	0.5 - 1.0mm ²	0.7 - 2.1mm ²
INSULATOR/SEAL	MBRK-S	WPS Range	H2802/H1135	H1587	H2802/H1135	H2802/H1135
MATING PART	-	-	H1192	H1924/H2832ET	-	-
PACK QTY	25	10	25	25	25	25



TYPE	6.3mm Female	6.3mm Female	6.3mm Female	6.3mm Female	6.3mm Female	6.3mm Female
PART #	H1972ET	H1973	H2840	H3555	H3555ET	H3555ETL
SERIES	Universal Tinned	2 Wire	2 Wire Lock Tang	Lock Tang	Tinned Lock Tang	Tinned Lock Tang
WIRE SIZE	0.7 - 2.1mm ²	2 x 0.5 - 2.0mm ²	2 x 0.7 - 1.0mm ²	0.6 - 1.5mm ²	0.6 - 1.5mm ²	3.0 - 5.0mm ²
INSULATOR/SEAL	H2802/H1135	H1139	H1139	H1135	H1135	H1139
MATING PART	H1192	-	-	H2832ET	H2832ET	H2832ETL
PACK QTY	25	25	25	25	25	25



Receptacles 6.30mm - 9.50mm

Application: Connectors with a Tab Size of 6.30mm - 9.50mm

Material: Natural or Tin-plated Brass



TYPE	6.3mm Female	6.3mm Female	6.3mm Female	8.0mm Female	9.5mm Female	9.5mm Female
PART #	H3702	MP630FT	MP630FTL	FLT4	F32	H1131
SERIES	Small Wire	Metripack 630	MP630 Large	312	Yazaki 58	Universal
WIRE SIZE	0.3 - 0.7mm ²	1.0 - 2.0mm ²	3.0 - 5.0mm ²	3.0 - 5.0mm ²	3.00mm ²	1.5 - 4.6mm ²
INSULATOR/SEAL	-	-	MP630S	-	-	H1136
MATING PART	-	MP630MT	MP630MT	FLT3	F34	-
PACK QTY	25	1	1	50	1	25

Receptacles - Flag 90°

Application: 90° & Headlight

Material: Natural or Tin-plated Brass



TYPE	4.8mm Flag 90°	6.3mm Flag 90°	8.0mm Flag 90°
PART #	H1145B	H1191	H2723
SERIES	Universal	Universal	Headlight
WIRE SIZE	0.4 - 1.0mm ²	0.7 - 1.5mm ²	0.7 - 1.0mm ²
INSULATOR/SEAL	-	H1801/H2819	H2724
MATING PART	H2571	H1192	FLT3
PACK QTY	25	25	30

Receptacles - Piggyback

Application: When extra connections are required

Material: Tin-plated Brass



TYPE	4.8mm Piggyback	6.3mm Piggyback	6.3mm Piggyback
PART #	H3716B	H1909	H2833
SERIES	Universal	Universal	Universal
WIRE SIZE	-	-	1.0 - 1.5mm ²
MATING PART	-	-	H1192
PACK QTY	25	25	25



Open Barrel

Fuse Receptacles

Application: Receptacles to suit various fuses & fuse holders

Material: Natural or Tin-plated Brass



FUSE TYPE	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade
PART #	BFH1CT	BFH1UT	JD21730	JD4568	MAGFT	MRAPT
FUSE HOLDER	BFH1C	BFH1U	BFH4C/BFB8	BFH4C	OEM	MRAP
WIRE SIZE	2.0 - 3.0mm ²	2.0 - 3.0mm ²	2.0 - 3.0mm ²	3.0 - 5.0mm ²	2.0 - 3.0mm ²	3.0 - 5.0mm ²
PACK QTY	25	25	25	1	25	1



FUSE TYPE	Standard Blade	Standard Blade	Standard Blade	Mini Blade	Mini Blade	Mini Blade
PART #	MRA3FT	MRA3FTL	WPBFHT	MBFRT	TFT	MP280FT-12G
FUSE HOLDER	MRA3F	MRA3F	WPBFH	OEM	Toyota	Littlefuse
WIRE SIZE	2.0 - 3.0mm ²	4.0 - 6.0mm ²	3.0 - 5.0mm ²	0.85 - 2.0mm ²	0.5 - 1.5mm ²	0.5 - 1.5mm ²
PACK QTY	1	1	25	25	10	25



FUSE TYPE	Mini Blade	Maxi Blade	Maxi Blade	Maxi Blade	Maxi Blade	6.3mm Glass
PART #	MP280FT-TL	MFHT-S	MFHT-M	MFHT	MFHT-L	H3374
FUSE HOLDER	Bussman RTMR	MFH	MFH	MFH	MFH	H3375
WIRE SIZE	0.5 - 1.5mm ²	1.5 - 2.5mm ²	4.0 - 6.0mm ²	8.0 - 10.0mm ²	16.0mm ²	0.75 - 2.5mm ²
PACK QTY	25	1	1	1	1	25

Don't forget to browse our range of fuses

Including Mini, Micro, Maxi & Standard Blade, AG, M205 Glass, Ceramic, Cartridge, Midi & Mega fuses.





Tabs 1.00mm - 2.80mm

Application: Connectors with a Tab Size of 1.00mm - 2.80mm

Material: Natural or Tin-plated Brass



TYPE	1.0mm Male	1.5mm Male	1.5mm Male	1.5mm Male	1.5mm Male	1.8mm Male
PART #	M5558-TL	GT150MT	MP150MT	N62MT1.5	OBD2MT	070T
SERIES	Molex Mini-Fit Jnr	Delphi GT150	Metri-Pack 150	Nissan 62	Metri-Pack 150	070 Series
WIRE SIZE	0.25 - 0.75mm ²	0.75 - 1.0mm ²	0.85 - 1.25mm ²	0.5 - 1.0mm ²	0.5 - 0.8mm ²	0.85 - 1.25mm ²
INSULATOR/SEAL	-	GT150S	MP150S	-	-	070S
MATING PART	M5556-TL	GT150FT	MP150FT Range	N62FT1.5	OBD2FT	070R
PACK QTY	25	10	25	25	25	25



TYPE	1.8mm Male	1.8mm Male	1.8mm Male	2.2mm Male	2.2mm Male	2.2mm Male
PART #	070SST	JD371	JD850	AUDPMT	H25104	JD238
SERIES	AMP Superseal	Econoseal MKII	070 (1.80mm)	090 TS/DL/SL	090 Series (CHB)	090 (2.20mm)
WIRE SIZE	1.0 - 1.5mm ²	0.5 - 1.4mm ²	0.85 - 1.25mm ²	0.5 - 1.25mm ²	0.85 - 1.25mm ²	0.85 - 1.25mm ²
INSULATOR/SEAL	070S	070S	-	JD090S	JD090S	JD090S
MATING PART	070SSR	JD370	-	AUDPMT	H25107	JD237
PACK QTY	25	25	25	10	25	25



TYPE	2.3mm Male	2.8mm Male	2.8mm Male	2.8mm Male	2.8mm Male	2.8mm Male
PART #	AUMT	F1.2MT	F1.3&4MT	H2858	MP280MT	VTDP
SERIES	090 MT/HW	Junior Timer	Junior Timer HD	Universal	Metri-Pack 150	110
WIRE SIZE	0.3 - 1.25mm ²	0.5 - 1.5mm ²	0.5 - 1.5mm ²	0.3 - 1.0mm ²	0.85 - 1.5mm ²	1.25 - 2.00mm ²
INSULATOR/SEAL	AUS	MP150S	MP150S	-	WPS Range	WPS Range
MATING PART	AUFT	F1.1	F1.1HD	H3739	MP280FT Range	VTDKFT
PACK QTY	25	5	25	25	25	10



Open Barrel

Terminals

Tabs 3.00mm - 9.50mm

Application: Connectors with a Tab Size of 3.00mm - 9.50mm

Material: Natural or Tin-plated Brass



TYPE	3.0mm Male	4.8mm Male	4.8mm Male	6.3mm Male	6.3mm Male	6.3mm Male
PART #	H25200	H2571	VYT	H1192	H1924	H2832ET
SERIES	118 Series (CHY)	Universal	187 TS/DL	Universal	56/GMH	Uni Lock Tang
WIRE SIZE	0.85 - 1.25mm ²	0.4 - 1.0mm ²	0.5 - 1.25mm ²	0.7 - 2.1mm ²	0.85 - 1.25mm ²	0.7 - 2.1mm ²
INSULATOR/SEAL	MP150S	-	WPS Range	H1138	-	-
MATING PART	H25201	H1143	VYT	H1972ET	H1074	H3555ET
PACK QTY	25	25	25	25	10	25



TYPE	6.3mm Male	6.3mm Male	6.3mm Male	8.0mm Male	9.5mm Male
PART #	H2832ETL	MP630MT	MP630MT-DT	FLT3	F34
SERIES	Uni Lock Tang	Metri-Pack 630	MP630 Ducon	312 (FLH)	Yazaki 58
WIRE SIZE	2.0 - 3.0mm ²	3.0 - 5.0mm ²	4.0 - 6.0mm ²	3.0 - 5.0mm ²	3.00mm ²
INSULATOR/SEAL	-	MP630S	MP630S	-	-
MATING PART	H3555ETL	MP630FTL	-	FLT4	F34
PACK QTY	25	1	1	25	1

Mounting Tabs 6.30mm

Application: Weld or Bolt On Tabs - Size of 6.30mm

Material: Natural, Tin-plated Brass or Stainless Steel



TYPE	6.3mm Male	6.3mm Male	6.3mm Twin Male	6.3mm Male	6.3mm Male
PART #	H946	H1168E	H1911	H1938	H25706
MOUNT	Weld On 45°	5.3mm Hole 45°	Weld On 90°	4.9mm Hole Flat	PCB
MATERIAL	Stainless Steel	Brass	Stainless Steel	Brass	Tinned Brass
PACK QTY	25	25	25	25	25



Eye Terminals

Suits: Various Stud Sizes

Material: Natural or Tin-plated Brass



TYPE	3.6mm Eye	4.3mm Eye	5.3mm Eye	5.3mm Eye	5.4mm Eye	5.4mm Eye
PART #	H2-3	H2-4	H430B	H430ET	H2-5	H2-5HD
WIRE SIZE	0.85 - 1.25mm ²	0.5 - 1.25mm ²	0.5 - 2.5mm ²	0.5 - 2.5mm ²	0.85 - 1.25mm ²	2.0 - 3.3mm ²
FEATURE	-	-	High Temp	-	-	Heavy Duty
PACK QTY	25	25	25	25	25	25



TYPE	6.4mm Eye	6.6mm Eye	8.2mm Eye	8.7mm Eye	9.7mm Eye	10mm Eye
PART #	H2-6	H1863	H1864	H5-8	H1533E	H1533EHD
WIRE SIZE	3.0 - 5.0mm ²	0.4 - 1.5mm ²	0.4 - 1.5mm ²	3.7 - 5.3mm ²	0.75 - 1.5mm ²	1.0 - 2.5mm ²
FEATURE	Heavy Duty	-	-	-	-	Heavy Duty
PACK QTY	25	25	25	25	25	25

Splice & Miscellaneous Terminals

Application: Wire to Wire Butt Joining/Various

Material: Natural or Tin-plated Brass



TYPE	Butt Joint <2mm	Butt Joint 2mm	Butt Joint 3mm	Butt Joint 4mm	Butt Joint 5mm	Butt Joint 6mm
PART #	SJT1	SJT2	SJT3	SJT4	SJT5	SJT6
WIRE SIZE	0.2 - 0.3mm ²	0.5 - 1.0mm ²	1.0 - 1.5mm ²	1.0 - 2.5mm ²	2.0 - 3.3mm ²	4.0 - 6.0mm ²
PACK QTY	25	25	25	25	25	25



TYPE	Butt Joint 8B&S	Butt Joint Twin	5.2mm Pigtail	DIN41612 Male
PART #	SJT8	H1859	H2727	M2759-TL
WIRE SIZE	6.0 - 8.0mm ²	2 x 1.5mm ²	0.5 - 2.1mm ²	0.05 - 0.35mm ²
PACK QTY	25	25	25	25



Open Barrel

Receptacle Insulators - Post Fit

Applications: Hard Insulators for 2.8mm - 6.3mm Receptacles

Material: Nylon



TERMINAL SIZE	2.8mm	4.8mm	6.3mm	6.3mm	6.3mm	6.3mm 90°
PART #	H2800	H2801	H2802	H2814	H1587	H2819
FITMENT	Post Fit	Post Fit	Post Fit	Post Fit	Post Fit	Post Fit
MATERIAL	Natural Nylon	Natural Nylon	Natural Nylon	Black Nylon	Black Nylon	Black Nylon
APPLICATION	Standard	Standard	Standard	Standard	Sender	Flag 90°
PACK QTY	25	25	25	25	10	25

Receptacle Insulators - Pre Fit

Applications: Soft Insulators for 4.0mm - 9.5mm Receptacles

Material: PVC



TERMINAL SIZE	4.8mm	6.3mm	6.3mm	6.3mm	6.3mm 90°	9.5mm
PART #	H2088	H1135	H1138	H1139	H1801	H1136
FITMENT	Pre Fit	Pre Fit	Pre Fit	Pre Fit	Pre Fit	Pre Fit
MATERIAL	Clear PVC	Clear PVC	Clear PVC	Clear PVC	Clear PVC	Clear PVC
APPLICATION	Standard	Standard	Standard	Standard	Flag 90°	Standard
PACK QTY	25	25	25	25	25	25



TERMINAL SIZE	4.0 - 4.6mm	4.0 - 4.6mm
PART #	H2805	H2806
FITMENT	Pre Fit	Pre Fit
MATERIAL	Clear PVC	Clear PVC
APPLICATION	Bullet Male	Bullet Female
PACK QTY	25	25



Wire Seals

Applications: Wire Cavity Seals to suit Open Barrel Terminals

Material: Silicone



O.D. SIZE	4.0mm Ø	4.8mm Ø	5.0mm Ø	5.0mm Ø	5.0mm Ø	5.3mm Ø
PART #	GT150S	DIS	JD090S	AUS	AUCP	F1.2MULT/S
SERIES	GT150	Denso	090 (2.3)	090 (2.3)	090 (2.3)	Metri-Pack150
WIRE SIZE	1.2 - 1.85mm Ø	2.0 - 2.7mm Ø	2.0 - 2.9mm Ø	2.0 - 2.9mm Ø	Cavity Plug	1.6 - 2.25mm Ø
PACK QTY	25	25	25	25	25	25



O.D. SIZE	5.7mm Ø	5.8mm Ø	6.1mm Ø	7.6mm Ø	7.6mm Ø	7.6mm Ø
PART #	JD150S	MP150S	070S	WPS-RED	WPS	WPS-GREY
SERIES	Metri-Pack 150	Metri-Pack 150	AMP Super Seal	Weather Pack	Weather Pack	Weather Pack
WIRE SIZE	2.0 - 2.5mm Ø	2.03 - 2.85mm Ø	1.7 - 2.4mm Ø	1.29 - 1.70mm Ø	2.03 - 2.85mm Ø	2.81 - 3.49mm Ø
PACK QTY	25	25	25	25	25	25



O.D. SIZE	7.6mm Ø	7.6mm Ø	9.3mm Ø	9.7mm Ø	10.4mm Ø	10.4mm Ø
PART #	WPS-BLUE	WPCP	AMP347713-1	MBRK-S	MP630S	MP630CP
SERIES	Weather Pack	Weather Pack	Econoseal III 250	250	Metri-Pack 630	Metri-Pack 630
WIRE SIZE	3.45 - 4.30mm Ø	Cavity Plug	2.60 - 3.40mm Ø	1.5 - 2.5mm Ø	3.61 - 4.50mm Ø	Cavity Plug
PACK QTY	25	5	10	1	1	1



DTM Series

Suits: Deutsch DTM Connectors

Material: Copper Alloy with Nickel or Gold Plating



TYPE	F Crimp Socket	F Crimp Pin	Solid Socket	Solid Pin	Gold Solid Socket	Gold Solid Pin
PART #	DTMFT20	DTMMT20	DTMSS20	DTMSP20	DTMFTG	DTMMTG
CONNECTOR	DTM Plug	DTM Receptacle	DTM Plug	DTM Receptacle	DTM Plug	DTM Receptacle
WIRE SIZE	0.2 - 0.5mm ²	0.2 - 0.5mm ²	0.2 - 0.5mm ²	0.2 - 0.5mm ²	0.2 - 0.5mm ²	0.2 - 0.5mm ²
MATING PART	DTMMT20	DTMFT20	DTMSP20	DTMSS20	DTMMTG	DTMFTG
PACK QTY	25	25	25	25	25	25

DT Series

Suits: Deutsch DT Connectors

Material: Copper Alloy with Nickel or Gold Plating



TYPE	F Crimp Socket	F Crimp Pin	F Crimp Socket	F Crimp Pin	Solid Socket	Solid Pin
PART #	DTFT14	DTMT14	DTFT16	DTMT16	DTSS16	DTSP16
CONNECTOR	DT Plug	DT Receptacle	DT Plug	DT Receptacle	DT Plug	DT Receptacle
WIRE SIZE	0.75 - 2.0mm ²	0.75 - 2.0mm ²	0.5 - 1.0mm ²	0.5 - 1.0mm ²	0.5 - 1.0mm ²	0.5 - 1.0mm ²
MATING PART	DTMT14	DTFT14	DTMT16	DTFT16	DTSP16	DTSS16
PACK QTY	25	25	25	25	25	25



TYPE	Gold Solid Socket	Gold Solid Pin	Solid Socket	Solid Pin	Gold Solid Socket	Gold Solid Pin
PART #	DTSS16G	DTSP16G	DTSS30	DTSP30	DTSS30G	DTSP30G
CONNECTOR	DT Plug	DT Receptacle	DT Plug	DT Receptacle	DT Plug	DT Receptacle
WIRE SIZE	0.5 - 1.0mm ²	0.5 - 1.0mm ²	1.0 - 2.0mm ²	1.0 - 2.0mm ²	1.0 - 2.0mm ²	1.0 - 2.0mm ²
MATING PART	DTSP16G	DTSS16G	DTSP30	DTSS30	DTSP30G	DTSS30G
PACK QTY	25	25	25	25	25	25



DTP Series

Suits: Deutsch DTP Connectors

Material: Copper Alloy with Nickel or Gold Plating



PART #	DTPFT12	DTPMT12	DTPSS12	DTPSP12	DTPSS12G	DTPSS12G
CONNECTOR	DTP Plug	DTP Receptacle	DTP Plug	DTP Receptacle	DTP Plug	DTP Receptacle
TYPE	F Crimp Socket	F Crimp Pin	Solid Socket	Solid Pin	Gold Solid Socket	Gold Solid Pin
WIRE SIZE	4.0 - 6.0mm ²	4.0 - 6.0mm ²	2.0 - 3.0mm ²	2.0 - 3.0mm ²	2.0 - 3.0mm ²	2.0 - 3.0mm ²
MATING PART	DTPMT12	DTPFT12	DTPSP12	DTPSS12	DTPSS12G	DTPSS12G
PACK QTY	1	1	1	1	1	1

Cavity Plugs

Suits: Deutsch DTM, DT, DTP Connectors

Material: Nylon



PART #	DTMCP	DTCP
CONNECTOR	DTM	DTM, DT, DTP
TERMINAL SIZE	20	12 - 20
PACK QTY	1	1

Deutsch Tools

See the full range of Deutsch crimping & extraction tools via our online store.





Ferrules

Boot Lace Ferrules

Application: Prevents stray strands in Screw Down Receptacles

Insulation: PVC

Crimp Barrel: Tin-plated copper



WIRE SIZE	0.5mm ²	0.75mm ²	1.0mm ²	1.5mm ²	2.5mm ²
PART #	BLP0.5	BLP0.75	BLP1.0	BLP1.5	BLP2.5
TYPE	White Insulated	Blue Insulated	Red Insulated	Black Insulated	Grey Insulated
PACK QTY	100	100	100	100	100



WIRE SIZE	0.5mm ²	0.75mm ²	1.0mm ²	1.5mm ²	2.5mm ²	4.0mm ²
PART #	BLPU0.5	BLPU0.75	BLPU1.0	BLPU1.5	BLPU2.5	BLPU4.0
TYPE	Uninsulated	Uninsulated	Uninsulated	Uninsulated	Uninsulated	Uninsulated
PACK QTY	100	100	100	100	100	100



WIRE SIZE	6.0mm ²	10.0mm ²	16.0mm ²
PART #	BLPU6.0	BLPU10	BLPU16
TYPE	Uninsulated	Uninsulated	Uninsulated
PACK QTY	100	100	100

Solder Pin Ferrules

Application: Reduces Cable Size for Screw Receptacles in Trailer Connectors, Inverters, Amps etc

Crimp Barrel: Tin-plated Copper



WIRE SIZE	0.25 - 1.65mm ²	Up to 10mm ²	10mm - 16mm ²
PART #	HS2271	HS2273	HS2275
TYPE	Small	Medium	Large
PACK QTY	10	10	10




High Tension Receptacles

Suits: 7mm High Tension Lead

Material: Stainless Steel

Operating Temp: 0°C to 105°C



TYPE	Spark Plug Straight	Spark Plug 90°	Distributor Straight	Distributor 90°
PART #	HT1	HT4	HT5	HT6
WIRE SIZE	7.0mm Ø	7.0mm Ø	7.0mm Ø	7.0mm Ø
INSULATOR/SEAL	HTPB1	HTPB2	HTDB1	HTDB2
MATING PART	Spark Plug	Spark Plug	Distributor	Distributor
PACK QTY	1	1	1	1

High Tension Boots

Suits: 7mm High Tension Lead

Material: PVC

Operating Temp: 0°C to 105°C



TYPE	Coil Straight	Distributor Straight	Distributor 90°	Spark Plug Straight	Spark Plug 90°
PART #	HTCB1	HTDB1	HTDB2	HTPB1	HTPB2
WIRE SIZE	7.0mm Ø	7.0mm Ø	7.0mm Ø	7.0mm Ø	7.0mm Ø
TERMINAL	-	HT5	HT6	HT1	HT4
PACK QTY	1	1	1	1	1



7mm High Tension Cable

Available in 30m or 100m reels

Part # C7HT-30 ~ 100



Assortment Kits

Brass Terminal Assortment Kit

The 18 compartment transparent case contains 435 pieces of the most popular open barrel terminals and insulators.

Part #: **BTA/K**



H2-3 x 25	H2-4 x 25	H2-5 x 25	H1863 x 25	H1864 x 25	H1533E x 25
H1972ET x 25	H2814 x 25	H3555ET x 25	H2832ET x 25	H1587 x 10	H1074 x 25
H29109 x 25	H1143 x 25	H2801 x 25	H1149 x 25	H3739 x 25	H2858 x 25

Odd Terminal Assortment Kit #3

The 18 compartment transparent case contains 450 pieces of various open barrel terminals.

Part #: **OTA3**




JD21730 x 25	MAGFT x 25	BFH1CT x 25	H1149 x 25	H2858 x 25	H3739 x 25
JD838 x 25	AUFT x 25	MP150FT x 25	JD401 x 25	JD163304 x 25	JD163305 x 25
070T x 25	070R x 25	H25104 x 25	H25107 x 25	H25200 x 25	H25201 x 25

Odd Terminal Assortment Kit #4

The 18 compartment transparent case contains 325 pieces of various open barrel terminals.

Part #: **OTA4**



AUMT x 25	VTDKFT x 25	VTDPT x 25	AUDPT x 25	VYR x 25	VYT x 25
JD237 x 25	JD085 x 25	JD4960 x 25	MP280FT x 25	ECUT x 25	DIT x 25
MT-7 x 25					

Pre-Insulated Assortment Kit

The 18 compartment transparent case contains 900 pieces of the most popular Pre-Insulated terminals.

Part #: **PIC/K**



PIC002 x 50	PIC003 x 50	PIC011 x 50	PIC014 x 50	PIC016 x 50	PIC017 x 50
PIC018 x 50	PIC022 x 50	PIC023 x 50	PIC031 x 50	PIC033 x 50	PIC034 x 50
PIC035 x 50	PIC039 x 50	PIC040 x 50	PIC041 x 50	PIC049 x 50	PIC055 x 50