

SAFETY DATA SHEET

Issuing Date 13-Aug-2015 Revision Date 13-Aug-2015 Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name/Catalog ID AACU1

Other means of identification

Product Description 1000 μg/mL Copper

Recommended use of the chemical and restrictions on use Recommended Use Laboratory chemicals.

Uses advised against No information available

Details of the supplier of the safety data sheet

Company

Inorganic Ventures 300 Technology Drive Christiansburg, VA 24073 web: www.inorganicventures.com

E-mail Address info@inorganicventures.com

Emergency Telephone Number

Chemtrec 1-800-424-9300 (US) Canutec - 1-613-996-6666 (Canada)

2. HAZARDS IDENTIFICATION

GHS

Classification

Skin corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1

Label Elements

Danger

Hazard Statements

Causes skin irritation Causes serious eye damage



Appearance Clear / Blue Physical State Liquid Odor Odorless

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

· Toxic to aquatic life with long lasting effects

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Nitric acid	7697-37-2	3
Copper	7440-50-8	0.1

4. FIRST AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash skin with soap and water.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Special Exposure Hazards Arising from the Substance/Mixture

Thermal decomposition can lead to release of irritating gases and vapors

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. Should not be released into the environment. Beware of vapors accumulating to form

explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for Cleaning up Dam up. Neutralise with lime; soda. Soak up with inert absorbent material. Sweep up and

shovel into suitable containers for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Conditions for safe storage, including any incompatibilities

Technical measures/Precautions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nitric acid	4 ppm STEL	TWA: 2 ppm	IDLH: 25 ppm
7697-37-2	TWA: 2 ppm	TWA: 5 mg/m ³	TWA: 2 ppm
		(vacated) TWA: 2 ppm	TWA: 5 mg/m ³
		(vacated) TWA: 5 mg/m ³	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m ³
		(vacated) STEL: 10 mg/m ³	
Copper	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.1 mg/m ³	IDLH: 100 mg/m ³
7440-50-8		TWA: 1 mg/m ³	TWA: 1 mg/m ³
		(vacated) TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical StateLiquidAppearanceClear / BlueOdorOdorless

Property Values

pH VALUENo data availableMelting Point/RangeNo data available

Boiling Point/Range 100 °C

Evaporation rate

Flammability (solid, gas)

Vapor Pressure

Vapor Density

Relative Density

No data available

Miscible

Partition coefficient: n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity

No data available
No data available
No data available

Explosive PropertiesNo information available **Oxidizing Properties**No information available

Other information

VOC Content No information available.

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

None known.

Incompatible Materials

Reducing agents

Hazardous Decomposition Products

Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

Inhalation There is no data available for this product.

Eye Contact There is no data available for this product.

Skin Contact There is no data available for this product.

Ingestion There is no data available for this product.

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nitric acid 7697-37-2 (3)	-	-	= 130 mg/m ³ (Rat) 4 h = 67 ppm (Rat) 4 h
Copper 7440-50-8 (0.1)	-	-	-

Information on toxicological effects

No information available. **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Sensitization No information available. **Mutagenic Effects**

Carcinogenic effects

Chemical Name	ACGIH	IARC	NTP	OSHA
Nitric acid		Group 2A		X
7697-37-2				

Reproductive Toxicity No information available. No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Aspiration Hazard**

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-dust/mist) 726.7 mg/L ATEmix (inhalation-vapor) 2233 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects Very toxic to aquatic organisms May cause long-term adverse effects in the aquatic

environment

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Nitric acid 7697-37-2		72: 96 h Gambusia affinis mg/L LC50		
Copper 7440-50-8	EC50 0.0426 - 0.0535 mg/L 72 h EC50 0.031 - 0.054 mg/L 96 h	0.0068 - 0.0156: 96 h Pimephales promelas mg/L LC50 0.3: 96 h Pimephales promelas mg/L LC50 static 0.2: 96 h Pimephales promelas mg/L LC50 flow-through 0.052: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.25: 96 h Lepomis macrochirus mg/L LC50 static 0.3: 96 h Cyprinus carpio mg/L LC50 semi-static 0.8: 96 h Cyprinus carpio mg/L LC50 static 0.112: 96 h Poecilia reticulata mg/L LC50 flow-through		EC50 48 h = 0.03 mg/L (Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Chemical Name	Log Pow
Nitric acid	-2.3
7697-37-2	

Other Adverse Effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Dispose of in accordance with federal, state and local regulations Should not be released

Products

into the environment

Contaminated Packaging

Do not re-use empty containers.

Chemical Name	California Hazardous Waste Status
Nitric acid	Toxic
7697-37-2	Corrosive
	Ignitable
Copper	Toxic
7440-50-8	

14. TRANSPORT INFORMATION

IMDG/IMO

14.1. UN-No UN3264

14.2. Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s

14.3. Hazard Class 8
14.4. Packing Group III

Description Not applicable.

14.5. Marine PollutantNone.14.6. Special ProvisionsNone

14.7. Transport in bulk according No information available.

to Annex II of MARPOL 73/78 and

the IBC Code

<u>RID</u>

14.1. UN-No UN3264

14.2. Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s

14.3. Hazard Class 8 **14.4. Packing Group** III

Description Not applicable.

14.5. Environmental hazard None14.6. Special Provisions None

<u>ADR</u>

14.1. UN-No UN3264

14.2. Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s

14.3. Hazard Class 8 **14.4. Packing Group** III

Description Not applicable.

14.5. Environmental hazard None 14.6. Special Provisions None

<u>ICAO</u>

14.1. UN-No UN3264

14.2. Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s

14.3. Hazard Class 8 **14.4. Packing Group** II

Description Not applicable.

14.5. Environmental hazard None **14.6. Special Provisions** None

IATA-DGR

14.1. UN-No UN3264

14.2. Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s

14.3. Hazard Class 8
14.4. Packing Group |||

Description Not applicable

14.5. Environmental hazard None **14.6. Special Provisions** None

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric acid 7697-37-2	1000 lb			Х
Copper 7440-50-8		X	X	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances	RQ
		RQs	

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Nitric acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

	Chemical Name	New Jersey	Massachusetts	Pennsylvania
	Nitric acid 7697-37-2	X	X	X
Ī	Copper 7440-50-8	Х	X	X

U.S. EPA Label Information

16. OTHER INFORMATION

Revision Date

13-Aug-2015

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS