



SAFETY DATA SHEET

Issuing Date 03-Sep-2015

Revision Date 03-Sep-2015

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name/Catalog ID AAW1

Other means of identification

Product Description 1000 µg/mL Tungsten

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory chemicals.

Uses advised against No information available

Details of the supplier of the safety data sheet

Company

Inorganic Ventures
300 Technology Drive
Christiansburg, VA 24073
web: www.inorganicventures.com

E-mail Address info@inorganicventures.com

Emergency Telephone Number

Chemtrec 1-800-424-9300 (US)
Canutec - 1-613-996-6666 (Canada)

2. HAZARDS IDENTIFICATION

GHS

Classification


Acute Toxicity - Oral	Category 3
Acute Toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A

Label Elements

Danger

Hazard Statements

Toxic if swallowed
Toxic in contact with skin
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation



Appearance Clear / Colorless **Physical State** Liquid **Odor** Odorless

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other Information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %
Hydrogen fluoride	7664-39-3	2

4. FIRST AID MEASURES

First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Call a physician or Poison Control Center immediately. Move to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person.
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Burn. Difficulty breathing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure

In case of contact with Hydrogen fluoride, anhydrous (UN1052), flush skin and eyes with water for 5 minutes; then, for skin exposures rub on a calcium/jelly combination; for eyes flush with a water/calcium solution for 15 minutes

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Special Exposure Hazards Arising from the Substance/Mixture

The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of toxic and corrosive gases/vapors Thermal decomposition can lead to release of irritating gases and vapors

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment. Do not get in eyes, on skin, or on clothing.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for Cleaning up Dam up. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Wear personal protective equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. In case of insufficient ventilation, wear suitable respiratory equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist.

Conditions for safe storage, including any incompatibilities

Technical measures/Precautions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen fluoride 7664-39-3	TWA: 0.5 ppm TWA: 2.5 mg/m ³ Skin Ceiling: 2 ppm	TWA: 3 ppm TWA: 2.5 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 2.5 mg/m ³ (vacated) STEL: 6 ppm	IDLH: 30 ppm Ceiling: 6 ppm Ceiling: 5 mg/m ³ TWA: 3 ppm TWA: 2.5 mg/m ³

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye Protection Tightly fitting safety goggles Face-shield
Skin and Body Protection Impervious clothing Boots Chemical resistant apron
Hand Protection Impervious gloves
Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn
Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear / Colorless
Odor	Odorless
Property	Values
pH VALUE	No data available
Melting Point/Range	No data available
Boiling Point/Range	100 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Relative Density	No data available
Specific Gravity	No data available
Water Solubility	Miscible
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available
Other information	
VOC Content	No information available.

10. STABILITY AND REACTIVITY**Reactivity**

No data available.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Ammonia Alkalis. Bases. Cyanides. Common metals.

Hazardous Decomposition Products

May emit toxic fumes under fire conditions. Nitrogen oxides (NOx). Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information	Toxic by inhalation Toxic in contact with skin Toxic if swallowed The product causes burns of eyes, skin and mucous membranes.
Inhalation	Toxic by inhalation. Causes burns. Inhaled corrosive substances can lead to a toxic edema of the lungs. Corrosive to respiratory system.
Eye Contact	Causes burns.

Skin Contact	Toxic in contact with skin. May be absorbed through the skin in harmful amounts. Causes burns. Symptoms may be delayed.
Ingestion	Toxic if swallowed. Can burn mouth, throat, and stomach.

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrogen fluoride 7664-39-3 (2)	-	-	= 1276 ppm (Rat) 1 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenic effects

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target Organ Effects Skin, Eyes, Respiratory system.

Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	250 mg/kg
ATEmix (dermal)	250 mg/kg
ATEmix (inhalation-gas)	31900 mg/L
ATEmix (inhalation-dust/mist)	2.5 mg/L
ATEmix (inhalation-vapor)	25 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects

0.1% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Hydrogen fluoride 7664-39-3		660: 48 h Leuciscus idus mg/L LC50		EC50 48 h = 270 mg/L (Daphnia species)

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Chemical Name	Log Pow
Hydrogen fluoride 7664-39-3	-1.4

Other Adverse Effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with federal, state and local regulations

Contaminated Packaging Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrogen fluoride 7664-39-3	U134			Corrosive waste, Toxic waste

Chemical Name	California Hazardous Waste Status
Hydrogen fluoride 7664-39-3	Toxic Corrosive Reactive

14. TRANSPORT INFORMATION

IMDG/IMO

14.1. UN-No UN2922

14.2. Proper Shipping Name Corrosive liquid, toxic

14.3. Hazard Class 8

Subsidiary Class 6.1

14.4. Packing Group III

Description Not applicable.

14.5. Marine Pollutant None.

14.6. Special Provisions None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available.

RID

14.1. UN-No UN2922

14.2. Proper Shipping Name Corrosive liquid, toxic

14.3. Hazard Class 8

14.4. Packing Group III

Description Not applicable.

14.5. Environmental hazard None

14.6. Special Provisions None

ADR

14.1. UN-No UN2922

14.2. Proper Shipping Name Corrosive liquid, toxic

14.3. Hazard Class 8

14.4. Packing Group III

Description Not applicable.

14.5. Environmental hazard None

14.6. Special Provisions None

ICAO

14.1. UN-No UN2922

14.2. Proper Shipping Name Corrosive liquid, toxic

14.3. Hazard Class 8

Subsidiary Class 6.1

14.4. Packing Group III

Description Not applicable.

14.5. Environmental hazard None

14.6. Special Provisions None

IATA-DGR

14.1. UN-No UN2922

14.2. Proper Shipping Name Corrosive liquid, toxic

14.3. Hazard Class 8

Subsidiary Class 6.1

14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen fluoride 7664-39-3	100 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen fluoride 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen fluoride 7664-39-3	X	X	X

U.S. EPA Label Information**16. OTHER INFORMATION**

Revision Date 03-Sep-2015

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS