




FLOWZONE TAPMASTER

TAP CONNECTED INSTANT WATER OZONATOR

USER MANUAL





HAVE YOU READ OUR
FREE HOME OZONE
THERAPY GUIDE?

[DOWNLOAD NOW!](#)

www.naturalozone.co.nz/collections/ozone-therapy



CONTENT

About the Flowzone Tapmaster..... 4

Before Operating 5

Specifications 6

Warranty 6

Installation 7



ABOUT THE FLOWZONE TAPMASTER

The Flowzone Tapmaster's core component technology was designed in Germany and is an economical and sustainable solution for residential and commercial use.

Quick and easy to install, the Tapmaster connects to most faucets via the instant gas-liquid micro-diffuser. Once connected to the unit with the silicon tube provided, ozonated water comes out automatically within half a second of turning on the tap.

Ozone eliminates E.coli approximately 3000 times faster than chlorine and eradicates 99% of known viruses, bacteria and microorganisms (including Giardia and Cryptosporidium) and is safe to drink. It neutralises pesticides, chemicals, detergents and odours while remaining safe for you and the environment.

Ozonated water has myriad uses including but not limited to;

- Producing oxygen-rich water with 2-4 times the oxygen content of regular tap water.
- Reap the potential health benefits of drinking freshly oxygenated water.
- Removing bacteria from vegetables, meats and seafood so they are safe and keep longer.
- Neutralising pesticides and chemical residues on your vegetables, some which can remain in your body are carcinogenic.
- Hand washing stations in schools, offices, restaurants, hotels, rest rooms, daycare facilities to prevent transmission of pathogens.
- Use in the home to sanitisation tasks such as baby bottles & toys, work surfaces, kitchen equipment, bathrooms, floor mopping and laundry.
- Support acne breakouts by washing your face with ozonated water.
- Clean your teeth and rinse your mouth with ozonated water for great oral hygiene.
- An excellent off-grid solution after water filtering has been applied for higher quality drinking water.

BEFORE OPERATING

Open the package and check the product & accessories are complete.

The micro-diffuser is equipped with a standard size thread which screws directly into the filter attachment of most household faucets. NB may require male-female adaptor (included).

Keep this equipment clear from open flames.

Do not operate the unit when the cover is removed.

Unplug the power cable if it is not in use for a long period of time.





SPECIFICATIONS

▶ Model	Flowzone Tapmaster
▶ Ozone Output	200mg/h
▶ Ozone Concentration	0.2~0.5 PPM
▶ Power	8W
▶ Voltage	AC110-220V
▶ Water Flow	1-8L/min
▶ Water Pressure	0.3-8 Bar
▶ Operate Temperature	0°C~50°C
▶ Product Dimension	125mm x 103mm x 46mm
▶ Weight	2.0Kgs including packaging
▶ Accessories	Silicone tube, Neojet mixer, Power adaptor, Velcro, User Manual



WARRANTY

This appliance is warranted to be free from all defects in material and operating for normal household use for a period of 1 year from date of purchase.

The warranty is granted only to the original purchaser and members of his or her immediate household.

The warranty is subject to the following provisions:

Any damages or malfunctions caused by negligence, abuse, or not operating in accordance with the User Manual are not covered by this warranty.

Likewise, any defects or damages caused by unauthorised service or use, specified parts are not covered.


Natural Ozone Ltd, will repair or replace a defective appliance or part(s) that is covered by this warranty.

As a matter of warranty policy, our company will not refund the customer's purchase price.

All transportation charges on parts, or units, submitted under this warranty shall be carried by the purchaser.

INSTALLATION

- Unscrew the filter at the end of the faucet and install the micro-diffuser. Use male-female adaptor if required.
- Secure the ozone unit to the wall using Velcro-fastener provided.
- Connect the ozone outlet to the micro-diffuser via the silicone tube provided.
- Connect the power, press the on/off button and the red on/off light will turn on.
- Open the tap and the red light will turn green to indicate that ozone is being automatically injected into the water.
- When you do not wish water to be ozonated simply switch off at the on/off button.





If you have any further questions do not hesitate to contact me on +64 21 116 2490 or kim@naturalozone.co.nz

All the best of health,

Kim
Director - Natural Ozone Ltd