

AQUEOUS CREAM (450G)



beaconshealth@beacons.com.sg

Soothes, softens and moisturizes your skin



What Does This Product Contain?

Emulsifying Wax, White Soft Paraffin, Liquid Paraffin.

What Is This Product For?

Moisturises dry skin.

How Should I Use This Product?

Apply liberally to dry skin.

What Should I Avoid When Using This Product?

For external use only.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Store at room temperature between 20°C to 25°C and away from light. Keep container tightly closed.

SDG\$ 10.50



BABY CORD SPIRIT (120ML)



beaconshealth@beacons.com.sg

Keep umbilical cord stump clean and dry



What Does This Product Contain?
Denatured Alcohol, Purified Water.

What Is This Product For?

Baby Cord Spirit disinfects and dries umbilical cord stump in newborn babies.

How Should I Use This Product?

Apply twice daily onto umbilical cord stump and surrounding areas after baby's bath. Continue use if there is some discharge after cord has come off.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Store in a cool, dry place away from direct sunlight. Flammable, keep away from open flame.

SDG\$ 5.60



BEAFORT SYRUP (200ML)



Vitamin B Complex-boosts energy and supports healthy nerve function



SDG\$ 10.50

What Does This Product Contain?

Each 5ml contains Thiamine HCl (B1) 5mg, Riboflavin (B2) 2.5mg, Nicotinamide (B3) 20mg, Calcium Pantothenate (B5) 1.5mg, Pyridoxine HCl (B6) 2mg, Cyanocobalamin (B12) 5mcg.

What Is This Product For?

Beafort Syrup contains a combination of B Vitamins, which serves to boost energy and support healthy nerve function.

How Should I Take This Product?

Infants: 2.5ml daily. Children: 5ml daily.

Adults: 10ml three times daily.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

Side effects such as stomach upset (vomiting, nausea, pain and bloating) and urine discolouration (turning to bright yellow or dark yellow) may occur. If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this medicine, consult a doctor immediately.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.



BEAPLEX TABLET (60'S)



beaconshealth@beacons.com.sg

Vitamin B Complex-boosts energy and supports healthy nerve function



What Does This Product Contain?

Vitamin B1 5mg, Vitamin B2 1.5mg, Vitamin B3 10mg, Vitamin B6 1mg, Vitamin B9 1µg, Vitamin B12 3µg.

What Is This Product For?

Boosts energy and supports healthy nervous system.

How Should I Take This Product?

Adults: Take 1 to 2 tablets daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 8.80



CALAMINE LOTION (120ML)

www.beaconshealth.com

beaconshealth@beacons.com.sg

Soothes and relieves skin irritation



What Does This Product Contain?

Calamine 15% w/v, Zinc Oxide 5% w/v.

What Is This Product For?

Soothe and relieve itchiness caused by prickly heat, insect bites and sunburn.

How Should I Use This Product?

Shake well before use. Apply liberally to affected areas as required.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Store in a cool, dry place away from direct sunlight.

SDG\$ 5.35



CALAMINE LOTION WITH MENTHOL (120ML)



beaconshealth@beacons.com.sg

Cools, soothes and relieves skin irritation



What Does This Product Contain?

Calamine 15% w/v, Zinc Oxide 5% w/v, Menthol 0.4% w/v.

What Is This Product For?

Calamine Lotion with Menthol helps soothe & relieve itchiness caused by prickly heat, insect bites and sunburn. Menthol gives an extra cooling effect.

How Should I Use This Product?

Shake well before use. Apply liberally to affected areas as required.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Store in a cool, dry place away from direct sunlight.

SDG\$ 5.50



CALCIUM CARBONATE TABLET (60'S)

www.beaconshealth.com

beaconshealth@beacons.com.sg

Builds and maintains strong bones



What Does This Product Contain?

Calcium (as Calcium Carbonate) 250mg.

What Is This Product For?

Build and maintain strong bones.

How Should I Take This Product?

Adults: Take 1 tablet one to two times daily or as directed by doctor.

What Should I Avoid When Taking This Product?

As this product interferes with the absorption of certain medications, including bisphosphonates, tetracyclines antibiotics and levothyroxine, they should be given 1-2 hours apart. Consult your doctor if you are on other medications.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 6.45



CALCIUM-D CAPLET (60'S)



beaconshealth@beacons.com.sg

Builds and maintains strong bones, with added Vitamin D for beffer calcium absorption



What Does This Product Contain?

Calcium (as calcium carbonate) 500mg, Vitamin D3 125 IU.

What Is This Product For?

Fortified with Vitamin D to enhance calcium absorption for building and maintenance of strong bones.

How Should I Take This Product?

Adults: Take 1 caplet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

As this product interferes with the absorption of certain medications, including bisphosphonates, tetracyclines antibiotics and levothyroxine, they should be given 1-2 hours apart. Consult your doctor if you are on other medications.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 10.20



CALCIUM LACTATE TABLET (60'S)



beaconshealth@beacons.com.sg

Build & maintains strong bones, with added Vitamin Lactate



What Does This Product Contain?
Calcium (as Calcium Lactate) 39mg.

What Is This Product For?
Build and maintain strong bones.

How Should I Take This Product?

Adults: Take 1 tablet one to two times daily or as directed by doctor.

What Should I Avoid When Taking This Product?

As this product interferes with the absorption of certain medications, including bisphosphonates, tetracyclines antibiotics and levothyroxine, they should be given 1-2 hours apart. Consult your doctor if you are on other medications.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 6.45



CHEWABLE C-100 TABLET (60'S)



beaconshealth@beacons.com.sg

Chewable Vitamin C for a healthy immune system



What Does This Product Contain? Ascorbic Acid 100mg.

What Is This Product For?
Antioxidant and supports immunity.

How Should I Take This Product?
Children 2 years and above: Chew 1-2 tablets daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

Stop taking this product if you experience discomfort. Consult a doctor immediately if symptoms persist.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product. Not suitable for children under 2 years old.

SDG\$ 8.60



CHILDREN'S MULTIVITAMINS AND MINERALS CHEWABLE TABLET (60'S)



Chewable multivitamin for growing children



What Does This Product Contain?

Vitamin A 4mg, Vitamin B1 1.6mg, Vitamin B2 1.5mg, Vitamin B3 0.9mg, Vitamin B5 1.5mg, Vitamin B6 1.6mg, Vitamin B12 5mcg, Vitamin C 30mg, Vitamin D 2mg, Vitamin E 5IU, Copper 0.05mg, Iodine 0.015mg, Iron 0.94mg, Magnesium 0.31mg, Manganese 0.24mg, Zinc 0.06mg.

What Is This Product For?

Combines all essential vitamins and minerals for growing, active children.

How Should I Take This Product?

Children 2 years and above: Chew 1 tablet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

Stop taking this product if you experience discomfort. Consult a doctor immediately if symptoms persist.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product. Not suitable for children under 2 years old.

SDG\$ 9.65



CHLORHEXIDINE MOUTHWASH (270ML)

www.beaconshealth.com ★ beaconshealth@beacons.com.sg

Keeps bad breath away



SDG\$ 4.40

What Does This Product Contain?

Chlorhexidine Gluconate 0.2% w/v, Glycerin 2.5% w/w, Peppermint Oil 0.05% w/w.

What Is This Product For?

Chlorhexidine mouthwash helps to soothe and relieve painful mouth and throat conditions such as ulcer, sore gums, sore throat and fight against bacteria that cause tooth decay. The refreshing mint formula keeps bad breath away.

How Should I Use This Product?

Use 15ml of the mouthwash to gargle or rinse mouth for about 30 seconds. Spit out the solution after use; do not swallow the mouthwash. Use every morning and night after meals or as directed by your doctor.

What Should I Avoid When Using This Product?

Do not dilute or swallow. Prolonged use of Chlorhexidine Mouthwash may cause teeth staining. These stains can be removed by visiting your dentist.

When Should I Stop This Product And Consult A Doctor?

It is recommended to visit your dentist every six months to maintain your oral hygiene.

How Should I Store This Product? Store in a cool, dry place away from

direct sunlight.



DAILYVIT CAPLET (60'S)



beaconshealth@beacons.com.sg

Multivitamin to support good general health



What Does This Product Contain?

Vitamin A 10mg, Vitamin D 5mg, Vitamin B1 3.5mg, Vitamin B2 2.5mg, Vitamin B3 15mg, Vitamin B5 3.7mg, Vitamin B6 1mg, Vitamin B12 2µg, Vitamin C 50mg.

What Is This Product For?

Supplements good general health.

How Should I Take This Product?

Adults: Take 1 caplet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 10.65



DAILYVIT-M CAPLET (60'S)



Multivitamin to support good general health



What Does This Product Contain?

Vitamin A 10mg, Vitamin B1 3.5mg, Vitamin B2 2.5mg, Vitamin B3 15mg, Vitamin B5 3.7mg, Vitamin B6 1mg, Vitamin B12 2µg, Vitamin C 50mg, Vitamin D 5mg, Copper 0.3mg, Iodine 0.04mg, Iron 1.8mg, Magnesium 0.05mg, Manganese 0.2mg, Phosphorus 4mg, Zinc 0.2mg.

What Is This Product For?

Supplements good general health. How Should I Take This Product? Adults: Take 1 caplet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 13.70



DENATURED ALCOHOL (120ML)

www.beaconshealth.com

beaconshealth@beacons.com.sg

Disinfectant prior to & after injection



What Does This Product Contain?

Denatured Ethyl Alcohol (IMS) 95% v/v.

What Is This Product For?

Denatured Alcohol is used as a skin disinfectant prior to & after injection.

How Should I Use This Product?

Apply liberally to affected areas as required.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Flammable, please keep away from heat and fire. Store in a cool, dry place away from direct sunlight.

SDG\$ 4.10



FOLIC ACID TABLET (60'S)

www.beaconshealth.com

beaconshealth@beacons.com.sg

Essential pre-natal supplement



What Does This Product Contain? Folic Acid 5ma.

What Is This Product For?

Support healthy foetus growth and formation of red blood cells.

How Should I Take This Product?

Take 1 tablet a day or as directed by doctor. Recommended to take before conception, during pregnancy and during lactation.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

Stop taking this product if you experience discomfort. Consult a doctor immediately if symptoms persist.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 6.45



GLUTILAGE 500 CAPSULE (90'S)



beaconshealth@beacons.com.sg

Maintains healthy joints and ease of mobility



What Does This Product Contain?

Glucosamine Potassium Sulphate 500mg.

What Is This Product For?

For building and maintaining healthy joints.

How Should I Take This Product?

Adults: Take 1 capsule up to 3 times daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 21.20



GRIPE WATER (200ML)

www.beaconshealth.com
beaconshealth@beacons.com.sg

Eases pain and discomfort due fogas and wind



SDG\$ 7.50

What Does This Product Contain?

Each 5ml contains Sodium Bicarbonate 52.5mg.

What Is This Product For?

For relief of pain and discomfort due to wind, acidity and minor tummy upsets in young children and babies (especially during teething stage).

How Should I Take This Product?

Doses may be taken up to three times daily. Shake well before use. Infant up to 6 months:

5 ml (1 teaspoonful) given during or after each feed.

Children 6 months - 2 years:

10 ml (2 teaspoonful) given during or after each feed.

Children 2 years and above:

10 - 15 ml (2 - 3 teaspoonful) given after each meal.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

Stop taking this product if you experience discomfort. Consult a doctor immediately if symptoms persist.

How Should I Store This Product?
Store in a cool place and away from light.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product. Infants should take this product with care.



HIGH C-250 TABLET (60'S)



beaconshealth@beacons.com.sg

Vitamin Ctor a healthy immune system



What Does This Product Contain? Ascorbic Acid 250mg.

What Is This Product For?

Supports immunity with its antioxidant properties.

How Should I Take This Product?

Adults: Take 1 tablet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 7.40



IRON 30MG TABLET (60'S)

www.beaconshealth.com

beaconshealth@beacons.com.sg

Promofes red blood cell formation & efficient use of energy



What Does This Product Contain? Iron (as Ferrous Sulphate) 30mg.

What Is This Product For?

Increase haemoglobin in the blood. Recommended for iron-deficiency angemia

How Should I Take This Product?

Adults: Take 1 tablet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

As this product interferes with the absorption of certain medications, including bisphosphonates, tetracyclines and quinolones antibiotics, levodopa, methyldopa and levothyroxine, they should be given 1-2 hours apart. Consult your doctor if you are on other medications.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 9.85



ISOPROPYL ALCOHOL 70% (120ML)



First-aid disinfectant



What Does This Product Contain? Isopropyl Alcohol 70% v/v.

What Is This Product For?
Isopropyl Alcohol is used as a skin disinfectant.

How Should I Use This Product?
Apply liberally to affected areas as required.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?
Flammable, please keep away from heat and fire. Store in a cool, dry place away from direct sunlight.

SDG\$ 4.20



LYPROVITE SYRUP (100ml)



Multivitamin & appetite booster for growing children with fussy eating habits



SDG\$ 5.90

What Does This Product Contain?

Each 5ml contains Vitamin A 1500iu, Vitamin B1 2.2mg, Vitamin B2 1.2mg, Vitamin B6 1.5mg, Vitamin B12 3µg, Nicotinamide 10mg, Vitamin C 30mg, Vitamin D 200iu, Vitamin E 7mg, Calcium 10mg, Magnesium 5.5mg, Zinc 3mg, L-Lysine 100mg

What Is This Product For?

Lyprovite provides all the essential vitamins and minerals vital for good health, growth and development of children. With added Lysine, Lyprovite aids as an appetite booster.

How Should I Take This Product?

Shake well before use.
Children up to 4 years old:
2.5ml (1/2 teaspoonful) daily.
Children 4 years old and above:
5ml (1 teaspoonful) daily.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

Stop taking this product if you experience any discomfort. Consult a doctor immediately if symptoms persist.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.



METHYLATED SPIRIT (120ML)



beaconshealth@beacons.com.sg

Skin disinfectant-prior to and after injection



What Does This Product Contain? Industrial Methylated Spirit 95% v/v.

What Is This Product For?

Methylated Spirit is used as a skin disinfectant or astringent, prior to and after injection.

How Should I Use This Product?

Apply liberally to affected areas as required.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Flammable, please keep away from heat and fire. Store in a cool, dry place away from direct sunlight.

SDG\$ 3.75



POVIDONE IODINE SOLUTION (120ML)

www.beaconshealth.com

■ beaconshealth@beacons.com.sg

First-oid antiseptie



What Does This Product Contain?

Povidone Iodine 10% w/v.

What Is This Product For?

Used as an antiseptic solution for abrasions, cuts and wounds.

How Should I Use This Product?

Shake well before use. Apply directly to affected area 3-4 times a day until the wound is healing. Do not cover the wound with tight dressing or bandage.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately. This product may stain skin and clothes.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?
Store in a cool, dry place away from direct sunlight.

SDG\$ 4.20



PROFLAVINE LOTION (120ML)



Antiseptic solution for wounds



What Does This Product Contain?

Proflavine Hemisulphate 0.1% w/v.

What Is This Product For?

Proflavine Lotion is used as an antiseptic solution for minor cuts, wounds and burns.

How Should I Use This Product?

Apply directly to affected area 3 times a day until the wound is healed.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately. This product may stain skin and clothes.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Store in a cool, dry place away from direct sunlight.

SDG\$ 4.60



ROSE WATER + WITCH HAZEL (250ML)

www.beaconshealth.com
beaconshealth@beacons.com.sg

Facial cleanser & foner



What Does This Product Contain?

Rose Water Solution, Witch Hazel Solution, Apple Green Colour, Denatured Alcohol, Purified Water.

What Is This Product For?

Rose Water + Witch Hazel hydrates dry skin, tones oily skin and soothes sensitive skin, leaving skin soft, smooth and younger looking.

How Should I Use This Product?

Apply liberally to skin with cleansing pad as required.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Store in a cool, dry place away from direct sunlight.

SDG\$ 10.95



SODIUM CHLORIDE WITH DEXTROSE TABLET (60'S)



beaconshealth@beacons.com.sg

For Adults to prevent dehydration



SDG\$ 6.45

What Does This Product Contain?

Sodium Chloride 500mg, Dextrose Monohydrate 200mg.

What Is This Product For?

Prevents and treats low levels of sodium.

How Should I Take This Product?

Dosage is calculated based on individual basis and is dependent on electrolyte status of patient. Use as directed by doctor. Swallow whole tablet with a glass of water after meals.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product. This product should be given cautiously to patients with congestive heart failure, hypertension, renal impairment, liver cirrhosis or fluid retention.



SURGICAL SPIRIT (120ML)

www.beaconshealth.com

beaconshealth@beacons.com.sg

Skin disinfectant & antiseptic solution



What Does This Product Contain?

Castor Oil 2.5% v/v, Diethyl Phthalate 2% v/v, Methyl Salicylate 0.5% v/v, Industrial Methylated Spirit to 100% v/v

What Is This Product For?

Surgical Spirit is used as an antiseptic solution.

How Should I Use This Product?

Apply liberally to affected areas as required.

What Should I Avoid When Using This Product?

For external use only. Keep out of reach of children. Avoid contact with eyes and broken skin. If product gets into eyes, rinse with water immediately.

When Should I Stop This Product And Consult A Doctor?

If you experience skin irritation, stop using this product and consult a doctor immediately.

How Should I Store This Product?

Flammable, please keep away from heat and fire. Store in a cool, dry place away from direct sunlight.

SDG\$ 3.85



VITAMIN B1 TABLET (60'S)



beaconshealth@beacons.com.sg

Energy booster



SDG\$ 3.85

What Does This Product Contain? Vitamin B1 10mg.

What Is This Product For?

Boosts energy and supports healthy nervous system.

How Should I Take This Product?

Adults: Take 1 tablet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.



VITAMIN B12 TABLET (60'S)

www.beaconshealth.com

beaconshealth@beacons.com.sg

Promotes healthy nerve function



SDG\$ 3.85

What Does This Product Contain? Vitamin B12 10mca.

What Is This Product For?

Supports cell formation and healthy nervous system.

How Should I Take This Product?

Adults: Take 1 tablet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.



VITAMIN B2 TABLET (60'S)



beaconshealth@beacons.com.sg

Good for healthy vision and healthy skin



What Does This Product Contain? Vitamin B2 5mg.

What Is This Product For?

Boosts energy, supports healthy vision and healthy skin.

How Should I Take This Product?

Adults: Take 1 tablet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And

Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product?

Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 4.20



VITAMIN B6 TABLET (60'S)



beaconshealth@beacons.com.sg

Profein Metabolism & Red Blood Cell Formation



What Does This Product Contain? Vitamin B6 10mg.

What Is This Product For?

Promotes metabolism and red blood cell formation.

How Should I Take This Product?

Adults: Take 1 tablet daily or as directed by doctor.

What Should I Avoid When Taking This Product?

This product is unlikely to have any significant interactions with other medicines. Consult your doctor if you experience unusual symptoms while taking this product with other medicines.

When Should I Stop This Product And

Consult A Doctor?

If you experience persistent discomfort or allergic reactions such as skin rash, itching, breathing problems or swelling of the face, eyes, lips while on this product.

How Should I Store This Product? Store below 30°C in a dry place and away from light. Keep container tightly closed.

Who Should Avoid This Product?

Persons who have allergy or hypersensitivity to any ingredients contained in this product.

SDG\$ 3.55