




Vibration Therapy Research & References

- 1) [Rubin et al., 2004](#) C. Rubin, R. Recker, D. Cullen, J. Ryaby, J. McCabe and K. McLeod, Prevention of postmenopausal bone loss by a low-magnitude, high-frequency mechanical stimuli: a clinical trial assessing compliance, efficacy, and safety, *J. Bone Miner. Res.* **19** (3) (2004), pp. 343–351. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(60\)](#)
- 2) [Gilsanz et al., 2006](#) V. Gilsanz, T.A.L. Wren, M. Sanchez, F. Dorey, S. Judex and C. Rubin, Low-level, high-frequency mechanical signals enhance musculoskeletal development of young women with low BMD, *J. Bone Miner. Res.* **21** (9) (2006), pp. 1464–1474. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(18\)](#)
- 3) [Flieger et al., 1998](#) J. Flieger, T. Karachalios, L. Khaldi, P. Raptou and G. Lyritis, Mechanical stimulation in the form of vibration prevents postmenopausal bone loss in ovariectomized rats, *Calc. Tissue Int.* **63** (6) (1998), pp. 510–514. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(47\)](#)
- 4) [Rubin et al., 2001a](#) C. Rubin, A.S. Turner, S. Bain, C. Mallinckrodt and K. McLeod, Anabolism: low mechanical signals strengthen long bones, *Nature* **412** (6847) (2001), pp. 603–604. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(166\)](#)
- 5) [Judex et al., 2002](#) S. Judex, L.R. Donahue and C. Rubin, Genetic predisposition to low bone mass is paralleled by an enhanced sensitivity to signals anabolic to the skeleton, *FASEB J.* **16** (10) (2002), pp. 1280–1282. [View Record in Scopus](#) | [Cited By in Scopus \(40\)](#)
- 6) [Oxlund et al., 2003](#) B. Oxlund, G. Ortoft, T.T. Andreassen and H. Oxlund, Low-intensity, high-frequency vibration appears to prevent the decrease in strength of the femur and tibia associated with ovariectomy of adult rats, *Bone* **32** (1) (2003), pp. 69–77. [Article](#) |  [PDF \(204 K\)](#) | [View Record in Scopus](#) | [Cited By in Scopus \(26\)](#)
- 7) [Christiansen and Silva, 2006](#) B. Christiansen and M.J. Silva, The effect of varying magnitudes of whole-body vibration on several skeletal sites in mice, *Ann. Biomed. Eng.* **34** (7) (2006), pp. 1149–1156. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(7\)](#)
- 8) [Xie et al., 2006](#) L. Xie, J.M. Jacobson, E.S. Choi, B. Busa, L.R. Donahue, L.M. Miller, C.T. Rubin and S. Judex, Low-level mechanical vibrations can influence bone resorption and bone formation in the growing skeleton, *Bone* **39** (5) (2006), pp. 1059–1066. [Article](#) |  [PDF \(392 K\)](#) | [View Record in Scopus](#) | [Cited By in Scopus \(14\)](#)
- 9) [Castillo et al., 2006](#) A. Castillo, I. Alam, S.M. Tanaka, J. Levenda, J. Li, S.J. Warden and C.H. Turner, Low-amplitude, broad-frequency vibration effects on cortical bone formation in mice, *Bone* **39** (5) (2006), pp. 1087–1096. [Article](#) |  [PDF \(425 K\)](#) | [View Record in Scopus](#) | [Cited By in Scopus \(7\)](#)
- 10) [Rubinacci et al., 2008](#) A. Rubinacci, M. Marenzana, F. Cavani, F. Colasante, I. Villa, J. Willnecker, G.L. Moro, L.P. Spreafico, M. Ferretti, F. Guidobono and G.

- Marotti, Ovariectomy sensitizes rat cortical bone to whole-body vibration, *Calcif. Tissue Int.* **82** (4) (2008), pp. 316–326. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(2\)](#)
- 11) [Iwamoto et al., 2005](#) J. Iwamoto, T. Takeda, Y. Sato and M. Uzawa, Effect of whole-body vibration exercise on lumbar bone mineral density, bone turnover, and chronic back pain in post-menopausal osteoporotic women treated with alendronate, *Aging Clin. Exp. Res.* **17** (2) (2005), pp. 157–163. [View Record in Scopus](#) | [Cited By in Scopus \(10\)](#)
 - 12) [Gusi et al., 2006](#) N. Gusi, A. Raimundo and A. Leal, Low-frequency vibratory exercise reduces the risk of bone fracture more than walking: a randomized controlled trial, *BMC Musculoskelet. Disord.* **7** (2006), p. 92. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(12\)](#)
 - 13) [Roelants et al., 2004b](#) M. Roelants, C. Delecluse and S.M. Verschueren, Whole-body-vibration training increases knee-extension strength and speed of movement in older women, *J. Am. Geriatr. Soc.* **52** (6) (2004), pp. 901–908. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(40\)](#)
 - 14) [Belavy et al., 2008](#) D.L. Belavy, J.A. Hides, S.J. Wilson, W. Stanton, F.C. Dimeo, J. Rittweger, D. Felsenberg and C.A. Richardson, Resistive simulated weightbearing exercise with whole body vibration reduces lumbar spine deconditioning in bed-rest, *Spine* **33** (5) (2008), pp. E121–E131. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(1\)](#)
 - 15) [Bruyere et al., 2005](#) O. Bruyere, M.A. Wuidart, E. Di Palma, M. Gourlay, O. Ethgen, F. Richy and J.Y. Reginster, Controlled whole body vibration to decrease fall risk and improve health-related quality of life of nursing home residents, *Arch. Phys. Med. Rehabil.* **86** (2) (2005), pp. 303–307. [Abstract](#) | [View Record in Scopus](#) | [Cited By in Scopus \(27\)](#)
 - 16) [Bogaerts et al., 2007](#) A. Bogaerts, C. Delecluse, A.L. Claessens, W. Coudyzer, S. Boonen and S.M. Verschueren, Impact of whole-body vibration training versus fitness training on muscle strength and muscle mass in older men: a 1-year randomized controlled trial, *J. Gerontol. A: Biol. Sci. Med. Sci.* **62** (6) (2007), pp. 630–635. [View Record in Scopus](#) | [Cited By in Scopus \(5\)](#)
 - 17) [Verschueren et al., 2004](#) S. Verschueren, M. Roelants, C. Delecluse, S. Swinnen, D. Vanderschueren and S. Boonen, Effect of 6-month whole body vibration training on hip density, muscle strength, and postural control in postmenopausal women: a randomized controlled pilot study, *J. Bone Miner. Res.* **19** (3) (2004), pp. 352–359. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(81\)](#)
 - 18) [Rees et al., 2008](#) S.S. Rees, A.J. Murphy and M.L. Watsford, Effects of whole-body vibration exercise on lower-extremity muscle strength and power in an older population: a randomized clinical trial, *Phys. Ther.* **88** (4) (2008), pp. 462–470. [View Record in Scopus](#) | [Cited By in Scopus \(3\)](#)
 - 19) [Floyd et al., 1973](#) W. Floyd, A.B. Broderson and J.F. Goodno, Effect of whole-body vibration on peripheral nerve conduction time in the rhesus monkey, *Aerosp. Med.* **44** (3) (1973), pp. 281–285. [View Record in Scopus](#) | [Cited By in Scopus \(3\)](#)

- 20) [Prisby et al., 2008](#) R. Prisby, M.H. Lafage-Proust, L. Malaval, A. Belli, and L. Vico, Effects of whole-body vibration on the skeleton and other organ systems in man and animal models: What we know and what we need to know, [Ageing Research Reviews, Volume 7, Issue 4](#), December 2008, Pages 319-329
- 21) [Turbanski et al., 2005](#) S. Turbanski, C.T. Haas, D. Schmidtbleicher, A. Friedrich and P. Duisberg, Effects of random whole-body vibration on postural control in Parkinson's disease, *Res. Sports Med.* **13** (3) (2005), pp. 243–256. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(5\)](#)
- 22) [Novak and Novak, 2006](#) P. Novak and V. Novak, Effect of step-synchronized vibration stimulation of soles on gait in Parkinson's disease: a pilot study, *J. Neuroeng. Rehabil.* **4** (3) (2006), p. 9. [Full Text via CrossRef](#) | [View Record in Scopus](#) | Cited By in Scopus (0)
- 23) [Ebersbach et al., 2008](#) G. Ebersbach, E. Daniela, O. Kaufhold and J. Wissel, Whole body vibration versus conventional physiotherapy to improve balance and gait in Parkinson's disease, *Arch. Phys. Med. Rehabil.* **89** (2008), pp. 399–403. [Abstract](#) | [View Record in Scopus](#) | [Cited By in Scopus \(3\)](#)
- 24) [Bosco et al., 2000](#) C. Bosco, M. Iacovelli, O. Tsarpela, M. Cardinale, M. Bonifazi, J. Tihanyi, M. Viru, A. De Lorenzo and A. Viru, Hormonal responses to whole-body vibration in men, *Eur. J. Appl. Physiol.* **81** (6) (2000), pp. 449–454. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(92\)](#)
- 25) [Erskine et al., 2007](#) J. Erskine, I. Smillie, J. Leiper, D. Ball and M. Cardinale, Neuromuscular and hormonal responses to a single session of whole body vibration exercise in healthy young men, *Clin. Physiol. Funct. Imaging* **27** (4) (2007), pp. 242–248. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(1\)](#)
- 26) [Di Loreto et al., 2004](#) C. Di Loreto, A. Ranchelli, P. Lucidi, G. Murdolo, N. Parlanti, A. De Cicco, O. Tsarpela, G. Annino, C. Bosco, F. Santeusano, G.B. Bolli and P. De Feo, Effects of whole-body vibration exercise on the endocrine system of healthy men, *J. Endocrinol. Invest.* **27** (4) (2004), pp. 323–327. [View Record in Scopus](#) | [Cited By in Scopus \(9\)](#)
- 27) [Kvorning et al., 2006](#) T. Kvorning, M. Bagger, P. Caserotti and K. Madsen, Effects of vibration and resistance training on neuromuscular and hormonal measures, *Eur. J. Appl. Physiol.* **96** (5) (2006), pp. 615–625. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(12\)](#)
- 28) [Cheung et al., 2003](#) J. Cheung, M. Zhang and D.H. Chow, Biomechanical responses of the intervertebral joints to static and vibrational loading: a finite element study, *Clin. Biomech.* **18** (9) (2003), pp. 790–799. [Article](#) |  [PDF \(408 K\)](#) | [View Record in Scopus](#) | [Cited By in Scopus \(12\)](#)
- 29) [Roelants et al., 2004a](#) M. Roelants, C. Delecluse, M. Goris and S. Verschueren, Effects of 24 weeks of whole body vibration training on body composition and muscle strength in untrained females, *Int. J. Sports Med.* **25** (1) (2004), pp. 1–5. [View Record in Scopus](#) | [Cited By in Scopus \(34\)](#)
- 30) **Vibrations Shown to Build Bone, Reduce Fat**, by Joe Palca, *Morning Edition*, October 29, 2007 <http://www.npr.org/templates/story/story.php?storyId=15721992>
- 31) [Da Silva et al., 2007](#) M. Da Silva, J.M. Fernandez, E. Castillo, V.M. Nuñez, D.M. Vaamonde, M.S. Poblador and J.L. Lanchó, Influence of vibration training on

- energy expenditure in active men, *J. Strength Cond. Res.* **21** (2) (2007), pp. 470–475. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(2\)](#)
- 32) [Garatachea et al., 2007](#) N. Garatachea, A. Jiménez, G. Bresciani, N.A. Mariño, J. González-Gallego and J.A. de Paz, The effects of movement velocity during squatting on energy expenditure and substrate utilization in whole-body vibration, *J. Strength Cond. Res.* **21** (2) (2007), pp. 594–598. [Full Text via CrossRef](#) | [View Record in Scopus](#) | [Cited By in Scopus \(2\)](#)
- 33) Miyazaki Y., Adverse effects of whole-body vibration on gastric motility, *Kurume Med J.* **47** (1) (2000), pp. 79-86.
- 34) Luo et al. 2009, [Influence of resistance load on neuromuscular response to vibration training.](#) Luo, J; Clarke, M; McNamara, B; Moran, *J Strength Cond Res* 2009 Feb 7; Vol. 23, Issue 2; Page(s) 420-6
- 35) Melnyk et al, [Neuromuscular Ankle Joint Stabilisation after 4-weeks WBV Training.](#) Melnyk, M; Schloz, C; Schmitt, S; Gollhofer, A. *Int J Sports Med* 2009 Mar 12
- 36) Edge et al., [The effects of acute whole body vibration as a recovery modality following high-intensity interval training in well-trained, middle-aged runners.](#) Edge, J; M; ündel, T; Weir, K; Cochrane, DJ. *Eur J Appl Physiol* 2008 Nov 18; Vol. 105, Issue 3; Page(s) 421-8
- 37) Lamont et al., [Effects of 6 weeks of periodized squat training with or without whole-body vibration on short-term adaptations in jump performance within recreationally resistance trained men.](#) Lamont, HS; Cramer, JT; Bemben, DA; Shehab, RL; Anderson, MA; Bemben, MG. *J Strength Cond Res* 2008 Nov 4; Vol. 22, Issue 6; Page(s) 1882-93
- 38) Zange et al., [20-Hz whole body vibration training fails to counteract the decrease in leg muscle volume caused by 14 days of 6 degrees head down tilt bed rest.](#) Zange, J; Mester, J; Heer, M; Kluge, G; Liphardt, AM. *Eur J Appl Physiol* 2008 Oct 31; Vol. 105, Issue 2; Page(s) 271-7
- 39) Kemertzis et al., [Ankle Flexors Produce Peak Torque at Longer Muscle Lengths after Whole-Body Vibration.](#) Kemertzis, MA; Lythgo, ND; Morgan, DL; Galea, MP. *Med Sci Sports Exerc* 2008 Oct 11
- 40) Luo et al., [Effect of vibration training on neuromuscular output with ballistic knee extensions.](#) Luo, J; McNamara, B; Moran, K. *J Sports Sci* 2008 Oct 1; Vol. 26, Issue 12; Page(s) 1365-73
- 41) Kiiski et al., [Transmission of vertical whole body vibration to the human body.](#) Kiiski, J; Heinonen, A; J; ärvinen, TL; Kannus, P; Siev; änen, H. *J Bone Miner Res* 2008 Mar 20; Vol. 23, Issue 8; Page(s) 1318-25
- 42) Abercromby et al., [Vibration exposure and biodynamic responses during whole-body vibration training.](#) Abercromby, AF; Amonette, WE; Layne, CS; McFarlin, BK; Hinman, MR; Paloski, WH. *Med Sci Sports Exerc* 2007 Oct 3; Vol. 39, Issue 10; Page(s) 1794-800