



How to Quilt Simple Sashing's usingQCT44


To be able to do this tutorial I am assuming that you already know how to set up a Panto, as we need the design to be continuous. I have set up my design using a built-in design from QCT4



The design is call Curlycue. Set the Height and Width of the pattern. Once you are happy with design save it with an appropriate name. Ok, so this was all pretty standard, now select Quilt As Single Pattern

This now gives you the option to place the design as if you were in the Select & Sew Menu.





Select Settings, this will allow you to choose the placement method. You can set the sashing both horizontal or vertical to suit the quilt. You can also set the pattern margins so that it stitches 1/8 inside the area or your preferred measurement.




I have selected that it stitch 1/8" inside the area, but have not adjusted the edge of the design area.

If you wish to add a further design element to the quilting you can also use this function to stitch the ditch.

Once the desired pattern has been stitched, select the ditch Icon in settings.

Now to stitch the design vertical simply select bottom right of your screen this will allow you to flip, rotate -change orientation of the block.



Placement	Four Points	-1
Fill Method	Stretch	
Sew Speed	Slow	189
		1007
Placed Height		**
Placed Width		***

Once the design has been rotated select ok



This message will appear on your screen select "yes". Now select Settings, this will allow you to choose the placement method, you can also change the sewing direction if you need to by select the found at the top of your screen in the tool bar.



If I think the start point is ok – simply Tap the Trace icon

One Trace is complete and you are happy select the Sew icon



