

CARPET BOND ADHESIVE

Version Number: 1

September 2015

Page 1 of 3

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Carpet Bond

Recommended Use: Adhesive for adhering carpet directly to substrate or to double-bond underlay

Company Name: Project Floors (NZ) Ltd

Address: PO Box 99, Silverdale 1330, Auckland, NZ

Phone: Ph 09 4444 165

New Zealand Poisons Centre: 0800 764 766

SECTION 2. HAZARDS IDENTIFICATION

Hazard Classification NON HAZARDOUS according to NZ HSNO Regulations

Not Regulated under NZ5433 for land transportation

Risk Phrases: N/A **Safety Phrases:** N/A **Substance Classification:** N/A

Chronic Effects: No delayed effects reported.

Inhalation Unlikely to cause irritation. However if symptoms exist remove victim to fresh air

Ingestion Practically non-harmful. May cause gastric irritation Repeated or prolonged contact may lead to irritation Skin

A mild eye irritant. Eye

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	%	CAS No	TWA	STEL
De-aromatised Hydrocarbon Solvent	4 – 6	64742 - 48 - 9	1200mg/m3	NA
Resin	10 – 15	8050 - 26 - 8	None Established	NA
Non-Hazardous Ingredients	up to 100	Various	None Established	NA

SECTION 4. FIRST AID MEASURES

Flush eyes with plenty of water, lifting eyelids occasionally, for at least 15 minutes. Eye:

If large amounts are swallowed DO NOT induce vomiting. Give Charcoal (2 – 3 tablespoons of **Swallowed:**

"Norit" granules or 10 - 20 "Norit" tablets) with water or milk.

Skin: Remove any contaminated clothing, wash affected area thoroughly with warm soapy water. Inhaled:

Unlikely to be an inhalation risk however provide fresh air and give oxygen or artificial

respiration if breathing is laboured.

Treat symptomatically as indicated by patient's condition. Advice to doctor:

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher: Use CO2, Dry Chemical or Foam.

Hazards from Combustion products: Low hazard

Special protective precautions and equipment for fire fighters: Fire fighters to wear self-contained breathing

apparatus if risk of exposure to products of decomposition.

Fire/Explosion Hazard Auto Ignition Temp Lower Explosion Limit Upper Explosion Limit

Hazchem Code: n/a n/a n/a n/a

Flash Point: n/a



CARPET BOND ADHESIVE

Version Number: 1

September 2015

Page 2 of 3

SAFETY DATA SHEET

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Keep spectators away and avoid breathing vapours.

Methods and Materials for Containment and Clean up -

Minor Spills: Clean up spills immediately. Wear breathing apparatus if in no-ventilated area. Use absorbent clean up materials such as sand, a fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoff) out of municipal sewers and waterways.

Use a shovel to clean up, place in separate container for industrial waste disposal.

Major Spills: Restrict access to area. No smoking or naked lights. Alert Fire brigade and tell them location and nature of hazard. Clear area of personnel and move upwind. Dike and contain spill with inert materials (e.g. sand) Keep spills (and as much as possible cleaning runoffs) out of municipal sewers, streams, and open bodies of water.

Collect recoverable product into labelled containers for recycling.

SECTION 7.HANDLING AND STORAGE

Precautions for safe handling: Store in original containers. Keep lids on containers when not in use.

Conditions for safe storage: Store in a cool dry place. No special precautions required

Storage Temperatures Min 0 degC Max 40 degC.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards for mixture: No Exposure Standards standard has been established for this product, however, the product contains small quantities of hydrocarbon solvents which may cause some discomfort in confined spaces or poorly ventilated areas during handling or use.

Personal Protection: Wearing of the following personal protective equipment is advisable. Overalls or similar protective apparel. Safety eyewear. Chemically resistant gloves. Boots. Always work in a well ventilated area. Avoid skin and eye contact.

Other: Use with adequate ventilation. Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours. Wash hands thoroughly before handling food.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White/cream viscous paste.

Odour рΗ Vap. Pressure Vap. Density **Boiling Point** Melt/Freeze Solubility Volatile by weight Rosin 8-9 100 deg C 0 deg C soluble 30 - 35%n/a n/a

SECTION 10.STABILITY AND ACTIVITY

Chemical Stability: Product is considered stable under normal storage and handling conditions.

Conditions to avoid: Freezing, excessive heat and fluctuating temperatures.

Incompatible Materials:

Hazardous Decomposition Products: Oxides of carbon **Hazardous Reactions:** None known.

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this material – refer to individual raw materials.



CARPET BOND ADHESIVE

Version Number: 1 September 2015

Page 3 of 3

SAFETY DATA SHEET

SECTION 12. ECOLOGICAL IDENTIFICATION

Do not allow this product to enter the environment – in particular waterways.

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineration:

Consult manufacturer for recycling options and recycle where possible.

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14. TRANSPORT INFORMATION

UN Number: None allocated **UN Proper Shipping:** None allocated

Subsidiary Risk

Poison schedule: n/a HAZCHEM Code: n/a
Packing Group: n/a DG Class: n/a

SECTION 15. REGULATORY INFORMATION

Group Standard: Not applicable **Approved Handler:** Not required

SECTION 16. OTHER INFORMATION

Date of preparation: 22/09/2015

Literature references: MSDS's for individual raw materials

Abbreviations:

CAS No Chemical Abstract Service Registry

TWA Threshold limit value

Safety data sheets are updated regularly; please ensure that you have a current copy.

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Project Floors NZ Ltd assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by this material. Such users or vendors assume all risks associated with the use of this material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations

End of MSDS