

WRT4000 SERIES

WOOD BURNING FIREPLACES

Superior
FIREPLACES®
Our name is our promise.



TRADITIONAL

Offering the beauty of an authentic masonry fireplace at a fraction of the cost, the WRT4000 wood burning fireplaces feature a hand-crafted ivory Mosaic Masonry™ interior and unobstructed views of the flame. This traditional fireplace complements any décor and looks great with or without a fire.



FEATURED WRT4043 fireplace with Ivory Split Stacked Mosaic Masonry™ panels

EXCLUSIVE FEATURES

- 🔥 Available in 38" and 43" models
- 🔥 Large smoke dome for reliable operation and unobstructed view
- 🔥 Radiant smooth-faced design with durable textured powder finish
- 🔥 Available with Mosaic Masonry™ ivory stacked or ivory herringbone panels
- 🔥 Mosaic Masonry™ floor with integrated ash lip
- 🔥 Heavy duty log grate
- 🔥 Fully insulated firebox for increased performance in colder climates
- 🔥 Includes concealable mesh fire screens
- 🔥 Includes adjustable outside air damper
- 🔥 Optional outside air kits with flex duct and hood are available
- 🔥 Uses IHP 12 DM (1700°) double-wall air-cooled wood burning chimney
- 🔥 Uses IHP 12 HT (2100°) heavy gauge double-wall air-cooled wood burning chimney, recommended for cold climates (required for Canada)
- 🔥 20-year limited warranty



Superior's patented Mosaic Masonry™ features real firebrick finished interiors, with no visible sheet metal for the authentic richness and beauty of a custom, site-built masonry fireplace.

INTERIOR

Choose Ivory Mosaic Masonry™ brick in split stacked or split herringbone patterns.




Ivory Split Herringbone



Ivory Split Stacked


OPTIONAL ACCESSORIES

- Bi-fold glass doors
- Outside air kits
- Gas logs




Bi-fold tempered glass doors are expertly crafted.

APPLIANCE SPECIFICATIONS




FLAT WALL FRAMING SPECIFICATIONS



	WRT4038	WRT4043
M	50-7/8"	50-7/8"
N	49-1/4"	54"
O	26-1/4"	26-1/4"

	WRT4038	WRT4043
A	48"	52-3/4"
B	26-3/8"	31-1/8"
C	25-3/4"	25-3/4"
D	38"	42-3/4"
E	50"	54-3/4"
F	44-1/8"	44-1/8"
G	24-5/8"	24-5/8"
H	50-3/4"	50-3/4"
I	11-5/8"	11-5/8"
J	13-1/8"	13-1/8"
K	9-1/4"	9-1/4"
L	15-1/8"	15-1/8"

CORNER FRAMING SPECIFICATIONS



	WRT4038	WRT4043
P	54-5/8"	58"
Q	49-1/4"	54"
R	77-1/4"	82"

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

ON THE COVER: WRT4043 Fireplace with Ivory Split Stack Mosaic Masonry™ interior



© 2018 Innovative Hearth Products

785701M 02/18

Visit us online
SuperiorFireplaces.us.com

