



TOSS Assembly Guide

MOD1 ASSEMBLY

1. Put vibration damping, non slip, silicon rubber feet onto stand base. The feet are necessary to provide clearance for the speaker wire as well as to dampen any excess vibration passing through the stand.
2. Feed the speaker wire up through the stand, leaving approximately 6 inches of excess wire at the top of the stand. You will connect the speaker to this wire.



3. Turn the hex nut until it is all the way to the back of the threaded stud and install the lock washer.



4. Thread Orb Satellite on to the stand until most of the threaded stud is inside the speaker. Tighten hex nut until lock washer is flat. Do not rotate the speaker to tighten the assembly, as it may cause damage to the speaker.

**** IMPORTANT: Do not rotate the speaker on the threaded stud to tighten the assembly. Once most of the threaded stud is inside the speaker, use the hex nut to tighten the assembly and to flatten the lock washer. ****

5. Attach speaker wire leads from amplifier, maintaining polarity (red to red, black to black) and enjoy.

MOD2 ASSEMBLY

1. Follow Steps 1-3 above.
2. Hang the Cozy bracket on the threaded stud with the channel DOWN and facing BACK toward the curved pole.
3. Thread the Orb Satellite on to the threaded stud until the binding posts are about even with the cozy bracket. Tighten the hex nut until the lock washer is flat. Make sure Cozy Bracket is oriented straight up and down.

**** IMPORTANT: Do not rotate the speaker on the threaded stud to tighten the assembly. Once most of the threaded stud is inside the speaker, use the hex nut to tighten the assembly and to flatten the lock washer. ****



4. Install bottom speaker using the thumbscrew and install jumper wires between the two satellites, maintaining polarity (red to red and black to black).

5. Attach speaker wire leads from amplifier, maintaining polarity (red to red, black to black) and enjoy.



Thank you for purchasing an Orb Audio speaker system. As a small employee-owned company, we make it our mission to provide you with the best products and the best customer service. We are available to assist you via email at support@orbaudio.com or by calling our technical support line at (877) ORB-AUDIO. If you are happy with your purchase, please tell your friends!

WARNING: AS WITH ALL ELECTRONICS, THE WIRING OF SPEAKERS MUST BE DONE CORRECTLY OR CAN CAUSE PHYSICAL INJURY OR HARM TO PROPERTY. PLEASE FOLLOW ALL INSTRUCTIONS AND WARNINGS IN THE MANUAL FOR YOUR AMPLIFIER/RECEIVER OR CONTACT YOUR MANUFACTURER IF NECESSARY. THIS QUICK START GUIDE IS NOT INTENDED TO BE A SUBSTITUTE FOR CONSULTING THE MANUALS THAT CAME WITH YOUR AMPLIFIER/RECEIVER OR CONTACTING YOUR MANUFACTURER IF NECESSARY.