Happiest Baby Birth Plan Template

Download this fill-in-the-blank bird understand and express your birth	
Name + pronouns:	
Partner info:	
Provider info:	
Support team info:	
Pediatrician info:	
Medical Need-To-Knows	
Allergies Fear of needles Gestational diabetes Group B strep positive Preeclampsia Prior birth trauma	Prior c-section Rh incompatible with baby STI Other
I plan for this type of delivery: Vaginal VBAC C-section Water birth	During labor, I prefer: Partner/support person present throughout Music Dim lights Aromatherapy
My L&D support team includes: Partner Parent Older children Doula Other:	☐ Quiet room ☐ Few interruptions ☐ Limited vaginal/cervical exams ☐ No residents or interns ☐ To wear own clothes ☐ Photography/videography allowed
	To hydrate with liquids, ice chips + pops Stand/walk around (first stage) Shower/bath (first stage) Lay down No catheter

I prefer fetal monitoring	My preferred strategy for pain relief includes:
Only if baby is in distress	Deep breathing
To be continuous	Hypnobirthing
☐ To be intermittent	Massage
☐ To be internal	☐ Nitrous oxide
☐ To be external	☐ Meditation
☐ To be done via doppler	Epidural
	─ TENS Unit
If labor slows, I prefer: Natural methods to augment labor (ie nipple stimulation) Rupturing the membranes/break water bag Pitocin	 □ Walking epidural □ Birthing ball □ Counter pressure □ Shower/bath □ Patient-controlled analgesia □ Pudendal block □ Epidural
	☐ Please do not offer pain medication, allow me to ask
	+ Keley



My preferred delivery positions, include:	During delivery, I prefer to:
Squatting	Spontaneously push
Semi-reclining	Push as directed
Side-lying	Allow epidural to wear off during pushing
Hands and knees	Maintain full epidural strength
☐ Kneeling	Use a mirror
☐ Standing	☐ Touch Baby's head during crowning
Leaning on support person	Avoid forceps
☐ Birth bar	Avoid vacuum
☐ Birthing stool	Allow partner to catch baby
☐ In a birthing tub	

My stance on episiotomies is	If a c-section is necessary, I prefer:
Try perineal massage/warm compresses first	A second opinion
Do it to avoid any tear	ECG leads on back
Do it if there's a risk of a serious tear	☐ The surgery to be explained as it happens
Only with local anesthesia	My support person to stay with me
☐ It's a last resort	To remain conscious
	A spinal or subarachnoid block
	An epidural
	To watch my baby be born
	Freedom to move my arms and hands
	☐ Vaginal seeding



Immediately following delivery, I'd like to:
☐ Have my support person to cut the umbilical cord
Delay cord clamping
Leave vernix intact
Bank cord blood
☐ Donate cord blood
Deliver placenta naturally (expectant/physiological management
See the placenta
Save the placenta
Skin-to-skin
☐ Breastfeed
☐ Have my support person accompany my baby to the nursery

I prefer to hold my newborn: Immediately after delivery Immediately after support person if I'm unable After newborn exam Before eye ointment is used After being wiped clean and swaddled I'd like my newborn to receive: Only breastmilk Pumped breastmilk Donor milk, if needed Infant formula Infant formula, only if necessary A combo of breastmilk and formula I'd like my baby to be in my room... Always When I'm awake During the day When I request them When it comes to baby care, I'd like to... Delay screening, for 1 hour after birth I/support person give baby their first bath See a lactation consultant Delay vitamin K shot for 1 hour after birth Avoid sugar water Delay Hepatitis shot for 1 hour after birth Avoid pacifiers Delay Hepatitis shot until pediatrician visit Delay bath until at least 24 hours after birth If we have a boy, circumcision will: Occur in the hospital Be performed with local anesthetic Be done in the presence of me and/or my support person Occur outside the hospital Not be performed