



Excellent Quality at the Lowest Prices!

How to Order:

1. Online (www.dentalree.com)
2. Fax (800-349-0728)
3. E-mail (orders@dentalree.com)
4. Phone (800-996-0686)

Shipping:

USA: \$18.00 | Canada: \$35.00

Crosstech Multi-Use Diamonds: Highest Rated

Natural Diamond | Premium Quality

The highest-rated multi-use diamond burs, according to an independent non-profit dental education and product testing foundation.

There are over 1,200 different shapes and grits of Crosstech burs, and Crosstech is the only manufacturer in the industry to offer one low price for all of them.

Manufactured with natural diamonds, which produce more cutting surfaces than synthetic, and Swiss multi-coating technique offers the highest level of cutting efficiency with durability and less clogging. One-piece stainless steel shanks are specially heat-treated to ensure rigidity, strength, and precision.

5 per pack \$13.50 = \$2.70 per bur | Gold-Plated: 5 per pack \$18.50 = \$3.70 per bur



FG		GUIDE PIN				MICRO PREP				END CUTTER							
ISO No.		508	508	508	508	838M	889M	830RM	830M	839	839	839	839	10839	10839	10839	
ISO Shape No.		508	508	508	508					150	150	150	150				
ISO Ø 1/10 (mm)		1.4	1.6	2.0	2.0	007	007	009	012	010	012	014	016	012	014	016	
Head Length (mm)		8	7.5	7.5	10												
FG 31	REGULAR	SUPER COARSE															
		COARSE	N4MC	N4C	N4LC	N4LLC					A18C	A18LC	A18LLC	A18L3C	A18RC	A18R2C	A18R3C
		STANDARD	N4M	N4	N4L	N4LL	A19S	A22S	C12S3	C120	A18	A18L	A18LL	A18L3	A18R	A18R2	A18R3
		FINE	N4MF	N4F	N4LF		A19SF	A22SF	C12S3F	C120F	A18F	A18LF					
		EXTRA FINE			N4LP		A19SP	A22SP	C12S3P	C120P							
	GOLD									GA18				GA18R	GA18R2	GA18R3	

FG		ROUND END TAPER																		
ISO No.		849	849	849	849	849	849L	855	855	855	855	855	856N	856	856	856	856M	856N		
ISO Shape No.		196	196	196	196	196	196L	196	196	196	196	196	198N	198	198	198	198M	198N		
Head/Tip (mm)		1.0	1.2	1.4	1.6	2.5	0.9/0.6	1.2/1.0	1.4/1.15	1.6/1.3	1.8/1.45	2.5/2.0	1.6/0.8	1.2/0.8	1.4/0.9	1.6/0.9	1.6/1.3	1.8/0.1.0		
Head Length (mm)		4	4	4	4	4	6	6	6	6	6	6	7	8	8	8	8	8		
		NEW	NEW	NEW	NEW	NEW													NEW	
FG 31	REGULAR	SUPER COARSE				B54XC	B55XC		B5SXC	B5MSSXC	B5MSXC	D3SXC	D3XC		B5NXC	B6SNXC	B5MXC	B6MXC	B5LXC	
		COARSE		B52C	B54C	B55C	B5SSC	B5SC	B5MSSC	B5MSC	D3SC	D3C	B6C	B5NC	B6SNC	B5MC	B6MC	B5LC		
		STANDARD	B51	B52	B53	B54	B55	B5SS	B5S	B5MSS	B5MS	D3S	D3	B6	B5N	B6SN	B5M	B6M	B5L	
		FINE	B51F	B52F					B5SF		B5MSF	D3SF	D3F	B6F	B5NF	B6SNF	B5MF	B6MF	B5LF	
		EXTRA FINE	B51P											D3P	B6P	B5NP	B6SNP	B5MP	B6MP	B5LP
		GOLD							GB55					GD3	GB6	GB5	GB6S	GB5M	GB6M	GB5L
		GOLD/SUPER C.							GB55XC			GB5MSXC						GB5MXC		
		GOLD / COARSE		GB52C						GB5SC				GD3C		GB5C	GB6SC		GB6MC	GB5LC
		GOLD/FINE														GB5F	GB6SF	GB5MF	GB6MF	GB5LF
		GOLD EXTRAFINE																GB5MP		
FG 33	SHORT	SUPER COARSE						MB5SSXC		MB5MSSXC	MB5MSXC	MD3SXC	MD3XC	MB6XC	MB5NXC	MB6SNXC	MB5MXC		MB5LXC	
		COARSE						MB5SSC		MB5MSSC	MB5MSC	MD3SC	MD3C	MB6C	MB5NC	MB6SNC	MB5MC		MB5LC	
		STANDARD						MB5SS		MB5MSS	MB5MS	MD3S	MD3	MB6	MB5N	MB6SN	MB5M		MB5L	
		FINE								MB5MSSF						MB6SNF				
		GOLD								GMB5MSS	GMB5MS				GMB6			GMB5M		
		GOLD/SUPER C.								GMB5MSSXC	GMB5MSXC							GMB5MXC		
		GOLD / COARSE													GMB6C					

FG		ROUND END TAPER															
ISO No.	856	856	856	856	856L	856L	856L	856L	850	850	850	850	850	850N	850N	850	
ISO Shape No.	198	198	198	198	198L	198L	198L	198L	199	199	199	199	199	199N	198N	199	
Head/Tip (mm)	1.8/1.5	2.1/1.7	2.5/2.0	2.9/2.3	1.4/1.0	1.6/1.25	1.8/1.45	2.1/1.7	1.0/0.7	1.2/0.8	1.4/0.9	1.6/1.0	1.8/1.1	1.6/0.8	1.8/0.9	2.3/1.4	
Head Length (mm)	8	8	8	8	9	9	9	9	10	10	10	10	10	10	10	10	
FG 31 REGULAR	SUPER COARSE	B5LNXC	D2SNXC	D2NXC	D3LXC	C3SSXC	B6LXC	B5LLXC	D2LLXC		CC4SXC	CC4XC	CC4MXC	CC4LXC	C3SXC	C3XC	C4LLXC
	COARSE	B5LNC	D2SNC	D2NC	D3LC	C3SSC	B6LC	B5LLC	D2LLC	CC4SSC	CC4SC	CC4C	CC4MC	CC4LC	C3SC	C3C	C4LLC
	STANDARD	B5LN	D2SN	D2N	D3L	C3SS	B6L	B5LL	D2LL	CC4SS	CC4S	CC4	CC4M	CC4L	C3S	C3	C4LL
	FINE	B5LNF	D2SNF	D2NF		C3SSF	B6LF	B5LLF	D2LLF	CC4SSF	CC4SF	CC4F	CC4MF	CC4LF	C3SF	C3F	C4LLF
	EXTRA FINE						B6LP				CC4SP	CC4P		CC4LP	C3SP	C3P	
	GOLD		GD2S	GD2			GB6L	GB5LL		GCC4SS	GCC4S	GCC4	GCC4M	GCC4L	GC3S	GC3	
	GOLD/SUPER C.	GB5LNXC	GD2SXC								GCC4SXC	GCC4XC	GCC4MXC	GCC4LXC			
GOLD / COARSE			GD2C			GB6LC			GCC4SSC	GCC4SC	GCC4C	GCC4MC	GCC4LC	GC3SC			
GOLD/FINE	GB5LNF	GD2SF					GB5LLF			GCC4SF	GCC4F	GCC4MF	GCC4LF				
FG 33 SHORT	SUPER COARSE	MB5LNXC	MD2SNXC	MD2NXC	MD3LXC	MC3SSXC	MB6LXC					MCC4XC	MCC4MXC	MCC4LXC	MC3SXC		
	COARSE	MB5LNC	MD2SNC	MD2NC	MD3LC	MC3SSC	MB6LC					MCC4C	MCC4MC	MCC4LC	MC3SC	MC3C	
	STANDARD	MB5LN	MD2SN	MD2N	MD3L	MC3SS	MB6L					MCC4	MCC4M	MCC4L	MC3S	MC3	
	FINE			MD2NF													
	EXTRA FINE						MB6LP										
	GOLD			GMD2			GMB6L							GMCC4L		GMC3	
	GOLD/SUPER C.			GMD2XC										GMCC4LXC			
GOLD / COARSE						GMB6LC										GMC3C	
GOLD/FINE			GMD2F														

FG		ROUND END TAPER					ENDO					ENDO (SAFE END)						
ISO No.	850L	850L	850L	850L	850L	802L	802L-1	802L	802L	802L	802L-2	861K	851	857	863K	857	857	
ISO Shape No.	199L	199L	199L	199L	199L	005	005	005	005	005	005	219	219	219	220	220	220	
Head (mm)	012	014	016	018	021	1.8	1.8	1.2	1.4	1.6	1.8	1.2	1.2	1.6	1.2	1.4	1.6	
Head Length (mm)	12	12	12	12	12	7.5	9	10	10	10	10	6	8	7	10	10	10	
FG 31 REGULAR	SUPER COARSE		C5SXC	C5MXC	C5XC	C3LXC												
	COARSE	C5SSC	C5SC	C5MC	C5C	C3LC	N3C	N3LC	N3SSC	N3SC	N3MC	N3LLC	N1SSC	N1SC	N1C	N1MC	N2SC	N2C
	STANDARD	C5SS	C5S	C5M	C5	C3L	N3	N3L	N3SS	N3S	N3M	N3LL	N1SS	N1S	N1	N1M	N2S	N2
	FINE	C5SSF			C5F								N1SSF	N1SF		N1MF		
	EXTRA FINE												N1SSP			N1MP		
	GOLD				GC5	GC3L	GN3								GN1			GN2
	GOLD/SUPER C.																	
GOLD / COARSE															GN1C		GN2C	

FG		FLAT END CYLINDER																
ISO No.	835	835	835	835	835	835	835	835	835	837	836	836	837	837	837L	837L	837L	842
ISO Shape No.	107	107	107	107	107	107	107	107	107	110	107	107	110	110	110L	110L	110L	
Head (mm)	0.8	0.9	1.0	1.2	1.2	1.4	1.4	1.6	1.0	1.2	1.4	1.6	1.8	1.2	1.6	1.8	1.4	1.4
Head Length (mm)	3.5	3	4	4	5	4	5	4	8	7	7	8	8	10	10	10	10	12
FG 31 REGULAR	SUPER COARSE			A13SXC	A13XC		A14XC			A13SLXC	B1SXC	B1XC	B1LXC	B1LLXC	B1MXC	B1NXC	B1QXC	B1L3XC
	COARSE	A12C	A13SSC	A13SC	A13C	A13LC	A14C	A14LC	A14MC	A13SLC	B1SC	B1C	B1LC	B1LLC	B1MC	B1NC	B1QC	B1L3C
	STANDARD	A12	A13SS	A13S	A13	A13L	A14	A14L	A14M	A13SL	B1S	B1	B1L	B1LL	B1M	B1N	B1Q	B1L3
	FINE	A12F		A13SF	A13F	A13LF	A14F			A13SLF	B1SF	B1F	B1LF		B1MF			
	EXTRA FINE	A12P			A13P											B1NP		B1L3P
	GOLD	GA12		GA13S	GA13		GA14				GB1S	GB1	GB1L					
	GOLD/SUPER C.												GB1LXC					
GOLD / COARSE	GA12C		GA13SC	GA13C		GA14C				GB1SC	GB1C							
GOLD/FINE				GA13F		GA14F				GB1SF	GB1F							
FG 33 SHORT	SUPER COARSE			MA13SXC	MA13XC		MA14XC			MB1SXC	MB1XC							
	COARSE			MA13SC	MA13C		MA14C			MB1SC	MB1C							
	STANDARD	MA12		MA13S	MA13		MA14			MB1S	MB1							
	FINE									MB1SF								
	EXTRA FINE									MB1SP								
	GOLD	GMA12		GMA13S	GMA13		GMA14				GMB1							
GOLD / COARSE			GMA13SC	GMA13C						GMB1C								

FG		PERIDON		ROUND END CYLINDER															
ISO No.		830L	830L	835KR	835KR	835KR	835KR	835KR	836KR	836KR	837KR	837KR	837KR	837KR	838	838	838	880	
ISO Shape No.		258	258	156	156	156	156	156	157	157	158	158	158	158	138	139	139	140	
Head/Tip (mm)		014	012	0.8	0.8	1.0	1.2	1.4	1.0	1.6	1.0	1.2	1.4	1.6	0.8	1.0	1.2	1.2	
Head Length (mm)		5	4	3	4.5	4	5	5	6	6	8	8	8	8	3	4	4	6	
FG 31	REGULAR	SUPER COARSE										B1SSXC	B1SSRXC		B1SRXC	B1RXC	B1LRXC		
		COARSE		A19LC		A20C	A20LC	A20LLC	B1SSC	A20L3C	B1SSRC	B1SRC	B1RC	B1LRC			A20LRC	B21C	
		STANDARD		A29	A30	A19	A19L	A20	A20L	A20LL	B1SS	B1SR	B1R	B1LR	A19R	A20R	A20LR	B21	
		FINE		A29F	A30F	A19F	A19LF	A20F	A20LF	A20LLF	B1SSF	B1SSRF		B1SRF	B1RF	B1LRF	A20LRF		B21F
		EXTRA FINE		A29P	A30P	A19P	A20P		A20LP	B1SSP		B1SSRP		B1SRP	B1RP	B1LRP	A20RP	A20LRP	B21P
		GOLD				GA19	GA20		GB1SS										
		GOLD / COARSE				GA19C	GA20C		GB1SSC				GB1RC						
FG33	SHRT	SUPER COARSE		MA19LXC				MA20LXC								MA19RXC			
		COARSE		MA19LC		MA20LC								MA19RC					
		STANDARD		MA19L		MA20L								MA19R					

FG		ROUND END CYLINDER			ROUND W/COLLAR			KS SERIES						FLAT END SHOULDER						
ISO No.		880	882	882	802	802	802	KS6	KS0	KS1	KS2	KS3	KS4	KS5	845	845	845	845	845	
ISO Shape No.		140	142	142	002	002	002								168	168	168	168	168	
Head/Tip (mm)		1.4	1.2	1.4	0.9	1.2	1.6	2.5	0.9	1.2	1.4	1.6	2.4	3.1	0.9	1.0/0.7	1.2/0.9	1.4/1.1	1.6/1.2	
Head Length (mm)		6	10	10	3	3	3	8.4	7	7	8	8	4	6	3.5	4	4	4	4	
FG 31	REGULAR	SUPER COARSE	B2XC	B2SLXC	B2MLXC				KS6XC	B2SSXC	B2SXC	B2MXC	B2LXC	KS4XC	KS5XC					
		COARSE	B2C	B2SLC	B2MLC	AL1C	AL2C	AL3C		B2SSC	B2SC	B2MC	B2LC	KS4C	KS5C	D169C	A15C	D701C	A16SC	A16C
		STANDARD	B2	B2SL	B2ML	AL1	AL2	AL3	KS6	B2SS	B2S	B2M	B2L	KS4	KS5	D169	A15	D701	A16S	A16
		FINE	B2F	B2SLF	B2MLF					B2SSF	B2SF	B2MF	B2LF	KS4F	KS5F	A15F		A16F		
		EXTRA FINE	B2P	B2SLP	B2MLP					B2SSP				KS4P	KS5P			GA15	A16P	
		GOLD	GB2				GAL1	GAL2	GAL3				GKS4							
		GOLD/SUPER C.										GB2SXC	GB2MXC	GB2LXC	GKS4XC					
FG33	SHRT	SUPER COARSE	MB2XC							MB2SXC		MB2MXC	MB2LXC							
		COARSE	MB2C							MB2SC		MB2MC	MB2LC	MA15C		MA16C				
		STANDARD	MB2				MAL1	MAL2	MAL3	MB2S		MB2M	MB2L	MA15		MA16				
		GOLD				GMAL1	GMAL2	GMAL3	MB2S		MB2M	MB2L	GMA15		GMA16					
		GOLD / COARSE							GMB2SXC		GMB2MXC	GMB2LXC	GMA15C		GMA16C					

FG		FLAT END SHOULDER																	
ISO No.		846	846	846	846	847	847	847	847	847	848	848	848	848	848	848	848	848	848
ISO Shape No.		169	171	171	171	172	172	172	172	172	173	173	173	173	173	173	173	174	173
Head/Tip (mm)		1.0	1.2/0.7	1.6/1.2	2.5/1.8	1.0/0.7	1.2/0.8	1.4/1.0	1.6/1.2	1.8/1.4	1.0/0.7	1.2/0.8	1.4/0.9	1.6/1.1	1.8/1.5	1.8/1.0	1.8/1.0	2.3/1.8	1.8/1.0
Head Length (mm)		6	6	6	7	8	8	8	8	8	10	10	10	10	10	10	12	9	9
FG 31	REGULAR	SUPER COARSE	B3SXC		B4SSXC	D10XC	B4SXC		BB3XC	BB4XC	B4LNXC			C2SXC	C2XC	C2MXC	C2LXC	D9XC	
		COARSE	D700LC	B3SC	B4SSC	D10C	B3SSC	B4SC	BB3C	BB4C	B4LNC	C1SC	C1C	C2SC	C2C	C2MC	C2LC	D9C	
		STANDARD	D700L	B3S	B4SS	D10	B3SS	B4S	BB3	BB4	B4LN	C1S	C1	C2S	C2	C2M	C2L	D9	
		FINE			B4SSF	D10F	B4SF		BB3F	BB4F	B4LNF	C1F		C2SF	C2F	C2MF	D9F		
		EXTRA FINE			D3SP	D10P	B4SP				B4LNP			C2SP	C2P				
		GOLD			GB4SS			GB4S	GBB3	GBB4	GB4L	GC1S	GC1	GC2S	GC2	GC2M	GC2L		
		GOLD/SUPER C.							GBB3XC	GBB4XC	GB4LXC			GC2SXC	GC2XC	GC2MXC	GC2LXC	GD9XC	
FG33	SHRT	SUPER COARSE			MB4SSXC	MB4SXC		MBB3XC	MBB4XC	MB4LNXC			MC2SXC	MC2XC					
		COARSE			MB4SSC	MB4SC		MBB3C	MBB4C	MB4LNC			MC2SC	MC2C					
		STANDARD			MB4SS	MB4S		MBB3	MBB4	MB4LN			MC2S	MC2					
		FINE			MB4SSF														
		EXTRA FINE			MB4SSP														
		GOLD					GMBB3	GMBB4					GMC2S						
	GOLD/COARSE					GMBB3C	GMBB4C					GMC2SC							

FG		ROUND TIP				BULK REDUCTION			MODIFIED SHOULDER									
ISO No.	390	390	390	390	6055	6051	6051	845KR	845KR	845KR	846KR	846KR	846KR	847KR	847KR	847KR		
ISO Shape No.	274	274	274	274	516	510	510	168KR	168KR	168KR	168KR	168KR	168KR	172KR	172KR	172KR		
Head/Tip (mm)	1.0	1.4	1.6	2.1	1.8	1.7	1.8	1.6/1.3	1.8/1.5	2.5/2.0	1.6/1.2	1.8/1.4	2.3/1.6	1.6/1.2	1.8/1.4	2.3/1.7		
Head Length (mm)	3	3	3.5	4	8	8	9	4	4	4	6	6	6	8	8	8		
FG 31 REGULAR	SUPER COARSE					D1NXC	D1LNXC	D1L3XC	A16RLXC			A16RLLXC				B4RXC	B4LRXC	D9RXC
	COARSE					D1NC	D1LNC	D1L3C	A16RLC	A162C	A16RLLC	A16RC	A163C	A164C	B4RC	B4LRC	D9RC	
	STANDARD	A23	A24	C21	C21L	D1N	D1LN	D1L3	A16RL	A162	A16RLL	A16R	A163	A164	B4R	B4LR	D9R	
	FINE	A23F	A24F	C21F	C21LF				A16RLF		A16RLLF	A16RF	A163F	A164F	B4RF	B4LRF	D9RF	
	EXTRA FINE	A23P	A24P	C21P	C21LP				A16RLP		A16RLLP				B4RP	B4LRP		
	GOLD					GD1			GA16RL	GA162					GB4R	GB4LR		
	GOLD/SUPER C.								GA16RLXC	GA162XC					GB4RXC	GB4LRXC		
FG 33 SHORT	SUPER COARSE									MA162XC		MA16RXC			MB4RXC	MB4LRXC		
	COARSE									MA162C		MA16RC			MB4RC	MB4LRC		
	STANDARD									MA162		MA16R			MB4R	MB4LR		
	FINE									MA162F		MA16RF						
	EXTRA FINE									MA162P								
	GOLD											GMA16R						
	GOLD/SUPER C.											GMA16RXC						

FG		TRIM & FINISH											ACORN			
ISO No.	132	133	134	135	804	247	889	889	833	392A	392	369A	905	905	905	
ISO Shape No.	DET3	DET4	DET6	DET9												
Head (mm)	0.8	1.0	1.4	1.4	0.9	0.9	0.7	0.9	3.1	1.6	1.6	2.3	2.3	2.7	2.9	
Head Length (mm)	3	4	6	9		3.2	3	3.5	3.5	3.5	5	5.5	2.7	2.9	1.4	
FG 31 REGULAR	COARSE			DET6C				A22C	A21C						C19C	C19LC
	STANDARD	DET3	DET4	DET6	DET9	C18L	A22L	A22	A21	C20L	C20S	C20N	C20LL	C18	C19	C19L
	FINE	DET3F	DET4F	DET6F	DET9F	C18LF	A22LF	A22F	A21F	C20LF	C20SF	C20NF	C20LLF	C18F	C19F	C19LF
	EXTRA FINE	DET3P	DET4P	DET6P	DET9P	C18LP	A22LP	A22P	A21P	C20LP	C20SP	C20NP	C20LLP	C18P	C19P	C19LP
	GOLD							GA22	GA21			GC20N			GC19	
	GOLD FINE							GA22F	GA21F			GC20NF			GC19F	
	GOLD EXTRAFINE							GA22P								
FG 33 SHORT	COARSE	MDET3C		MDET6C				MA22C								
	STANDARD	MDET3		MDET6				MA22								
	FINE			MDET6F				MA22F								
	EXTRA FINE			MDET6P				MA22P								
	GOLD							GMA22								

FG		ROUND											ROUND W/Surgical L.					
ISO No.	801	801	801	801	801	801	801	801	801	801	801	801	801	801L	801L	801L	801L	801L
ISO Shape No.	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001
Head (mm)	0.8	0.9	1.0	1.2	1.4	1.6	1.8	2.1	2.3	2.9	3.3	3.5	0.9	1.2	1.4	1.6	1.8	
Head Length (mm)																		
FG 31 REGULAR	SUPER COARSE					A3XC	A4XC	A5XC	A5LXC	A5LLXC	A5L3XC	A5L4XC			ALL3SXC		ALL4XC	
	COARSE	A0C	A1C	A2SC	A2C	A2LC	A3C	A4C	A5C	A5LC	A5LLC	A5L3C	A5L4C	ALL1C	ALL2C	ALL3SC	ALL3C	ALL4C
	STANDARD	A0	A1	A2S	A2	A2L	A3	A4	A5	A5L	A5LL	A5L3	A5L4	ALL1	ALL2	ALL3S	ALL3	ALL4
	FINE		A1F	A2SF	A2F	A2LF	A3F	A4F	A5F	A5LF	A5LLF	A5L3F	A5L4F			ALL3SF		
	EXTRA FINE			A2SP	A2P	A2LP	A3P	A4P	A5P	A5LP	A5LLP	A5L3P	A5L4P					
	GOLD		GA1	GA2S	GA2	GA2L	GA3	GA4	GA5	GA5L								
	GOLD/SUPER C.						GA3XC	GA4XC	GA5XC	GA5LXC								
	GOLD / COARSE		GA1C		GA2C	GA2LC	GA3C	GA4C	GA5C									
	GOLD/FINE			GA2F	GA2LF	GA3F	GA4F	GA5F	GA5LF									
GOLD/EXTRA FINE				GA2LP		GA4P		GA5LP										
FG 33 SHORT	SUPER COARSE				MA2LXC	MA3XC	MA4XC		MA5LXC									
	COARSE		MA1C		MA2C	MA2LC	MA3C	MA4C		MA5LC								
	STANDARD		MA1		MA2	MA2L	MA3	MA4		MA5L								
	GOLD		GMA1		GMA2	GMA2L	GMA3											
	GOLD / COARSE					GMA2LC												

FG		ROUND W/S. L.		DOUBLE INVERTED CONE								WHEEL							
ISO No.		801L	801L	806	806	806	806	806	806	813	813	909	909	909-1	909	909	825	825	
ISO Shape No.		001	001	019	019	019	019	019	019	032	032	068	068	068	068	068			
Head (mm)		2.1	2.3	0.9	1.0	1.2	1.4	1.6	1.8	1.4	1.6	3.5	4.0	4.5	4.5	5.2	1.6	2.3	
Head Length (mm)				2.2	2.2	2.7	3.5	3.5	3.5	2	2	1.2	1	1.0	1.7	2.5			
FG31 REGULAR	SUPER COARSE	ALL5XC	ALL5MXC										C141XC		C14XC	C142XC			
	COARSE	ALL5C	ALL5MC		A9C	A10SSC	A10C	A10LC	A10LLC	A10SC	A10LSC	C14SSC	C141C	C14SC	C14C	C142C			
	STANDARD	ALL5	ALL5M	A9S	A9	A10SS	A10	A10L	A10LL	A10S	A10LS	C14SS	C141	C14S	C14	C142	C144	C145	
	FINE				A9F		A10F						C141F	C14SF	C14F		C144F	C145F	
	EXTRA FINE	ALL5P					A10P						C141P						
	GOLD			GA9S	GA9		GA10								GC14				
FG33 SHRT	SUPER COARSE															MC14XC			
	COARSE															MC14C			
	STANDARD				MA9		MA10									MC14			
	GOLD				GMA9		GMA10												

FG		PEAR																	
ISO No.		830	830	830	830	830	830	830	830	830	830	830L	830L	830L	830L	830L	830L	830L	
ISO Shape No.		234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	
Hear (mm)		0.8	1.2	0.8	0.9	1.0	1.2	1.4	1.6	1.8	1.0	1.2	1.4	1.6	1.8	2.1	3.2		
Head Length (mm)		1.6	1.7	2.5	2.5	2.7	2.6	2.6	2.7	2.8	4	4	5	5	5	5	5		
FG 31 REGULAR	SUPER COARSE																	C12XC	C16XC
	COARSE	C12S4C	C12SSMC	D245C		C12SSNC	C12S2C	C12MC	C12MLC	C12SNC	C12SSSC	C12SSC		C12SC	C12SMC	C12C	C16C		
	STANDARD	C12S4	C12SSM	D245	C12S5	C12SSN	C12S2	C12M	C12ML	C12SN	C12SSS	C12SS	C12S1	C12S	C12SM	C12	C16		
	FINE	C12S4F	C12SSMF	D245F		C12SSNF	C12S2F	C12MF	C12MLF	C12SNF	C12SSSF	C12SSF		C12SF	C12SMF	C12F	C16F		
	EXTRA FINE					C12SSNP	C12S2P	C12MP	C12MLP			C12SSP		C12SP	C12SMP	C12P	C16P		
	GOLD	GC12S4				GC12SSN	GC12S2											GC12	GC16
FG31 SORT	SUPER COARSE									MC12S2XC								MC12XC	
	COARSE	MC12S4C	MC12SSMC	MD245C			MC12S2C											MC12C	
	STANDARD	MC12S4	MC12SSM	MD245			MC12S2											MC12	
	GOLD	GMC12S4																GMC12	

FG		MODIFIED BEVELED CYLINDER														BEVELED CYL		
ISO No.		877	877	877	878	878	878	878	878	879	879	879	879	879L	879L	884	884	885
ISO Shape No.		288	288	288	289	289	289	289	289	290	290	290	290	290	290	129	129	130
Head (mm)		1.0	1.2	1.4	1.0	1.2	1.4	1.6	1.8	1.2	1.4	1.6	1.8	1.2	1.4	1.2	1.4	1.0
Head Length (mm)		6	6	6	8	8	8	8	8	10	10	10	10	12	12	6	6	8
FG 31 REGULAR	SUPER COARSE					B11XC	B11MXC	B11LXC	B11LLXC	C22XC	C23XC	C24XC	C25XC	C26XC	C27XC			
	COARSE	B10C	B10MC	B10LC	B11SC	B11C	B11MC	B11LC	B11LLC	C22C	C23C	C24C	C25C	C26C	C27C	B12C	B13C	B14C
	STANDARD	B10	B10M	B10L	B11S	B11	B11M	B11L	B11LL	C22	C23	C24	C25	C26	C27	B12	B13	B14
	FINE	B10F	B10MF	B10LF	B11SF	B11F	B11MF	B11LF	B11LLF	C22F	C23F	C24F	C25F	C26F	C27F	B12F	B13F	B14F
	EXTRA FINE	B10P	B10MP			B11P				C22P								
	GOLD	GB10				GB11												
	GOLD/SUPER C.					GB11XC	GB11MXC											
FG33 SHORT	GOLD / COARSE	GB10C				GB11C												GB14C
	GOLD/FINE	GB10F				GB11F												
	SUPER COARS		MB10MXC		MB11SXC	MB11XC	MB11MXC											
	COARSE		MB10MC		MB11SC	MB11C	MB11MC											
	STANDARD		MB10M		MB11S	MB11	MB11M											
FINE		MB10MF			MB11F													
EXTRA FINE		MB10MP																
GOLD / COARSE				GMB11SC	GMB11C	GMB11MC												

FG		BEVELED CYLINDER						MODIFIED CHAMFER											
ISO No.		885	885	886	886	886	886	876K	877K	877K	877K	877K	877K	877K	878K	878K	878K	878K	878K
ISO Shape No.		130	130	131	131	131	131	297	297	297	297	297	297	298	298	298	298	298	298
Head (mm)		1.2	1.4	1.0	1.2	1.4	1.6	1.2	1.2	1.4	1.6	1.8	2.1	1.2	1.4	1.6	1.8	2.1	
Head Length (mm)		8	8	10	10	10	10	4	6	6	6	6	6	8	8	8	8	8	
FG 31 REGULAR	SUPER COARSE	B15XC	B16XC		C9SXC	C9XC	C9LXC			S2SSXC	S2MSXC	S2LSXC	S2LLSXC	S2SXC	S2XC	S2MXC	S2LXC	S2LLXC	
	COARSE	B15C	B16C	C9SSC	C9SC	C9C	C9LC	S2S4C	S2S3C	S2SSC	S2MSC	S2LSC	S2LLSC	S2SC	S2C	S2MC	S2LC	S2LLC	
	STANDARD	B15	B16	C9SS	C9S	C9	C9L	S2S4	S2S3	S2SS	S2MS	S2LS	S2LLS	S2S	S2	S2M	S2L	S2LL	
	FINE	B15F	B16F	C9SSF	C9SF	C9F	C9LF		S2S3F	S2SSF		S2LSF	S2LLSF	S2SF	S2F	S2MF	S2LF		
	EXTRA FINE	B15P	B16P			C9P								S2P	S2MP	S2LP			
	GOLD				GC9S	GC9	GC9L				GS2MS			GS2	GS2M	GS2L			
	GOLD/SUPER C.					GC9XC										GS2MXC		GS2LLXC	
	GOLD / COARSE	GB15C		GC9SSC	GC9SC	GC9C	GC9LC		GS2SSC	GS2MSC	GS2LSC		GS2SC	GS2C	GS2MC	GS2LC			
	GOLD/FINE	GB15F				GC9F	GC9LF				GS2LSF		GS2SF		GS2MF	GS2LF			
		SUPER COARSE				MC9XC	MC9LXC				MS2SSXC	MS2MSXC			MS2SXC	MS2XC	MS2MXC	MS2LXC	MS2LLXC
	COARSE				MC9C	MC9LC				MS2SSC	MS2MSC			MS2SC	MS2C	MS2MC	MS2LC	MS2LLC	
	STANDARD				MC9	MC9L				MS2SS	MS2MS			MS2S	MS2	MS2M	MS2L	MS2LL	
	FINE									MS2SSF					MS2F	MS2MF			
	EXTRA FINE														MS2P				
	GOLD				GMC9	GMC9L					GMS2MS				GMS2	GMS2M	GMS2L		
	GOLD/SUPER C.					GMC9LXC								GMS2XC		GMS2LXC			
	GOLD / COARSE				GMC9C	GMC9LC					GMS2MSC								
	GOLD/FINE													GMS2F					

FG		MODIFIED CHAMFER							INVERTED CONE											
ISO No.		878K	878K	879K	879K	879K	879K	805	805	805	805	805	805	805	805	807	807	807	807	
ISO Shape No.		298	298	298	299	299	299	010	010	010	010	010	010	010	225	225	225	255		
Head (mm)		2.3	1.7	1.2	1.4	1.6	1.8	1.0	1.2	1.4	1.6	1.8	2.1	2.3	1.2	1.4	1.6	1.8		
Head Length (mm)		8	9	10	10	10	10	1	1.5	1.5	1.8	1.8	1.8	2.3	3.5	3.5	3.5	5		
FG 31 REGULAR	SUPER COARSE	S4XC	S1XC	S3SSXC	S3SXC	S3XC	S3LXC	S5XC			A8XC	A8MXC	A8LXC	A8LLXC	A8L3XC		A11LXC	A11LLXC	A11L3XC	
	COARSE	S4C	S1C	S3SSC	S3SC	S3C	S3LC	S5C	A6C	A7C	A8C	A8MC	A8LC	A8LLC	A8L3C	A11C	A11LC	A11LLC	A11L3C	
	STANDARD	S4	S1	S3SS	S3S	S3	S3L	S5	A6	A7	A8	A8M	A8L	A8LL	A8L3	A11	A11L	A11LL	A11L3	
	FINE	S4F	S1F	S3SSF	S3SF	S3F	S3LF		A6F	A7F	A8F					A11F			A11L3F	
	EXTRA FINE		S1P		S3SP	S3P	S3LP		A6P		A8P					A11P				
	GOLD		GS1	GS3SS	GS3S	GS3	GS3L		GA6	GA7	GA8					GA11				
	GOLD/SUPER C.			GS3SSXC			GS3LXC													
	GOLD / COARSE	GS4C			GS3SC	GS3C	GS3LC		GA6C	GA7C	GA8C	GA8MC				GA11C		GA11LLC	GA11L3C	
	GOLD/FINE				GS3SF	GS3F	GS3LF													
		SUPER COARSE					MS3XC					MA8XC								
	COARSE					MS3C			MA7C	MA8C										
	STANDARD					MS3		MA6	MA7	MA8										
	GOLD							GMA6	GMA7	GMA8										

FG		FOOTBALL						EGG						BARREL					
ISO No.		368	368	368	368	368	369	379	379	379	379	379	379	811	811	811	811		
ISO Shape No.		257	257	257	257	257		277	277	277	277	277	277	038	038	038	038		
ISO Ø 1/10 (mm)		016	018	018	021	023	2.5	012	014	016	018	021	023	017	032	038	047		
Head Length (mm)		3.5	4	4.5	5	5	5.5	2.8	2.8	3.4	3.4	3.8	5	3	5	7	7		
REGULAR	SUPER COARSE	A17SXC	A17XC	A173XC	C15SXC	C15XC								C15RSXC	C15RMSXC	C15RXC			
	COARSE	A17SC	A17C	A173C	C15SC	C15C	C28C	C15RS3C	C15RSSC	C15RS1C	C15RSC	C15RMSC	C15RC	C17C	C13C	C13MC	C13LLC		
	STANDARD	A17S	A17	A173	C15S	C15	C28	C15RS3	C15RSS	C15RS1	C15RS	C15RMS	C15R	C17	C13	C13M	C13LL		
	FINE	A17SF	A17F	A173F	C15SF	C15F	C28F	C15RS3F	C15RSSF	C15RS1F	C15RSF	C15RMSF	C15RF	C13F					
	EXTRA FINE	A17SP	A17P	A173P	C15SP	C15P		C15RS3P	C15RSSP	C15RS1P	C15RSP	C15RMSP	C15RP	C13P					
	GOLD	GA17S	GA17			GC15				GC15RS1	GC15RS		GC15R	GC13					
	GOLD / COARSE	GA17SC	GA17C		GC15SC	GC15C				GC15RS1C	GC15RSC		GC15RC	GC13XC					
	GOLD/FINE	GA17SF	GA17F		GC15SF	GC15F				C15RS1F	GC15RSF		GC15RF	GC13C					
	GOLD EXTRA FINE	GA17SP	GA17P			GC15P				C15RS1P	GC15RSP		GC15RP						
		SUPER COARSE					MC15XC								MC15RXC				
	COARSE					MC15C								MC15RC					
	STANDARD					MC15								MC15R					

FG		FLAME																
ISO No.		30011	861	862	862	888	862	888	30011	862	863	863	863L	863	862L	30011	860	860
ISO Shape No.		052	247	249	249	249	249	249	056	249	250	250	250L	250	249	055	247	247
Head (mm)		1.2	1.4	1.0	1.2	1.2	1.4	1.4	1.4	1.6	1.2	1.4	1.6	1.8	1.8	2.0	1.0	1.2
Head Length (mm)		6.5	6	8	8	8	8	8	8.0	8	10	10	12	10	9	9	4	4
FG 31 REGULAR	SUPER COARSE					B9SSXC	B8XC	B9LXC	B9XC	B9SXC	B9MXC	C10XC	C10MXC	C10LXC	C11XC	B9LLXC	B9L3XC	
	COARSE	B8SSC	B8S1C	B8SC	B9SSC	B8C	B9LC	B9C	B9SC	B9MC	C10C	C10MC	C10LC	C11C	B9LLC	B9L3C	A25C	A26C
	STANDARD	B8SS	B8S1	B8S	B9SS	B8	B9L	B9	B9S	B9M	C10	C10M	C10L	C11	B9LL	B9L3	A25	A26
	FINE	B8SSF	B8S1F	B8SF	B9SSF	B8F	B9LF	B9F	B9SF	B9MF	C10F	C10MF	C10LF	C11F	B9LLF	B9L3F	A25F	A26F
	EXTRA FINE	B8SSP		B8SP	B9SSP	B8P	B9LP	B9P	B9SP	B9MP	C10P			C11P			A25P	A26P
	GOLD			GB8S	GB9SS	GB8	GB9L	GB9	GB9S	GB9M	GC10	GC10M		GC11				
	GOLD SUPER C.				GB9SSXC							G10MXC						
	GOLD / COARSE	GB8SSC		GB8SC	GB9SSC	GB8C	GB9LC	GB9C	GB9SC	GB9MC	GC10C			GC11C	GB9LLC			
GOLD/FINE	GB8SSF		GB8SF	GB9SSF	GB8F	GB9LF	GB9F		GB9MF	GC10F	G10MF		GC11F	GB9LLF				
GOLD EXTRAFINE				GB9SSP		GB9LP			GB9MP	GC10P								
FG33 SHRT	SUPER COARSE	MB8SSXC	MB8S1XC	MB8SXC	MB9SSXC	MB8XC	MB9LXC	MB9XC	MB9SXC	MB9MXC					MC11XC			
	COARSE	MB8SSC	MB8S1C	MB8SC	MB9SSC	MB8C	MB9LC	MB9C	MB9SC	MB9MC					MC11C			
	STANDARD	MB8SS	MB8S1	MB8S	MB9SS	MB8	MB9L	MB9	MB9S	MB9M					MC11			
	FINE	MB8SSF	MB8S1F		MB9SSF	MB8F	MB9LF	MB9F		MB9MF								
	EXTRA FINE	MB8SSP	MB8S1P		MB9SSP	MB8P	MB9LP	MB9P	MB9SP	MB9MP								
	GOLD				GMB9SS		GMB9L	GMB9										
	GOLD / COARSE				GMB9SSC		GMB9LC	GMB9C										

FG		FLAME		NEEDLES												SPIRAL		
ISO No.		860	860	852	852	852	858	858	858	858	859	859	859	859	859	859	848	
ISO Shape No.		247	247	160	160		164	164	164	164	166	166	166	166	166	166	173	
Head (mm)		1.4	1.6	0.8	1.2	2.3	1.0	1.2	1.4	1.6	1.2	1.0	1.4	1.6	1.8	2.1	1.6	
Head Length (mm)		4	4	6	6	6	8	8	8	8	10	11	10	10	10	10	10	
FG 31 REGULAR	SUPER COARSE						B73LXC			B7XC	B7LXC	C6XC		C7SXC	C7XC	C8XC	C8LXC	D6XC
	COARSE	A27C	A28C				B73LC	C6SC	B7SC	B7C	B7LC	C6C	C6LC	C7SC	C7C	C8C	C8LC	D6C
	STANDARD	A27	A28	B71	B73	B73L	C6S	B7S	B7	B7L	C6	C6L	C7S	C7	C8	C8L		D6
	FINE	A27F	A28F	B71F	B73F		C6SF	B7SF	B7F	B7LF	C6F	C6LF	C7SF	C7F	C8F	C8LF		
	EXTRA FINE		A28P	B71P	B73P			B7SP	B7P	B7LP	C6P	C6LP	C7SP	C7P	C8P	C8LP		
	GOLD			GB71				GB7S	GB7		GC6		GC7S	GC7	GC8			
	GOLD SUPER C.								GB7XC					GC7XC	GC8XC			
	GOLD / COARSE							GB7SC	GB7C		GC6C	GC6LC	GC7SC	GC7C	GC8C			
GOLD/FINE			GB71F				GB7SF	GB7F		GC6F	GC6LF	GC7SF	GC7F	GC8F				
GOLD EXTRAFINE			GB71P				GB7SP					GC7SP						
FG33 SHRT	SUPER COARSE								MB7XC	MB7LXC					MC7XC			
	COARSE								MB7C	MB7LC					MC7C			
	STANDARD								MB7	MB7L					MC7			
	FINE								MB7F	MB7LF					MC7F			
	EXTRA FINE								MB7P	MB7LP					MC7P			
	GOLD								GMB7						GMC7			
	GOLD / COARSE								GMB7C						GMC7C			

FG		OCCLUSAL REDUCTION						AXIAL REDUCTION				DEPTH CUTTER					
ISO No.		828	828	828	828	828	828	525	525	525	525	828	834	834	834	868A	868A
ISO Shape No.																	
ISO Ø 1/10 (mm)		016	016	016	016	016	016	008	008	008	008	026	016	021	031	018	021
Head Length (mm)		2.4	2.2	2.0	1.8	1.5	1.0	0.6	1.0	1.5	2.0	D:0.5	D:0.3	D:0.5	D:1.0	D:0.3	D:0.4
FG 31 REGULAR	SUPER COARSE	OC24XC	OC22XC	OC20XC	OC18XC	OC15XC	OC10XC										
	COARSE	OC24C	OC22C	OC20C	OC18C	OC15C	OC10C	M1C	M2C	M3C	M4C	D7S2C	D7SC	D7MC	D71C	D71C	D72C
	STANDARD							M1	M2	M3	M4	D7S2	D7S	D7M	D7L	D71	D72
	FINE							M1F	M2F	M3F	M4F						
	GOLD											GD7S2	GD7S	GD7M			

CYCLONE ZIRCONIA CUTTING DIAMOND FOR CROWN & ENDO ACCESS - The diamonds are designed with the latest coating technology - "Cyclone Vacuum" which dramatically improves cutting efficiency and durability.

2 per pack **\$24.00** 5 per pack **\$47.50**



ZB6LLC (Z856L/018C)



ZB2MLC (Z882/014C)



ZALL3SC (Z801L/014C)



ZC12SSNC (Z830/010C)

ZIRCONIA DIAMOND FOR ADJUSTMENT

5 per pack **\$22.50 (\$4.50 per bur)**

ISO No.	801L	801	801	368	379	390	862	862	863	807	856	856	856	850	881	878K
ISO Shape No.	001	001	001	257	277	274	249	249	250	225	198	196	196	199	141	298
ISO Ø 1/10 (mm)	014	018	023	023	023	016	014	018	012	018	016	018	025	018	014	021
Head Length (mm)				5	6	4	8	9	10	5	8	8	8	10	8	8
STANDARD	ZALL3S	ZA4	ZA5L	ZC15	ZC15R	ZC21	ZB9S	ZB9LL	ZC10	ZA11L3	ZB5M	ZB5L	ZD2	ZCC4L	ZB2M	ZS4
FINE	ZALL3SF	ZA4F	ZA5LF	ZC15F	ZC15RF	ZC21F	ZB9SF	ZB9LLF	ZC10F	ZA11L3F	ZB5MF	ZB5LF	ZD2F	ZCC4LF	ZB2MF	ZS4F

CROSSTECH TURBO DIAMOND

5 per pack **\$19.75 (\$3.75 per bur)**

FG	FLAT END TAPER					ROUND END TAPER							FLAME				
ISO No.	847	847	847	848	847KR	856	856	856	856L	850	856L	856	850N	862	862	863	
ISO Shape No.	172	172	172	173	172KR	198	198	198	198	198	198L	198	199N	249	249	250	
Head Tip (mm)	1.4	1.6	1.8	1.8	1.6	1.4	1.2	1.6	1.6	1.8	2.1	2.5	2.1	1.2	1.4	1.6	
Head Length (mm)	8	8	8	10	8	8	8	8	9	10	10	8	12	8	8	8	
REG	SUPER COARSE	TBB3XC	TBB4XC	TB4LXC	TC2XC	TB4RXC	TB6SXC	TB5XC	TB6MXC	TB6LXC	TC4LXC	TD2LSXC	TD2XC	TC3LXC	TB9SSXC	TB9LXC	TC11XC
	COARSE	TBB3C	TBB4C	TB4LC	TC2C	TB4RC	TB6SC	TB5C	TB6MC	TB6LC	TC4LC	TD2LSC	TD2C	TC3LC	TB9SSC	TB9LC	TC11C
SHT	SUPER COARSE			MTB4LXC	MTC2XC				MTB6MXC		MTC4LXC	MTD2LSXC	MTD2XC	MTC3LXC			
	COARSE			MTB4LC	MTC2C				MTB6MC		MTC4LC	MTD2LSC	MTD2C	MTC3LC			

FG	MODIFIED CHAMFER						ROUND END CYL		FLAT END CYL		BEVELED CYLINDER			FOOTBALL	
ISO No.	878K	878K	878K	878K	879K	878K	837KR	837KR	837	837	885	878	879	368	
ISO Shape No.	298	298	298	298	299	298	158	158	110	110	130	289	290	257	
Head Tip (mm)	1.4	1.6	1.7	1.8	1.8	2.1	1.2	1.4	1.2	1.6	1.2	1.4	1.6	2.3	
Head Length (mm)	8	8	9	8	10	8	8	8	8	8	8	8	10	5	
REG	SUPER COARSE	TS2XC	TS2MXC	TS1XC	TS2LXC	TS3LXC	TS2LLXC	TB1SRXC	TB1RXC	TB1SXC	TB1LXC	TB15XC	TB11MXC	TC24XC	TC15XC
	COARSE	TS2C	TS2MC	TS1C	TS2LC	TS3LC	TS2LLC	TB1SRC	TB1RC	TB1SC	TB1LC	TB15C	TB11MC	TC24C	TC15C
SHT	SUPER COARSE		MTS2MXC	MTS1XC	MTS2LXC	MTS3LXC	MTS2LLXC								MTC15XC
	COARSE		MTS2MC	MTS1C	MTS2LC	MTS3LC	MTS2LLC								MTC15C

QUALITÉ CARBIDE BURS

PREMIUM CARBIDE BURS • MADE BY KERR FROM CANADA

• Precision ground cutting edges for consistent cutting performance.

FG -Friction Grip

SS -FG Short Shank

RA -Latch (Right Angle)

10 Per Pkg. \$15.00 100 Per Pkg. \$126.00

FGOS -FG with Surgical Length (25 mm)

RAOS -RA with Surgical Length

10 Per Pkg. \$22.50 100 Per Pkg. \$210.00

HPOS -Use in Straight Nose Cones (65 mm)

10 Per Pkg. \$24.00

HP -for Straight Hnadpiece (44 mm)

10 Per Pkg. \$17.00 100 Per Pkg. \$158.00



SOLID CARBIDE ONE - PIECE CONSTRUCTION • MADE IN USA

• Eliminates joint breakage

FG -Friction Grip/FGSS (Short) 10 Per Pkg. \$23.50















FGOS (FG Surgical) 10 Per Pkg. \$31













SHANK TYPE			
Code	Shank Type	Shank Image	Dia/Length (mm)
FG	Friction Grip		1.6/19-21
FGSS	FG Short Shank		1.6/16.5
FGOS	FG Oral Surgical		1.6/25
RASS	Latch Short Shank		2.35/18.5
RA	Latch (Right Angle)		2.35/22
RAOS	Latch Oral Surgical		2.35/26
HP	Handpiece		2.35/44.5
HPOS	HP Surgical		2.35/65













TAPER ROUND END X-CUT FISSURE					
ISO No.	1700	1701	1702	1703	1703L
ISO Ø 1/10 (mm)	010	012	016	021	021
Head Length (mm)	3.7	3.7	4.1	4.5	4.9
6 BLADES					
FG-CANADA	FG1700	FG1701	FG1702		
FGOS (Surgical)			FGOS1702	FGOS1703	
HP-CANADA		HP1701	HP1702	HP1703	HP1703L













ROUND													AMALGAM PREP			
ISO No.	¼	½	1	2	3	4	5	6	7	8	9	10	245	246	256	257
ISO Ø 1/10 (mm)	005	007	008	010	012	014	016	018	021	023	025	027	009	012	009	010
Head Length (mm)													2.7	3.7	2.7	3.7
6 BLADES																
FG-CANADA	FG¼	FG½	FG1	FG2	FG3	FG4	FG5	FG6	FG7	FG8			FG245	FG246	FG256	FG257
FG - One Piece- USA	FG¼-1	FG½-1	FG1-1	FG2-1	FG3-1	FG4-1	FG5-1						FG245-1	FG246-1	FG256-1	
FGSS (Short)-CANADA	FGSS¼	FGSS½	FGSS1	FGSS2	FGSS3	FGSS4	FGSS5	FGSS6		FGSS8			FGSS245			
FGSS (Short)-1 Piece-USA			FGSS1-1	FGSS2-1		FGSS4-1							FGSS245-1			
FGOS (Surgical) -CANADA	FGOS¼	FGOS½	FGOS1	FGOS2	FGOS3	FGOS4		FGOS6		FGOS8						
FGOS (Surgical) -1 Piece-USA		FGOS½-1	FGOS1-1	FGOS2-1	FGOS3-1	FGOS4-1										
RA(Latch)-CANADA	RA¼	RA½	RA1	RA2	RA3	RA4	RA5	RA6	RA7	RA8	RA9		RA245			
RASS-CANADA				RASS2	RASS3		RASS5									
RAOS-CANADA		RAOS½	RAOS1	RAOS2	RAOS3	RAOS4		RAOS6		RAOS8						
HP-CANADA	HP¼	HP½	HP1	HP2	HP3	HP4	HP5	HP6	HP7	HP8		HP10				
HPOS-CANADA								HPOS6		HPOS8						

PEAR										STRAIGHT ROUND END FISSURE			
ISO No.	329	330	331	332	330L	331L	332L	333L		1155	1156	1157	1158
ISO Ø 1/10 (mm)	006	008	010	012	008	010	012	014		008	009	010	012
Head Length (mm)	1.2	1.6	1.7	1.8	3.8	3.8	3.8	3.8		3.7	3.7	3.7	3.7
6 BLADES													
FG-CANADA	FG329	FG330	FG331	FG332		FG331L	FG332L	FG333L		FG1155	FG1156	FG1157	FG1158
FG - One Piece- USA	FG329-1	FG330-1	FG331-1	FG332-1	FG330L-1	FG331L-1					FG1156-1	FG1157-1	FG1158-1
FGSS (Short)-CANADA	FGSS329	FGSS330	FGSS331	FGSS332		FGSS331L					FGSS1156	FGSS1157	FGSS1158
FGSS (Short)-1 Piece-USA		FGSS330-1	FGSS331-1										
FGOS (Surgical) -CANADA													FGOS1158
RA(Latch)-CANADA		RA330	RA331	RA332		RA331L							
HP-CANADA											HP1157	HP1158	

ISO No. ISO Ø 1/10 (mm) Head Length (mm)	INLAY PREP	INVERTED CONE										STRAIGHT ROUND END X-CUT FISSURE			
		271	33½	34	35	36	37	38	39	41	37L	1556	1557	1558	1559
		012	006	008	010	012	014	016	018	023	014	009	010	012	014
2.7		0.4	0.6	0.7	0.8	0.8	1.0	1.3	2.4	4.1	3.2	3.7	3.7	3.7	
6 BLADES															
FG - CANADA		FG271	FG33½	FG34	FG35	FG36	FG37	FG38	FG39		FG37L	FG1556	FG1557	FG1558	
FG - One Piece- USA			FG33½-1	FG34-1	FG35-1	FG36-1	FG37-1					FG1556-1	FG1557-1	FG1558-1	FG1559-1
FGSS (Short)-CANADA			FGSS33½	FGSS34	FGSS35							FGSS1556	FGSS1557	FGSS1558	
FGSS (Short)-One Piece-USA					FGSS35-1							FGSS1557-1			
FGOS (Surgical) -CANADA				FGOS34									FGOS1557	FGOS1558	
FGOS (Surgical) -1 Piece-USA													FGOS1557-1	FGOS1558-1	
RA(Latch)-CANADA			RA33½	RA34	RA35	RA36	RA37	Ra38	Ra39				RA1557		
HP-CANADA			HP33½	HP34	HP35	HP36	HP37		HP39	HP41		HP1556	HP1557	HP1558	

ISO No. ISO Ø 1/10 (mm) Head Length (mm)	CROSSCUT TAPERED FISSURE												
	699	700	701	702	703	699L	700L	701L	701XL	702L	703L	704	
	009	010	012	016	021	009	010	012	012	016	021	023	
3.2	3.7	3.7	4.1	4.5	4.9	4.9	6.0	6.0	4.9	5.7	4.5		
6 BLADES													
FG - CANADA		FG699	FG700	FG701	FG702	FG703	FG699L	FG700L	FG701L				
FG - One Piece- USA		FG699-1	FG700-1	FG701-1	FG702-1		FG699L-1	FG700L-1	FG701L-1		FG702L-1		
SS (Short)-CANADA		FGSS699	FGSS700	FGSS701									
SS (Short)-One Piece-USA			FGSS700-1	FGSS701-1									
FGOS (Surgical) -CANADA			FGOS700	FGOS701	FGOS702	FGOS703					FGOS702L		
FGOS (Surgical) One Piece- USA			FGOS700-1	FGOS701-1	FGOS702-1					OS701XL-1			
RA (Latch)-CANADA		RA699	RA700	RA701	RA702	RA703							
RAOS (Surgical) -CANADA				RAOS701									
HP-CANADA		HP699	HP700	HP701	HP702	HP703	HP699L	HP700L	HP701L		HP702L	HP703L	HP704
HPOS-CANADA					HPOS702	HPOS703							

ISO No. ISO Ø 1/10 (mm) Head Length (mm)	END CUTTING			TAPERED FISSURE									
	956	957		167	168	169	170	171	172	173	169L	170L	171L
	009	010		005	008	009	010	012	016	021	009	010	012
3.2	3.7		3.2	3.2	3.2	3.7	3.7	4.1	4.5	4.9	4.9	4.9	
6 BLADES													
FG - CANADA		FG956	FG957	FG167	FG168	FG169	FG170	FG171	FG172	FG173	FG169L	FG170L	FG171L
FG - One Piece- USA						FG169-1	FG170-1	FG171-1			FG169L-1	FG170L-1	FG171L-1
FGSS (Short)-CANADA		FGSS956	FGSS957			SS169	SS170						
FGOS (Surgical) -CANADA							FGOS170	FGOS171					
RA(Latch)-CANADA						RA169	RA170	RA171			RA169L		
HP-CANADA						HP169	HP170				HP169L		HP171L

ISO No. ISO Ø 1/10 (mm) Head Length (mm)	STRAIGHT FLAT END X-CUT FISSURE									STRAIGHT FLA-END FISSURE			
	555	556	557	558	559	560	556L	557L	558L	56	57	58	
	008	009	010	012	014	016	009	010	012	009	010	012	
3.2	3.2	3.7	3.7	4.1	4.1	4.6	4.9	4.9	3.2	3.7	3.7		
6 BLADES													
FG - CANADA			FG556	FG557	FG558	FG559	FG560	FG556L	FG557L	FG558L	FG56	FG57	FG58
FG - One Piece- USA		FG555-1	FG556-1	FG557-1	FG558-1	FG559-1			FG557L-1	FG558L-1	FG56-1	FG57-1	FG58-1
FGSS (Short)-CANADA			FGSS556	FGSS557	FGSS558				FGSS557L		FGSS56	FGSS57	FGSS58
FGSS (Short)-One Piece-USA			FGSS556-1	FGSS557-1	FGSS558-1						FGSS57-1		
FGOS (Surgical) -CANADA			FGOS556	FGOS557	FGOS558	FGOS559	FGOS560						
FGOS (Surgical) -One Piece-USA				FGOS557-1	FGOS558-1				FGOS557L-1				
RA(Latch)-CANADA			RA556	RA557	RA558	RA559					RA56	RA57	RA58
RASS-CANADA											RASS57		
RAOS-CANADA				RAOS557	RAOS558								
HP-CANADA			HP556	HP557	HP558	HP559	HP560				HP57	HP58	

STRAIGHT FLAT-END FISSURE						TAPER ROUND END FISSURE						
ISO No.	59	60	57L	58L	60L	1169	1170	1171	1172	1169L	1170L	1171L
ISO Ø 1/10 (mm)	014	016	010	012	016	009	010	012	016	009	010	012
Head Length (mm)	4.1	4.1	4.9	4.9	5.7	3.2	3.7	3.7	4.1	4.9	4.9	4.9
6 BLADES												
FG – CANADA	FG59	FG60	FG57L	FG58L		FG1169	FG1170	FG1171	FG1172	FG1169L	FG1170L	FG1171L
FG – One Piece– USA	FG59-1		FG57L-1				FG1170-1	FG1171-1				
RA(Latch)–CANADA								RA1171	RA1172			
HP–CANADA	HP59				HP60L		HP1170	HP1171	HP1172			

12 & 30 FLUTES TRIMMING & FINISHING BURS

Premium Quality Carbide Burs • Made in Canada

12 BLADES • 5 bur/pkg.

30 BLADES • 5 bur/pkg.

\$19.00 = **\$3.80 per bur**

\$28.00 = **\$5.60 per bur**

12 BLADES **\$295/pk100**

ROUND						
ISO No.	2	3	4	6	8	9
ISO Ø 1/10 (mm)	010	012	014	018	023	027
12 & 30 BLADES						
12 Blades CANADA	7002	7003	7004	7006	7008	7009
12 Blades RA				RA7006		
30 Blades CANADA			9004	9006	9008	

	BULLET			ROUND END TAPER		EGG			NEEDLES				CYLINDER
ISO No.	OS2							OS1					
ISO Ø 1/10 (mm)	009	010	012	010	014	014	018	023	009	010	012	014	015
Head Length (mm)	3.2	3.4	3.4	8.0	8.0	2.8	3.4	4.2	3.6	3.6			
12 & 30 BLADES													
12 Blades CANADA	7801	7802	7803	7642	7664	7404	7406	7408	7901	7902	7903		7572
12 Blades RA							RA7406						
30 Blades CANADA			9803	9642			9406				9903	9904	

	TAPER T-SERIES			FLAME				POINT TAPER				INTERPROXIMAL	
ISO No.	T-1	T-2	T-3										
ISO Ø 1/10 (mm)	009	012	014	012	014	018	023	0.8	1.0	1.4	1.4	012	010
Head Length (mm)	2.9	5.1	7.6	3.5	3.5	3.8	4.6	3.4	3.9	5.8	8.7	3.2	6.0
12 & 30 BLADES													
12 Flutes CANADA	7114	7214	7714	7103	7104	7106	7108	7610	7611	7612	7613	7103	7602
30 Flutes CANADA		9214	9714										

	TAPER					BEVEL			INVERTED TAPER		CHAMFERING
ISO No.											
ISO Ø 1/10 (mm)	010	012	014	016	018	016	012	014	012	014	015
Head Length (mm)	5.2	5.2	9.0	9.0	9.0	8.0	8.0	8.0	4.2	4.2	
12 & 30 BLADES											
12 Flutes CANADA	7702	7713	7204	7205	7206	7283	283	284	7303	7304	7345
30 Flutes CANADA		9713									

12 Blades with European/German Twist - made in USA

\$31.50 / Pack of 5



FG7377	FG7378	FG7379	H48L010	H48L012	FG7642-1	FG7675-1	FG7664-1	EF3	EF4	EF6	EF9	
ø / L (mm)	1.4/2.8	1.8/3.4	2.3/4.2	1.0/8.0	1.2/8.0	1.0/8.0	1.4/8.0	1.6/8.0	0.8/3.0	1.0/4.2	1.4/6.0	1.4/9.0

20 BLADES MADE IN USA

They have a European/German Twist to the flutes (which cure around the head of the bur). These carbides leave a pre-polish on composites & smooth finish to all restorative materials. **\$38.00/pk of 5**



ORTHO DEBONDING BURS

FG-For Use in High Speed Handpiece • Made in Europe

ENDO ACCESS BURS • MADE IN EUROPE

5 Per Pkg. \$32.00 = **\$6.40 per bur**

ISO Ø 1/10 (mm) Head Length (mm)	18 Blades		12 Blades			
		016	016	014	009	010
	5.7	8.3	8.0	3.6	3.6	3.4
	118S	118L	FG7664	FG7901	FG7902	FG7406
PRICE/PK5	\$37	\$37	\$19	\$19	\$19	\$19
PRICE/PK100			\$295	\$295	\$295	\$295

ISO Ø (mm)	016	016	16	016	016
Head L (mm)	11	11	11	9.0	9.0
Total L (mm)	25	23	28	26	23
	40199Z	40151Z	40151LZ	4219EZ	4152EZ

BARRACUDA

Ideal for rapid reduction of all materials such as amalgam, porcelain, metal and tooth structure. Its super sharp transversing tip and blade design result in powerful cutting performance, perfect for crown removal and endodontic access.

10 Per Pkg. \$46.00

SOLID CARBIDE ONE PIECE • MADE IN USA

		METAL/CROWN CUTTERS																
ISO No.		2	4	6	8	34	35	37	245	330	331	556	557	558	701	702	1557	1558
ISO Ø 1/10 (mm)		010	014	016	023	008	010	014	008	008	010	009	010	012	012	016	010	012
Head Length (mm)						0.9	1.1	1.4	2.7	1.6	1.7	4.2	4.2	4.2	4.2	4.2	4.2	4.2
BARRACUDA																		
METAL CUTTER: MC		MC02	MC04	MC06	MC08	MC34	MC35	MC37	MC245	MC330	MC331	MC556	MC557	MC558	MC701	MC702	MC1557	MC1558
MC SHORT										MCSS330	MCSS331		MCSS557					MCSS1558

C&B SPEEDSTER

Technologically designed to provide a superior alternative to diamonds in crown and bridge preparation procedures.

10 Per Pkg. \$57.00



















SOLID CARBIDE ONE PIECE • MADE IN USA
















	ROUND END TAPER				FLAT END TAPER				FOOTBALL
ISO No.	856	856	856	856	847	847	847	847	379
ISO Ø 1/10 (mm)	012	014	016	018	012	014	016	018	023
Head Length (mm)	8	8	8	8	8	8	8	8	5
SPEEDSTER									
CROWN PREP	CR856-012	CR856-014	CR856-016	CR856-018	CR847-012	CR847-014	CR847-016	CR847-018	CR379-023

FINE CROSSCUT "BEAVER" BURS • CRISS CROSSCUT • MADE IN CANADA

10 Per Pkg. \$29.50

100 Per Pkg. \$275.00



	FINE CROSS CUT ROUND				FINE CROSS CUT PEAR				FINE CROSS CUT AMELGAM PREP		FINE CROSS CUT STRAIGHT FISSURE			FINE CROSS CUT STRAIGHT FISSURE DOME			
ISO Ø 1/10 (mm)	010	014	018	023	006	008	010	012	009	012	009	010	012	009	010	012	012
Head Length (mm)					1.6	1.6	1.6	1.6	2.7	3.7	3.2	3.7	3.7	3.2	3.7	3.7	4.9
																	
FG	1902	1904	1906	1908	1929	1930	1931	1932	1945	1946	2056	2057	2058	1956	1957	1958	1958L
FGSS						SS1930	SS1931					SS2057				SS1958	
FGOS			OS1906									OS2057					













	FINE CROSS CUT TAPER FLAT END				FINE CROSS CUT INVERTED CONE			KRISS KROSS STRAIGHT DOME		FINE CROSS CUT TAPER DOME END			KRISS KROSS TAPER DOME	
ISO Ø 1/10 (mm)	009	010	012	016	008	010	014	010	012	009	010	012	010	012
Head Length (mm)	3.2	3.7	3.7	4.1	0.6	0.7	0.8	3.7	3.7	3.2	3.7	3.7	3.7	3.7
														
FG	2069	2070	2071	2072	2034	2035	2037	2157	2158	1969	1970	1971	2170	2171

ORAL SURGERY BURS • MADE IN USA

SHANK 1 10 Per Pkg. \$25.0

SHANK 2 - SHANK 6 10 Per Pkg. \$78.50



		SIZE (mm)	SHANK #1	SHANK #2	SHANK #3	SHANK #4	SHANK #5	SHANK #6
	6	1.8	SH1-6	SH2-6	SH3-6	SH4-6	SH5-6	SH6-6
	8	2.3	SH1-8	SH2-8	SH3-8	SH4-8	SH5-8	SH6-8
	560	1.6	SH1-560			SH4-560		SH6-560
	701	1.2	SH1-701	SH2-701		SH4-701	SH5-701	
	702	1.6	SH1-702	SH2-702	SH3-702	SH4-702	SH5-702	SH6-702
	702L	1.6	SH1-702L	SH2-702L		SH4-702L	SH5-702L	SH6-702L
	1702	1.6	SH1-1702	SH2-1702	SH3-1702	SH4-1702	SH5-1702	SH6-1702
	1702L	1.6		SH2-1702L		SH4-1702L	SH5-1702L	
	703	2.1	SH1-703	SH2-703	SH3-703	SH4-703	SH5-703	SH6-703
	703L	2.1	SH1-703L	SH2-703L	SH3-703L	SH4-703L	SH5-703L	SH6-703L
	1703	2.1	SH1-1703	SH2-1703	SH3-1703	SH4-1703	SH5-1703	SH6-1703
	1703L	2.1	SH1-1703L	SH2-1703L	SH3-1703L	SH4-1703L	SH5-1703L	SH6-1703L

Lindemann Bone Cutters

Made in USA

267 bur is ideal for sectioning an impacted wisdom tooth prior to its extraction, separating roots and removing a broken root stump



5 per Pkg. \$47.25

161 one piece carbide burs are specially adapted for working on bone structure. It ensures efficient cutting of hard tissue or bone tissue and expels waste material.



Lindemann Plain Cut
5 per Pkg. \$47.25

US #	ITEM CODE	BUR TYPE	HEAD Ø (mm)	HEAD L. (mm)
267	FGOS267	FG SURG. (25mm)	1.6	9.0

US #	ITEM CODE	BUR TYPE	HEAD Ø (mm)	HEAD L. (mm)
161	FGOS161	FG SURG. (25mm)	1.6	10.0
161	RAOS161	RA SURG.(26mm)	1.6	10.0
161	HP161	HP (44.50mm)	1.6	10.0

162 one piece carbide burs are specially adapted for working on bone structure. It ensures efficient cutting of hard tissue or bone tissue and expels waste material.



Lindemann Cross Cut
5 per Pkg. \$47.25

162A one piece carbide burs are specially adapted for working on bone structure. It ensures efficient cutting of hard tissue or bone tissue and expels waste material.



Lindemann Cross Cut
5 per Pkg. \$47.25

US #	ITEM CODE	BUR TYPE	HEAD Ø (mm)	HEAD L. (mm)
162	FGOS162	FG SURG. (25mm)	1.6	10.0
162	RAOS162	RA SURG.(26mm)	1.6	10.0
162	HP162	HP (44.50mm)	1.6	10.0

US #	ITEM CODE	BUR TYPE	HEAD Ø (mm)	HEAD L. (mm)
162A	FGOS162A	FG SURG. (25mm)	1.6	10.0
162A	RAOS162A	RA SURG.(26mm)	1.6	10.0
162A	HP162A	HP (44.50mm)	1.6	10.0

Surgical Diamond Burs



Total Length 30mm 5 per Pkg. \$19.00

ISO #	ITEM CODE	GRIT	HEAD Ø (mm)	HEAD L. (mm)
859L/010	FGOSC6LC	COARSE	1.0	11.0
859L/010	FGOSC6L	MEDIUM	1.0	11.0
859L/010	FGOSC6LF	FINE	1.0	11.0

Total Length 25mm 5 per Pkg. \$17.00

FG		ROUND								END CUTTER	MODIFIED CHAMFER
ISO No.		801.36	801.36	801.36	801.36	801.36	801.36	801.36	801.36	10839.36	879K.36
ISO Shape No.											
ISO Ø (mm)		1.0	1.2	1.4	1.6	1.8	2.3	2.9	3.5	1.6	1.6
Head Length (mm)										8.0	10.0
FG36	FGOS	SUPER COARSE	FGOSA2XC	FGOSA2LXC	FGOSA3XC	FGOSA4XC	FGOSA5LXC	FGOSA5LLXC	FGOSA5L4XC		FGOSS3XC
		COARSE	FGOSA2C	FGOSA2LC	FGOSA3C	FGOSA4C	FGOSA5LC	FGOSA5LLC	FGOSA5L4C	FGOSA18R3C	FGOSS3C
		MEDIUM	FGOSA2S	FGOSA2	FGOSA2L	FGOSA3	FGOSA4	FGOSA5L	FGOSA5LL	FGOSA5L4	FGOSA18R3

Soft Tissue Trimmer

\$55.0/Pkg of 1



Dental Soft Tissue Trimmer are used at speeds of 300,000 RPM - 450,000 RPM **WITHOUT WATER SPRAY**. Run the Tissue Trimmer for 30 to 45 seconds before use to allow heat generation on the tip.

Tissue Trimmers generate enough heat to cause tissue coagulation which allow gingival modeling almost entirely without bleeding or damage to the tooth They can be used as an alternative to an electro-surge or scalpel.

Some Applications include:

- Contouring of gingiva for cosmetics or inflamed gingival soft tissue
- Excellent for timing excess thissue in the diastema
- Exposing deep cervical caries or external resorption
- Opercuetomy


1 CARBIDE • Single-Patient Use Carbides

STERILIZED - INDIVIDUAL PACKAGED



FG CARBIDES

25 Per Pkg. \$46.75 \$1.85 per bur




RA CARBIDES

25 Per Pkg. \$46.75

FGOS CARBIDES

25 Per Pkg. \$59



1 DIAMOND • Single-Patient Use Diamond

De Beers Natural Diamond • Premium Quality

STERILIZED

25 Per Pkg. \$42.00 \$1.68 per bur

Single Patient Use Diamond burs, are individually wrapped, Gamma-Sterilized, 25 burs per package. Manufactured with natural diamonds which provide more cutting surfaces than synthetic diamonds; also Swiss multi-coating technique is used to provide cutting efficiency with durability and less clogging. There are around 200 shapes and grits, one low price for all these burs.

ROUND END TAPER












ORDER/ISO #	1-850.010	1-856.012	1-850.012	1-S855.014	1-856.014	1-850.014	1-S855.016	1-856.016	1-850.016	1-856.018
GRITS	C M F	C M	C M	SC	C M F	SC M F	SC M	SC M F XF	SC M F	SC F
Head/Lgh/Tip(mm)	1.0/10/0.6	1.2/7/0.7	1.2/10/0.7	1.4/6/0.9	1.4/8/0.9	1.4/10/0.9	1.6/6/1.1	1.6/8/1.1	1.6/10/1.1	1.8/8/1.4
Neo. #		1112.7	1112.10	1114.6	1114.8	1114.10	1116.6	1116.8	1116.10	1118.7











ROUND END TAPER












ORDER/ISO #	1-856N.018	1-856L.018	1-856.021	1-S856.024
GRITS	C	SC M F	SC	SC
Head/Lgh/Tip(mm)	1.8/8/1.2	1.8/9/1.4	2.1/8/1.6	2.4/7/1.8
Neo. #	1118.8	1118.9	1121.8	2424CS













FLAT END TAPER













ORDER/ISO #	1-848.010	1-847.012	1-847L.014	1-847.014	1-847.016
GRITS	C M	C	C	SC M F	SC M F
Head/Lgh/Tip(mm)	1.0/10/0.7	1.2/8/0.8	1.4/9/0.7	1.4/8/1.0	1.6/8/1.2
Neo. #			0914.9	0914.8	0916.8











FLAT END TAPER			MODIFIED FLAT END TAPER					MODIFIED CHAMFER			
											
ORDER/ISO #	1-848.016	1-847.018	1-848.018	1-S846KR.016	1-847KR.016	1-845KR.018	1-847KR.018	1-845KR.025	1-878K.012	1-879K.012	1-878K.014
GRITS	SC M	SC M	SC M	SC M	SC M F	SC M	SC	M	C M	C M	SC M F
Head/Lgh/Tip(mm)	1.6/10/1.1	1.8/8/1.4	1.8/10/1.4	1.6/6/1.1	1.6/8/1.1	1.8/4/1.4	1.8/8/1.4	2.5/4/2.0	1.2/8/0.8	1.2/10/0.8	1.4/8/1.0
Neo. #	0916.10	0918.8	0918.10	0816.65	0816.8	0818.4	0818.8	2525	1712.8	1712.10	1714.8

MODIFIED CHAMFER							MOD. FLAT END CYL.	FLAT END CYLINDER		
										
ORDER/ISO #	1-879K.014	1-S877K.016	1-878K.016	1-878K.018	1-879K.018	1-878K.021	1-837KR.014	1-S835.010	1-835.010	1-835.012
GRITS	C M	C M	SC M F	SC F	SC M	C	C F	C M	C M	C
Head/Lgh/Tip(mm)	1.4/10/1.1	1.6/6/1.2	1.6/8/1.2	1.8/8/1.4	1.8/10/1.4	2.1/8/1.6	1.4/8/1.4	1.0/4/1.0	1.0/4/1.0	1.2/4/1.2
Neo. #	1714.10	1716.65	1716.8	1718.8	1718.10	1721.8	0614.8	07105	0710	0712

FLAT END CYLINDER			ROUND END CYLINDER			MOD. BEVELED CYL.		BEVELED CYLINDER			
											
Order / ISO #	1-837.012	1-837.014	1-837.016	1-881-009	1-881.012	1-881.014	1-878.012	1-878.014	1-885.010	1-885.012	1-886.012
Grits	C	C	C	C F	SC	SC	C F	C	C M	C F	C M
Head / Lgh / Tip (mm)	1.2/7/1.2	1.4/8/1.4	1.6/8/1.6	0.9/7/0.9	1.2/7/1.2	1.4/8/1.4	1.2/8/1.2	1.4/8/1.4	1.0/8/1.0	1.2/8/1.2	1.2/10/1.2
Neo. #	0712.7		0716.8	1210.7	1212.7	1214.8	1800.8	1804.8		1812.8	1812.10

BEVELED CYLINDER		ROUND						INVERTED CONE				
												
Order / ISO #	1-886.016	1-801.010	1-801.012	1-801.014	1-801.016	1-801.018	1-801.021	1-801.023	1-805.012	1-805.016	1-807.016	1-807.018
Grits	C	M	M	C	C M F	C M	C	C M F	M	C	C	C
Head / Lgh / Tip (mm)	1.6/10/1.6	1.0/0.8	1.2/1.0	1.4/1.2	1.6/1.4	1.8/1.6	2.1/1.9	2.3/2.0	1.2/0.9	1.6/1.4	1.6/4.0	1.8/5.0
Neo. #		0110	0112		0116	0118		0123	0312	0316	0316.4	0318.5

DOUBLE INVERTED CONE		PEAR					END CUTTER			INTER-PROXIMAL		
												
Order / ISO #	1-813.014	1-S830.008	1-830.008	1-830.010	1-S830.012	1-830.012	1-830L.012	1-10839.012	1-10839.014	1-10839.016	1-392.016	
Grits	C	M	M	M	M	M	C	M	M	M	M F	
Head / Lgh / Tip (mm)	1.4/2.2	0.8/1.6	0.8/1.6	1.0/2.7	1.2/2.7	1.2/2.7	1.2/4	1.2	1.4	1.6	1.6/5	
Neo. #	0416	0508S	0508		0512S	0512		5012	5014	5016	1416	

NEEDLES							WHEEL		EGG	
										
Order / ISO #	1-S858.008	1-858.008	1-859L.012	1-858.010	1-858.012	1-859.014	1-859.016	1-909.035	1-909.042	1-379.023
Grits	F	M F XF	C F	M	C M F XF	C M F XF	C F XF	C	C	SC M F XF
Head / Lgh / Tip (mm)	0.8/3	0.8/3	1.2/11	1.0/8	1.2/8	1.4/10	1.6/10	3.5/1.3	4.2/1.5	2.3/4.2
Neo. #	1300FS	1310.3	1312.11		1312.8	1314.10		2035	2042	1900

EGG	FOOTBALL				DEPTH CUTTER			FLAME				
Order / ISO #	1-379.018	1-368.016	1-368.020	1-368.023	1-828.026	1-834.016	1-834.021	1-889.009	1-862.010	1-S862.012	1-861.012	1-862.012
Grits	C F	C F XF	C F	SC M F XF	M	M	M	M F	C M F	C M	C XF	C M F XF
Head / Lgh / Tip (mm)	1.8/3.4	1.6/3.2	2.0/5.0	2.3/5.2	dep: 0.5	dep: 0.3	dep: 0.5	0.9/3.0	1.0/8.0	1.2/8.0	1.2/7.0	1.2/8.0
Neo. #	1908	1916	1920	1923	6005	7003	7005	1509.3	1510.8	1512.6	1512.7	1512.8

FLAME	OCCLUSAL REDUCTION				GROSS REDUCTION		ACORN			
Order / ISO #	1-863.012	1-861.014	1-862.014	1-862.016	1-862L.018	1-811.033	1-811.037	1-6051.17	1-6055.18	1-905.028
Grits	C M F XF	C M	C	C M F XF	C F	SC	SC	C	C	M F
Head / Lgh / Tip (mm)	1.2/10	1.4/7.5	1.4/8	1.6/8	1.8/9.0	3.3/5.0	3.7/7.0	1.7/8/1.7	1.8/8/1.3	2.8/2.9
Neo. #	1512.10	1514.7	1514.8	1516.8	1518.9	2133	2137	2217	2218	

ValuDiamond: Economic Line of Diamond Burs

Multi-Use or Single Use | Non-Sterilized

This economic line of diamond burs is very high quality and come in packs of 10 burs.

ValuDiamond burs are designed for both single and multiple use; their one-piece stainless steel shanks undergo a special heat treatment to ensure rigidity, strength and precision.

There are over 200 shapes and grits available, which all sell for the same low price.

10 per pack **\$13.50 = \$1.35 per bur**

ROUND END TAPER										
Order / ISO #	V-850.010	V-856.012	V-850.012	V-S855.014	V-856.014	V-850.014	V-S855.016	V-856.016	V-850.016	
Grits	C M	C M	C M	SC C	SC C M F	SC C M F	SC M	SC C M F XF	SC M F	
Head / Lgh / Tip (mm)	1.0/10/0.7	1.2/7/0.7	1.2/10/0.7	1.4/6/0.9	1.4/8/0.9	1.4/10/0.9	1.6/6/1.1	1.6/8/1.1	1.6/10/1.1	
Neo. #	1112.7	1112.7	1112.10	1114.6	1114.8	1114.10	1116.6	1116.8	1116.10	

ROUND END TAPER						FLAT END TAPER				
Order / ISO #	V-856.018	V-856N.018	V-856L.018	V-856.021	V-856.022	V-S856.024	V-856.024	V-847.010	V-848.010	V-847.012
Grits	SC C M F	C	SC C M F	SC	SC	SC	SC F	C F	C M	C
Head / Lgh / Tip (mm)	1.8/8/1.4	1.8/8/1.2	1.8/9/1.4	2.1/8/1.6	2.2/8/1.8	2.4/7/1.8	2.4/7/1.8	1.0/8/0.7	1.0/10/0.7	1.2/8/0.8
Neo. #	1118.7	1118.8	1118.9	1121.8	1122.8	2424CS	2424			

FLAT END TAPER						MODIFIED FLAT END TAPER					
Order / ISO #	V-847L.014	V-847.014	V-S847.014	V-847.016	V-848.016	V-847.018	V-848.018	V-S846KR.016	V-847KR.016	V-845KR.018	V-847KR.018
Grits	C	SC C M F	SC	SC C M F	SC M	SC M	SC M	SC M	SC C M F	SC C M	SC
Head / Lgh / Tip (mm)	1.4/9/0.7	1.4/8/1.0	1.4/8/1.0	1.6/8/1.2	1.6/10/1.1	1.8/8/1.4	1.8/10/1.4	1.6/6/1.1	1.6/8/1.1	1.8/4/1.4	1.8/8/1.4
Neo. #	0914.9	0914.8	0914.8	0916.8	0916.10	0918.8	0918.10	0816.65	0816.8	0818.4	0818.8

MODIFIED FLAT END TAPER

MODIFIED CHAMFER

Order / ISO #	V-845KR.025	V-878K.012	V-879K.012	V-878K.014	V-879K.014	V-S877K.016	V-878K.016	V-878K.018	V-879K.016	V-879K.018	V-878K.021
Grits	C M	C M F	C M	SC C C M F	C M	C M	SC C C M F	SC F	SC	SC M	C
Head / Lgh / Tip (mm)	2.5/4/2.0	1.2/8/0.8	1.2/10/0.8	1.4/8/1.0	1.4/10/1.1	1.6/6/1.2	1.6/8/1.2	1.8/8/1.4	1.6/10/1.2	1.8/10/1.4	2.1/8/1.6
Neo. #	2525	1712.8	1712.10	1714.8	1714.10	1716.6	1716.8	1718.8	1718.8	1718.10	1721.8

FLAT END CYLINDER

MOD. FLAT END CYL.

ROUND END CYLINDER

Order / ISO #	V-835.008	V-835.009	V-S835.010	V-835.010	V-835.012	V-835.014	V-837.010	V-837.012	V-837.014	V-837.016	V-837KR.014	V-881.009	V-881.012	V-881.014
Grits	C	C	C M	C M	C	C	C	C	C	C	C F	C F	SC	SC
Head / Lgh / Tip (mm)	0.8/4/0.8	0.9/4/0.9	1.0/4/1.0	1.0/4/1.0	1.2/4/1.2	1.4/4/1.4	1.0/7/71.0	1.2/81.2	1.4/8/1.4	1.6/8/1.6	1.4/8/1.4	0.9/7/0.9	1.2/7/1.2	1.4/8/1.4
Neo. #			07105	0710	0712		0712.7			0716.8	0614.8	1210.7	1212.7	1214.8

MOD. BEVELED CYL.

BEVELED CYLINDER

ROUND

ORDER/ISO #	V-878.012	V-878.014	V-885.010	V-885.012	V-886.012	V-886.016	V-801.009	V-801.010	V-801.012	V-801.014	V-801.016	V-801.018
GRITS	C F	C F	M	C F	C M	C	M	M	C M	C M	C M F	C M
Head/Lgh/Tip(mm)	1.2/8/1.2	1.4/8/1.4	1.0/8/1.0	1.2/8/1.2	1.2/10/1.2	1.6/10/1.6	0.9/0.8	1.0/0.8	1.2/1.0	1.4/1.0	1.6/1.4	1.8/1.6
Neo. #	1800.8	1804.8		1812.8	1812.10			0110	0112		0116	0118

ROUND

INVERTED CONE

DOUBEL INVERTED CONE

PEAR

ORDER/ISO #	V-801.021	V-801.023	V-805.012	V-805.016	V-807.016	V-807.018	V-813.014	V-S830.008	V-830.008	V-830L.008	V-830.010	V-S830.012
GRITS	C	C M F	M	C	C	C	C	M	M	M	M	M
Head/Lgh/Tip(mm)	2.3/2.0	2.3/2.0	1.2/9	1.6/1.4	1.6/4.0	1.8/5.0	1.4/2.2	0.8/1.6	0.8/1.6	0.8/2.7	1.0/2.7	1.2/2.7
Neo. #	0123	0123	0312	0316	0316.4	0318.5	0416	0508S	0508			0512S

PEAR

END CUTTER

INTER-PROXIMAL

NEEDLES

ORDER/ISO #	V-830.012	V-830L.012	V-10839.012	V-10839.014	V-10839.016	V-392.016	V-S858.008	V-858.008	V-858.010	V-859.010
GRITS	M C	C	M	M	M	M F	F	M F XF	M F XF	M F XF
Head/Lgh/Tip(mm)	1.2/2.7	1.2/4	1.2	1.4	1.6	1.6/5	0.8/3	0.8/3	1.0/8.0	1.0/10
Neo. #			5012	5014	5016	1416	1300FS	1310.3		

NEEDLES

WHEEL

EGG

ORDER/ISO #	V-858.012	V-859L.012	V-858.014	V-859.014	V-859.016	V-909.035	V-909.042	V-379.023	V-379.018
GRITS	C M F XF	C F XF	C M F XF	C M F XF	C M F XF	C	C	SC M F XF	C F
Head/Lgh/Tip(mm)	1.2/8.0	1.2/11	1.4/8	1.4/10	1.6/10	3.5/1.3	4.2/1.5	2.3/4.2	1.8/3.4
Neo. #		1312.11	1314.8	1314.10		2035	2042	1900	1908

	FOOTBALL				DEPTH CUTTER			FLAME			
ORDER/ISO #	V-368.016	V-368.018	V-368.020	V-368.023	V-828.026	V-834.016	V-834.021	V-889.009	V-862.010	V-S862.012	V-861.012
GRITS	C F XF	C	C F SC C M F XF	C M F XF	M	M	M	M F	C M F XF	C M	C F XF
Head/Lgh/Tip(mm)	1.6/3.2	1.8/4.0	2.0/5.0	2.3/5.2	dep: 0.5	dep: 0.3	dep: 0.5	0.9/3.0	1.0/8.0	1.2/8.0	1.2/7.0
Neo. #	1916		1920	1923	6005	7003	7005	1509.3	1510.8	1512.6	1512.7

	FLAME						OCCLUSAL REDUCTION		GROSS REDUCTION		ACORN
ORDER/ISO #	V-862.012	V-863.012	V-861.014	V-862.014	V-862.016	V-862L.018	V-811.033	V-811.037	V-6051.17	V-6055.18	V-905/028
GRITS	C M F XF	C M F XF	C M	C M F XF	C M F XF	C F	SC	SC	C	C	M F
Head/Lgh/Tip(mm)	1,2/8.0	1.2/10	1.4/7.5	1.4/8	1.6/8	1.8/9.0	3.3/5.0	3.7/7.0	1.7/8/1.7	1.8/8/1.3	2.8/2.9
Neo. #	1512.8	1512.10	1514.7	1514.8	1516.8	1518.9	2133	2137	2217	2218	

Geen Stones (RA & FG) • JOTA SWISS

10 Per Pkg. **\$14.50 = \$1.45 per bur**

• Recommended speed: 20,000 - 30,000 rpm • Sterilization: Autoclave, Dry Heat

L (mm):	RA Shank					FG Shank					
Order #:	RG662	RG661	RG649	RG638	RG601	FR661F	FR601F	FR662	FR645F	FR649F	FR638F
ø (mm):	3.5	2.5	2.5	2.5	3.0	2.5	3.0	3.5	2.8	2.5	2.5
	7.5	7.0	6.0	6.0		7.0		7.5	7.0	6.0	6.0

White Stones (RA & FG) • JOTA SWISS

10 Per Pkg. **\$14.50 = \$1.45 per bur**

• Recommended speed: 10,000 - 20,000 rpm • Sterilization: Autoclave, Dry Heat

	FG Shank									
Order #:	FW662	FW661	FW660	FW638	FW666	FW601	FW645	FW649	FW605	
ø (mm):	3.5	2.5	2.5	2.5	2.5	3.0	2.8	2.5	2.5	
L (mm):	7.5	7.0	7.0	6.0	6.5		7.0	6.0	5.0	

	RA Shank								
Order #:	RW662	RW661	RW660	RW638	RW666	RW601	RW645	RW649	
ø (mm):	3.5	2.5	2.5	2.5	2.5	3.0	2.8	2.5	
L (mm):	7.5	7.0	7.0	6.0	6.5		7.0	6.0	

BRACKET ADHESIVE REMOVAL BUR - Made in Germany

Excellent removal of adhesive during debonding procedure. Gentle abrasive grit with no damage to natural tooth structure.

\$22.50/pack of 10



5X10.5
BBP107



3X6
BBP109



6X8
BBP124



COARSE
3X6
Z&LFC FG-Z&LFC



MEDIUM
3X6
Z&LFM FG-Z&LFM



FINE
3X6
Z&LFF FG-Z&LFF

Natural Enamel Polishers w/ Diamond for Final Shine and/or Residual Cement Removal - Made in Germany

\$50.00/pack of 6

Enamel Finishing System (made in Germany)

Removal of residual amounts of adhesive from the tooth surface and polish the enamel without damage
3-step system: removing and contouring (step 1 Black), smoothing (step 2 / brownies), high-gloss polishing (step 3 / greenies).

Recommended Speed: 7,000 - 12,000 rpm | Sterilization: Autoclave

12 per pack \$19.20 = \$1.60 per bur

FIRST STEP: MEDIUM (BLACK)

SECOND STEP: FINE (BROWNIE)

THIRD STEP: ULTRA FINE (GREENIE)



mm 3x6
RA GFM
FG FG-GFM



5x10
GF2M



7x10
GCM
FG-GCM



10x2.5
GDM



3x6
GFF
FG-GFF



5x10
GF2F



7x10
GCF
FG-GCF



10x2.5
GDF



3x6
GFUF
FG-GFUF



5x10
GF2UF



7x10
GCUF
FG-GCUF



10x2.5
GDUF

GERMAN MADE ABRASIVE BUFF - For Retainer and Aligner polishing.

\$13.75/Pkg of 5 (\$2.75/Bur)



ABF-M
Ø 26mm
MEDIUM



ABF-F
Ø 26mm
FINE



ABF-UF
Ø 26mm
ULTRA FINE



DH4

\$24.00/Pk of 10

CERAMIC CUTTER - For Retainer and Aligner adjustment

\$21.0/Pkg of 1



Z251GSQ060
060/15.0
Coarse Straight Cross Cut (GSQ)



Z079GSQ040
040/14.0
Coarse Straight Cross Cut (GSQ)



Z251SPF060
060/15.0
Spiral Fine Cross Cut (SPF)



Z079SPF040
040/14.0
Spiral Fine Cross Cut (SPF)



Z261GAQ023
023/16.0



Z251QSF060
060/15.0

Extra Fine Cross Cut (GSQ)



Z079QSF040
040/14.0

Extra Fine Cross Cut (GSQ)



Z251ESQ060
060/15.0



Z251ACR060
060/15.50



Z079ACR040
040/14.0

ACR perfect for Valplast and other hard acrylic
ESQ medium cut on bottom and fine on top

RR Rapid Reduction IPR Strips: For use in interproximal and contact reduction, mesial/distal finishing and contouring; crown and bridge cement removal and cleanup. All strips have diamond abrasives. **For hand use with handle or reciprocating low speed handpiece.**
Width: 4mm & 15mm length of blade. Types of Double Sided, Single Left Sided & Single Right Sided

\$18/pack of 3



Extra Fine

RRXFD

double side
thickness: 0.1mm



Fine

RRFD

double side
thickness: 0.2mm



Medium

RRMD

double side
thickness: 0.3mm



Coarse

RRCD

double side
thickness: 0.4mm

RRXFL
single left side
thickness: 0.05mm

RRFL
single left side
thickness: 0.1mm

RRML
single left side
thickness: 0.15mm

RRCL
single left side
thickness: 0.2mm

RRXFR
single right side
thickness: 0.05mm

RRFR
single right side
thickness: 0.1mm

RRMR
single right side
thickness: 0.15mm

RRCR
single right side
thickness: 0.2mm

IPRKIT: A kit that contains 1 strip each of Coarse, Medium, Fine & Extra Fine in Double Side, Single Left Side and Single Right Side. Total 12 strips plus a handle.

\$70/KIT

Handle for RR IPR Strips: with 180 and 45 degree angles

\$10/pack of 1



Extra Fine
double side
single left
single right




Fine
double side
single left
single right



Medium
double side
single left
single right



Coarse
double side
single left
single right



180 degree

45 degree

RRSAW: Saw Strips
4mm wide - No Abrasive
\$18/pack of 3



RRSAW

thickness: 0.05mm

IPR+KIT: A kit that contains IPRKIT + 1 saw blade + IPRHP HP attachment (no motor)

\$300/KIT



IPRKIT:

Total 12 strips plus a handle




SAW STRIP
pack of 1



IPRHP

RR Stainless Steel Diamond Strip & Saw Blades with No Abrasive: 4mm wide 150mm total length

\$21/pack of 6



RRF4DS FINE thickness: 0.2mm


RRM4DS MEDIUM thickness: 0.3mm

RRC4DS COARSE thickness: 0.4mm

SAW4 No Abrasive thickness: 0.05mm

ASSTD4S: The kit contains RR Stainless Steel Diamond Strips 4mm wide, 2 each of Coarse, Medium & Fine + 1 Saw Blade without Abrasive.

\$24/KIT



Disk Guard \$29.95/pack of 1

- 22mm DG22
- 19mm DG19
- 16mm DG16
- 14mm DG14



IPR Gauge Set of 7 \$34.95

- 0.1 mm 0.30 mm
- 0.15 mm 0.40 mm
- 0.20 mm 0.50 mm
- 0.25 mm



how to use

Flat Strip Holder Pack of 1
\$19.00



Double Side

Diamond Grit
Thickness (mm)



FINE
0.17
S355F-130



FINE
0.17
S355F-160



COARSE
0.22
S355C-160



COARSE
0.22
S355C-190

Single Side


Diamond Grit
Thickness (mm)



FINE
0.12
Diamond side UP
S357F-190



FINE
0.12
Diamond side DOWN
S356F-190



Double Side

Diamond Grit
Thickness (mm)



MEDIUM
0.17
S934M-140



MEDIUM
0.17
S934M-190



COARSE
0.22
S934C-190



MEDIUM
0.17
S934M-220



IPRDHP




S355F-160 (FINE)
Double side 0.17 mm

S355C-160 (COARSE)
Double side 0.22 mm

S357F-190 (FINE)
Single side 0.12 mm
Diamond side UP

S356F-190 (FINE)
Single side 0.12 mm
Diamond side Down



S934M-140 (MEDIUM)
Double side 0.17 mm

S934C-190 (COARSE)
Double side 0.22 mm

S934M-190 (MEDIUM)
Double side 0.17 mm

Debonding Kit - RA Shank -Made in Germany: Bracket Adhesive Removal + Natural Enamel Polishing kit

\$55/KIT



DEBRA



5X10.5
BBP107



3X6
BBP109



6X8
BBP124



COARSE
3X6
RA: Z&LFC



MEDIUM
3X6
RA: Z&LFM



FINE
3X6
RA: Z&LFF

Debonding Kit - FG Shank -Made in Europe: Ortho Debonding Carbides + Natural Enamel Polishing kit

\$79/KIT



DEBFG



FG118S



FG118L



FG7664



FG7901



FG7406



FG-Z&LFC




FG-Z&LFM



FG-Z&LFF

Diamond IPR Kit: IPRDIA

\$ 50



C20NF



C20LF



A21



A21F



B71



B71F



C6LC



C6L



C6LF

HANDPIECE

Beyes
The Next Standard®



M800 PLUS

Generator + LED

- 23 W of Torque
- Triple Water Spray
- Ceramic Ball Bearings
- 1 year warranty

Compatibility

4 Hole	HP3008P
BEYES®	HP6018P
W&H®	HP3022P
STAR®	HP3054P
NSK®	HP3043P
KAVO®	HP3036P

1 for \$415
3 for \$1100



#1 Rated
by CR Report



BEYES Budget-Level Air Handpiece

HP2105

Single Spray, Push Button
4 Hole Connectin | 6 month warranty

1 for \$125 **6 for \$660**

M800 45° Surgical

Generator + LED

- 22 W of Torque
- Triple Water Spray
- 1 year warranty

Compatibility

KAVO® HP3037P
 NSK® HP3044P
 4 Hole HP3048P
 BEYES® HP6038P

1 for \$560



LED Curing Light System

- Built-in digital radiometer
- LED Display Panel
- Cordless. Portable Design
- Cures 850 Times Per Charge
- Up to 2000 mW/cm+- 10%
- Rechargeable Samsung Lithium -Ion Battery
- 1 year warranty

1 for \$360 2 for \$645



JEWEL Hygiene Handpiece

Light Weight

4000 - 5000 rpm

360 degree swivel

6 month warranty

1 for \$248

3 for \$675



Straight Nose Cone

\$109/pack of 1
\$298/pack of 3

Push Button/RA Burs

\$166/pack of 1
\$455/pack of 3

Push Button / FG Burs Slow Speed Air

\$175/pack of 1

Low Speed Reciprocating Attachment

\$255/pack of 1

20K Air Motor 4 Hole

\$280/pack of 1



ST2010 | BEYES
 External Spray, 1:1
 1 Year Warranty



SL2026 | BEYES
 External Water Spray
 ISO E - Type
 1 Year Warranty



SUAVE
 Push button
 FG Burs (friction grip)
 6 Month Warranty



IPR-HP
 ISO E - Type
 6 Month Warranty



MT2010 | BEYES
 ISO E - Type
 1 Year Warranty

Diamond Stones • JOTA SWISS

For chairside therapy with Zircon Oxide and Lithium Disilicate



GP662
 3.5 X 7.5 mm
 1 Per Pkg. **\$9.95**

German-Made Diamond Polishers for Zircon Oxide

Coarse grit polishers are powerful primary tools to complete your procedure. After that, you may use fine grit polishers for more shine for the final polish.

Recommended Speed: 10,000 - 20,000 rpm | Sterilization: Autoclave

6 per pack \$50.00 = \$8.33 per bur

COARSE



MEDIUM



FINE



mm	3.3x7.5	4.4x10.5	6x8.0	10.0	3.3x7.5	4.4x10.5	6x8.0	10.0	3.3x7.5	4.4x10.5	6x8.0	10.0
RA	Z&LFC	Z&LF3C	Z&LCC	Z&LDC	Z&LFM	Z&LF3M	Z&LCM	Z&LDM	Z&LFF	Z&LF3F	Z&LCF	Z&LDF
FG	FG-Z&LFC				FG-Z&LFM				FG-Z&LFF			

German-Made Turbo Diamond Polishers

For all ceramics (zirconia, e.max, veneering). Flexibly adapts to almost any surface.

Size: 14x1.9mm **3 per pack \$43.50**



COARSE
 TDIA-Z-RA14C



MEDIUM
 TDIA-Z-RA14M



FINE
 TDIA-Z-RA14F



TCP-CM
 MEDIUM



TCP-CF
 FINE

Turbo Diamond Zirconia Polisher With plastic shank made in GERMANY

Great for the use in the occlusal, incisal, labial, buccal, and proximal area. The extensive cleaning procedure is not applicable. **6 per pack \$24.50 = \$4.08/bur**

Zircon Oxide and Lithium Disilicate Restoration Kit for Clinic

GP662: JOTA SWISS diamond stone - powerful; optimally suited for reworking and corrections of surfaces, as well as trimming sprues.
 Z&L Burs: German-made diamond polishers for zirconia and e.max in three grits (C, M, F) for adjustment, smoothing high-gloss polishing.
 ZC15RF, ZALL3F, ZCC4LF: zirconia diamond burs for safe preparation of zirconia – eliminating micro fractures.

Item Code: PK-7060 **\$95**



PK-7060



GP662



Z&LCC



Z&LCM



Z&LCF



ZC15RF



ZALL3F



ZCC4LF

One-step Composite Polishers

(Snap-On)

Made in EUROPE

Disposable one-step polishers used for all composites and materials for temporary crowns. To smooth composites: Increase the contact pressure and speed (5000 – 7500 rpm). To create a high glossy shine: Decrease pressure and speed (3000 – 6000 rpm).

- Sterilization: Autoclave

20 per box **\$24.00**

Each Set contains 20 polishers with the same shape and 1 RA Mandrel



1NC
7X10 (mm)



1NF
5X10 (mm)



1ND
11X1 (mm)

Turbo Diamond Composite Polisher With plastic shank made in GERMANY

Great for the use in the occlusal, incisal, labial, buccal, and proximal area. The extensive cleaning procedure is not applicable. 6 per pack **\$24.50 = \$4.08/bur**



RCOM
MEDIUM



RCOF
FINE

One-Step Diamond Composite Polisher Made in EUROPE

6 per box **\$29.70 = \$4.95 per bur**

One-Step Diamond Composite Polishers are for use with all composite materials. Used in combination with 30-bladed carbides or ultra-fine finishing diamonds. • Recommended Speed: 3000 – 10,000 rpm

GERMAN Made Turbo Diamond Composite Polisher

3 per pack **\$43.50 = \$14.50 per bur**

Segmented, Disc-Shaped Composite Polishers in two Different Grits for All Composite Materials. Flexibly Adapts to Almost any Surface. Easy to Use and Very Durable.



mm 3X6
RA 1DiaF
FG FG-1DiaF



4X10
1DiaF3



5X10
1DiaF2



7X10
1DiaC



11X1
1DiaD



TDIA-C-RA14M
MEDIUM
14 X 1.9 mm



TDIA-C-CUPM
MEDIUM
5.5 X 8.0 mm



TDIA-C-CUPF
FINE
14 X 1.9 mm



TDIA-C-CUPF
MEDIUM
5.5 X 8.0 mm

Two-Step Composite Microfill Polishers (MADE IN GERMANY)

For use with all microfilled composite restorations. Achieves optimal and long-lasting high shine. 7,000 - 10,000 . Sterilization: Autoclave

12 per pack **\$19.95 = \$1.65 per bur**

FIRST STEP
MEDIUM



mm 3x6
RA 2NFM
FG FG-2NFM



5X10
2NF2M



7X10
2NCM



11X1
2NDM

SECOND STEP
FINE



mm 3x6
RA 2NFF
FG FG-2NFF



5X10
2NF2F



7X10
2NCF



11X1
2NDF

Two-Step Diamond Composite Polishers (MADE IN GERMANY)

For use with all composite materials (nanocomposites, microcomposites, hybridcomposites, compomers, ionomers) with perfect finish. 7,000 - 10,000 rpm Sterilization: Autoclave

6 per pack **\$36**

FIRST STEP
MEDIUM



mm 3x6
RA 2DiaFM
FG FG-2DiaFM



5X10
2DiaF2M



7X10
2DiaCM



11X1
2DiaDM

SECOND STEP
FINE



mm 3x6
RA 2DiaFF
FG FG-2DiaFF



5X10
2DiaF2F



7X10
2DiaCF



11X1
2DiaDF

Universal Diamond Polishers for Porcelain and Metal (MADE IN EUROPE)

Outstanding polishing result is due to optimized diamond grit.

3-step system: material removing and shaping (step 1), smoothing (step 2), high-gloss polishing (step 3).

Recommended Speed: 7,000 - 10,000 rpm | Sterilization: Autoclave

6 per pack \$29.70 = \$4.95 per bur

FIRST STEP: COARSE



mm 3x6 4x10 5x10 6x7.5 10x2.5
 RA DiaFC DiaF3C DiaF2C DiaCC DiaDC
 FG FG-DiaFC

SECOND STEP: MEDIUM



mm 3x6 4x10 5x10 6x7.5 10x2.5
 RA DiaFM DiaF3M DiaF2M DiaCM DiaDM
 FG FG-DiaFM

THIRD STEP: FINE



mm 3x6 4x10 5x10 6x7.5 10x2.5
 RA DiaFF DiaF3F DiaF2F DiaCF DiaDF
 FG FG-DiaFF

CROSSTECH HP DIAMOND (MEDIUM GRIT)

De Beers Natural Diamond • Premium Quality


6 Per Pkg.: \$22.00 (\$3.78/bur)



ISO	842R	842R	881	842KR	805	805	805	805	807
Head/Lgh/Tip(mm)	014/8.0	018/12	035/10	018/10	026/2.5	032/2.0	050/2.5	033/4.0	023/8.0
	HB2M	HB2LL	HB2	HB1LLR	HA6	HA7S	HA7	HA11	HA11
ISO	807	837	837	837	847	846	846	856	856
Head/Lgh/Tip(mm)	033/8.0	050/13.0	034/10	021/7.5	050/8.5	034/10	024/10	020/12	033/9
	HA11L	HB1	HB1S	HB1SS	HB4L	HB4	HB3	HB6LL	HD2
ISO	856L	856L	856	858	852	852	801	801	801
Head/Lgh/Tip(mm)	023/10	020/10	033/9.0	015/10	023/6.0	023/8.0	027	030	034
	HD2LS	HB6L	HD2	HB7S	HB73L	HB7L	HA4S	HA4	HA4L
ISO	862	862	863	909	909	368	368	830	886
Head/Lgh/Tip(mm)	01	021/10	025/10	033/0.6	064/2.0	016/3.5	023/5.0	035/8.0	034/15
	HB8S	HB9	HC10	HC14	HC14L	HC15S	HC15	HC12	HC9
ISO	862	862	863	909	909	368	368	830	886
Head/Lgh/Tip(mm)	01	021/10	025/10	033/0.6	064/2.0	016/3.5	023/5.0	035/8.0	034/15
	HB8S	HB9	HC10	HC14	HC14L	HC15S	HC15	HC12	HC9

LABORATORY ZIRCONIA ADJUSTMENT DIAMOND BURS (HP) FOR STRAIGHT HANDPIECE

6 per pack \$32



ISO No.	801	368	850	842R	854R	852
ISO Shape No.	001	257	198	158	198	164
ISO Ø 1/10 (mm)	023	023	023	018	033	033
Head Length (mm)			10	10	9	6
STANDARD	ZHA5L	ZHC15	ZHD5	ZHB1LLR	ZHD4	ZHB73L
FINE	ZHA5LF	ZHC15F	ZHD5F	ZHB1LLRF	ZHD4F	ZHB73LF

GERMAN MADE "COOL" DIAMOND GRINDER - Heat Resistant and Diamond Impregnated for adjusting and contouring ZIRCON OXIDE & LITHIUM DISILICATE. Reduces micro fractures on Zirconia. Recommended speed: 10,000-20,000 rpm. 1 per pack

MEDIUM

5 x 13 mm MCE132	4 x 10.5 mm MCE138	12 x 2.4 mm MCE151	12 x 6.5 mm MCE191	15 x 3.5 mm MCE155	22 x 4.5 mm MCE210	22 x 2.1 mm MCE213	22 x 2.0 mm MCE239
\$32.50		\$39.00	\$47.50	\$43.00	\$85.50	\$75.00	\$59.50

COARSE

5 x 13 mm MCE132C	4 x 10.5 mm MCE138C	15 x 3.5 mm MCE155C	22 x 4.5 mm MCE210C	22 x 2.0 mm MCE239C
\$32.50		\$43	\$85.50	\$59.50

JOTA DIAMOND STONE: SWISS Made For Optimal Material Removal of SOLID ZIRCON OXIDE, LITHIUM DISILICATE, PORCELAIN and METAL.

4.0 mm SD602F	2.5/6.0 mm SD638F	3.5/10.5 mm SD652RF	3.5/10.5 mm SD652RG	4.0/10.5 mm SD653F	4.0/12.0 mm SD660F	3.50/7.0 mm SD667F
\$19.50/pkg of 1						

15.0/3.5 mm SD716F	5.0/12.0mm SD732F	7.0/5.0 mm SD735SF	16.0/7.0 mm SD722F	22.0/4.5 mm SD773F
1 Per Pkg.		\$24.00/pkg of 1	\$29.50/pkg of 1	

ECONOMIC LINE OF "COOL" DIAMOND GRINDER - Heat Resistant and Diamond Impregnated for Adjusting and Contouring ZIRCON OXIDE & LITHIUM DISILICATE. 1 per pack

5 x 13 mm DIATG02	4.5 x 13 mm DIATG03	13 x 2.0 mm DIATG10	15 x 3.5 mm DIATG09	22 x 2.0 mm DIATG07	22 x 2.0 mm DIATG11	22 x 2.0 mm DIATG08
\$15	\$15	\$17.50	\$20	\$25	\$26	\$28

GERMAN MADE CONTOURING AND POLISHING SYSTEM FOR PRE-SINTERED/GREEN STATE ZIRCONIA:

Gray section of this system is used for reduction. The Ultra Fine White Tip is Used for Smoothing.












Precise and Efficient system will Significantly Reduce the Risk of Damage. 6,000 - 20,000 rpm



BWG164 22.7 X 10.0mm pack of 3: \$31.50	AWG560 19.0 X 7.0mm pack of 3: \$26	AWG111 13.0 X 5.6mm pack of 6: \$20.00	AWG176 15.0 X 6.0mm pack of 6: \$20.00	AWG115 13.0 X 7.0mm pack of 6: \$16.00	AWG146 15.0 X 0.3mm pack of 6: \$21.00	AWG106 15.0 X 0.3mm pack of 6: \$20.00
---	---	--	--	--	--	--

JOTA SWISS ZIRCONFLEX: Specially Developed for Safe Dry Preparation of Zirconia







1 per pack: **\$14.50**

 4.0 mm SZ602 speed rpm 35,000	 6.0/3.0 mm SZ623 21,000	 2.5/6.5 mm SZ638 50,000	 3.5/10.5 mm SZ652R 35,000	 4.0/12.0 mm SZ660 28,000	 3.50/7.0 mm SZ667 35,000	 15.0/12.5 mm SZ732 25,000	 6.50/6.5 mm SZ736 19,000	 18.0/3.5 mm SZ722 7,000	 15.0/2.5 mm SZ716 7,000	 18.0/2.5 mm SZ715 7,000
---	---	---	---	--	--	---	--	---	---	---

GERMAN MADE DIAMOND POLISHERS FOR ZIRCON OXIDE & LITHIUM DISILICATE: Coarse grit polishers are very powerful instruments that should be a primary tool to complete your procedure. After that, if you want more shine, you can use fine grit polishers for the final polishing.

COARSE / For reduction and contouring of Zircon Oxide and Lithium Disilicate.

1 per pack

 26 x 2 mm Z&LD26C \$69.00 6,000-20,000 rpm	 22 x 3.2 mm Z&LD22C \$37.50 6,000-20,000 rpm	 17 x 3.0 mm Z&LD17C \$25.00 6,000-20,000 rpm	 5.5 x 16 mm Z&LF4C \$13.75 15,000-20,000 rpm	 11.5 x 2.4 mm Z&LD11C \$14.50 6,000-20,000 rpm	 6 X 15 mm Z&LC6C \$15.50 15,000-20,000 rpm
--	--	--	---	--	--

MEDIUM / For smoothing and pre-polishing of Zircon Oxide and Lithium Disilicate.

1 per pack

 26 x 2 mm Z&LD26M \$69.00 6,000-20,000 rpm	 22 x 3.2 mm Z&LD22M \$37.50 6,000-20,000 rpm	 17 x 3.0 mm Z&LD17M \$25.00 6,000-20,000 rpm	 5.5 x 16 mm Z&LF4M \$13.75 15,000-20,000 rpm	 11.5 x 2.4 mm Z&LD11M \$14.50 6,000-20,000 rpm	 6 x 15 mm Z&LC6M \$15.50 15,000-20,000 rpm
--	--	--	---	--	--







FINE / High Gloss Polishing for Zircon Oxide and Lithium Disilicate.

1 per pack

 26 x 2 mm Z&LD26F \$69.00 6,000-20,000 rpm	 22 x 3.2 mm Z&LD22F \$37.50 6,000-20,000 rpm	 17 x 3.0 mm Z&LD17F \$25.00 6,000-20,000 rpm	 5.5 x 16 mm Z&LF4F \$13.75 15,000-20,000 rpm	 11.5 x 2.4 mm Z&LD11F \$14.50 6,000-20,000 rpm	 6 X 15 mm Z&LC6F \$15.50 15,000-20,000 rpm
--	--	--	--	--	--

GERMAN MADE TURBO DIAMOND POLISHERS WITH TWIST SHAPE For All Ceramic Materials Such as ZIRCON OXIDE ,LITHIUM DISILICATE and VENEERING CERAMIC, Flexibly Adapts to Almost Any Surface.


Laboratory Handpiece Shank (HP Shank). Recommended Speed: 8,000 - 10,000 rpm.

COARSE		MEDIUM		FINE	
					
26 x 2 mm TZ&LD26C	17 x 1.7 mm TZ&LD17C	26 x 2.0 mm TZ&LD26M	17 x 1.7 mm TZ&LD17M	26 x 2.0 mm TZ&LD26F	17 X 1.7 mm TZ&LD17F
\$59.00	\$26.75	\$59.00	\$26.75	\$59.00	\$26.75

ZIRCON OXIDE AND LITHIUM DISILICATE RESTORATION KIT For Dental Lab

Item Code: PK-8060 **\$235**

Featuring "Cool" Diamond Grinders **MADE IN GERMANY** - a powerful instrument, it is optimally suited for safe reduction and adjustment for zirconia and e.max; diamond polishers for zirconia and e.max are **MADE IN GERMANY** with three grits of Coarse, Medium and Fine - for adjustment, smoothing and high-gloss polishing; zirconia diamond bur for safe preparation of zirconia and e.max.



PK-8060



HP Shank: A 3 steps diamond-impregnated polishing system used to restore a natural high shine to porcelain, ceramics and metals. Made in EUROPE.

COARSE / 1st Step: Reducing and Shaping / HP Shank


					
26 x 2mm LCD26C	22 x 0.6mm LCD22C	17 x 2.5mm LCD17C	4 x 13mm LCF4C	3 x 7.5mm LCF3C	11 x 2mm LCD11C
\$30.00 1 Per Pkg.	\$21.00 1 Per Pkg.	\$21.00 1 Per Pkg.	\$9.00 1 Per Pkg.	\$9.00 1 Per Pkg.	\$15.00 1 Per Pkg.

MEDIUM / 2nd Step: Smoothing / HP Shank

					
26 x 2mm LCD26M	22 x 0.6mm LCD22M	17 x 2.5mm LCD17M	4 x 13mm LCF4M	3 x 7.5mm LCF3M	11 x 2mm LCD11M
\$30.00 1 Per Pkg.	\$21.00 1 Per Pkg.	\$21.00 1 Per Pkg.	\$9.00 1 Per Pkg.	\$9.00 1 Per Pkg.	\$15.00 1 Per Pkg.

FINE / 3rd Step: High Shine Polishing / HP Shank


Pack of 1



26 x 2mm

LCD26F

\$30.00



22 x 0.6mm

LCD22F

\$21.00



17 x 2.5mm

LCD17F

\$21.00



4 x 13mm

LCF4F

\$9.00



3 x 7.5mm

LCF3F

\$9.00



11 x 2mm

LCD11F

\$15.00



3 steps Silicone polishers for adjusting and polishing denture acrylics. Made in EUROPE.

\$14.40/Pkg of 6 (\$2.40/Bur)

COARSE / 1st step: Reducing / HP Shank

MEDIUM / 2nd step: Smoothing / HP Shank



6 x 16 mm
NAC1C



10 x 20 mm
NAC2C



10 x 24 mm
NAC3C



15 x 17 mm
NAC4C



6 x 16 mm
NAC1M



10 x 20 mm
NAC2M

MEDIUM / 2nd step: Smoothing / HP Shank

FINE / 3rd step: Smoothing / HP Shank



10 x 24 mm
NAC3M



15 x 17 mm
NAC4M



6 x 16 mm
NAC1F



10 x 20 mm
NAC2F



10 x 24 mm
NAC3F



15 x 17 mm
NAC4F

Pre-Mounted Diamond Disks - JOTA SWISS

1 per pack (pre-mounted) \$19.50

SUPERFLEX: DOUBLE-SIDED


● Medium (64-126 μm) ● Fine (27-76 μm) ● Extra Fine (10-36 μm)




Head dia 1/10mm
Thickness mm
Grit
Code




220
0.25
Medium
915D-220
355.524.220




220
0.20
Fine
915DF-220
355.514.220




190
0.25
Medium
915D-190
355.524.190



190
0.20
Fine
915DF-190
355.514.190



220
0.20
Fine
921DF-220
358.514.220



220
0.20
Fine
940DF-220
377.514.220

SUPERFLEX: DOUBLE-SIDED

FLEX: DOUBLE-SIDED



Head dia 1/10mm
Thickness mm
Grit
Code

220
0.20
Fine
947DF-220
389.514.220



220
0.15
Extra Fine
947DEF-220
389.504.220




220
0.20
Fine
401DF-220
400.514.220




220
0.30
Medium
930D-220
345.524.220



220
0.30
Medium
932D-220
350.524.220



190
0.30
Medium
932D-190
350.524.190



220
0.30
Medium
935D-220
340.524.220

FLEX: DOUBLE-SIDED

SEMI-FLEX: DOUBLE-SIDED

Head dia 1/10mm	220	190	220	190	190	220	220
Thickness mm	0.25	0.25	0.50	0.50	0.45	0.50	0.45
Grit	Fine	Fine	Medium	Medium	Fine	Medium	Fine
Code	935DF-220	935DF-190	910D-220	910D-190	910DF-190	911D-220	911DF-220
	340.514.220	340.514.190	321.524.220	321.524.190	321.514.190	332.524.220	332.514.220

SEMI-FLEX: DOUBLE-SIDED

SUPERFLEX: SINGLE-SIDED

1 per pack (pre-mounted) **\$19.50**

Head dia 1/10mm	220	220	220	220	220	220
Thickness mm	0.50	0.50	0.15	0.15	0.15	0.15
Grit	Medium	Medium	Fine	Fine	Fine	Fine
Code	916D-220	918D-220	914F-220	912F-220	915F-220	913F-220
	327.524.220	335.524.220	356.514.220	384.514.220	357.514.220	385.514.220



UNIVERSAL TUNGSTEN CARBIDE LAB CUTTERS With a Large Selections of Blade Configurations for Trimming All Materials Used in Dental Technology.

REGULAR PLAIN CUT: (S)

Plain cut design is ideal for cutting on all acrylic, plaster and stone. Titan

\$17.00/pkg of 1

U071S	U071S	U071S	U073S	U077S	U078S	U079S	U079S	U079S	U251S	U257RS	U296S	U351S
027/2.4	050/4.3	050/4.3	060/9.4	060/11.0	060/12.2	040/14.1	045/12.9	060/14.2	060/13.9	060/12.2	060/12.2	060/12.2
8511	8512	8512	8522	8553	8524	8555	8514	8559	8560	8536	8536	8561

REGULAR CROSS CUT: (E)

Plain cut design is ideal for cutting on all acrylic, plaster and stone. Titan

\$17.00/pkg of 1

U071E	U071E	U071E	U071E	U072E	U077E	U077E	U077E	U077E	U078E	U079E	U079E	U079E	U079E	U079E	U137E
023	027	040	050	060/13.7	029/5.5	060/13.5	040/13.5	040/9.3	031/12.2	040/13.8	045/13.5	060/14.7	060/14.7	023/6	
8310	8311	8351	8312	8313	8352	8353	8438	8354	8355	8314	8356	8357	8357	8315	

REGULAR CROSS CUT: (E)

Crosscut tothing design is ideal for rapid cutting of metal, acrylic and stone.

FINE CROSS CUT: (EF)


Fine Corss cut tothing design for cutting of metal acrylic and stone.

U261E	U295E	U351E	U351E	U078E	U073E	U257RE	U139E	U393E	U138E	U251E	U257E	U351EF	U351EF
023/14.2	023/14	040/9	060/12.3	060/12.2	060/9.4	060/13.5	023/8.0	023/16.0	016/8	060/14.7	023/16.5	040/9	060/12.3
8362	8363	8364	8316	8391	8392	8361	8401	8405	8358	8359	8360	8326	8374

FINE CROSS CUT: (EF)

Fine cross cut toothing design is ideal for fine cutting of metal, acrylic and stone.

\$17.00/pkg of 1



FINE CROSS CUT: (EF)

Fine cross cut toothing for fine cutting of metal, acrylic and stone.

SUPERCOARSE CROSSCUT: (XG)

For fast reduction of acrylic, stone and removal of soft reline materials.

\$17.00/pkg of 1




COARSE CROSS CUT: (SG)

Coarse, wide cross cut toothing design is ideal for rapid bulk trimming of acrylic and plaster.

FINE STRAIGHT BLADE CROSS CUT: (FST)

Straight blades with finer cross cuts are engineered to trim mouth guard and soft reline. At 15,000 rpm, FST are ideal on titanium.

\$17.00/pkg of 1



COARSE STRAIGHT CROSS CUT (GSQ):

It is excellent for trimming soft reline material with its straight coarse blades and cross cuts.

\$17.00/pkg of 1

COARSE TITANIUM TOOTHING: (GTI)


This special toothing design stabilizes the cutting edge allowing for a more aggressive cut.

\$17.00/pkg of 1

SPIRAL FINE CROSS CUT (SPF):

trimming all soft acrylics. "Shaving" effect on all

\$17.00/pkg of 1




BULK CROSS CUT (GE):

For fast, smooth reduction of acrylic, plaster and stone.

SUPER FINE CROSS CUT: (SF)

Superfine cross cut toothing design is ideal for texturizing porcelain, metal substructures and temporary acrylic restorations.

\$17.00/pkg of 1



ZRR Kit : Efficiently cut off Zirconia Crowns with this kit, 2 Cyclone diamonds of 3 different shapes are included, Use with lots of water and light pressure

\$85.00



**ZB6LLC
Z856L/018C**
ø/L (mm): 1.8/9.0
2 Pieces



**ZB2MLC
Z882/014C**
ø/L (mm): 1.4/10.0
2 Pieces



**ZC12SSNC
Z830/010C**
ø/L (mm): 1.0/2.7
2 Pieces

Ockit : Occlusal (depth cut) diamonds ensure accurate occlusal reduction. The Occlusal diamonds are available in a variety of depths to acutely reduce tooth structure for any restorative material, such as: Zirconia, E-max, Burxzir, layered porcelain, etc.

\$48.00



OC10C
1.0



OC15C
1.5



OC18C
1.8



OC20C
2.0



OC22C
2.2



OC24C
2.4

COARSE Grit
depth (mm)

PFMR Kit : Quickly remove PFM Crowns, Use the Diamond 1st to cut thru the Porcelain then 2nd use the carbide thru the metal. Two Different Shapes, Diamonds and Carbides shapes match each other.

\$44.00



MC1558
ø/L (mm):1.2/4.2
2 Pieces



MC557
ø/L (mm):1.0/4.2
2 Pieces



A13SXC
ø/L (mm):1.0/4.0
2 Pieces



B21C
ø/L (mm):1.2/6.0
2 Pieces


BUR BLOCK :



5 RA
10 FG
BK-200-P (purple)
BK-200-B (blue)
BK-200-BK (black)
\$14.95



6 RA
14 FG
BK-250-BK
(black)
\$14.95



6 RA
12 FG
6 FG Short
BK-400-P
BK-400-BK
BK-400-Y
(yellow)
\$13.95



LAB Bur Block
30 HP Holes
BK-700-P (purple)
BK-700-B (blue)
BK-700-BK (black)
\$19.95



LAB Bur Block
15 HP Holes
BK-600-P
BK-600-B
BK-600-BK
\$16.95



Large LAB Bur Block
Hold 9 22mm disks
21 HP Holes
BK-900-P
BK-900-BK
\$24.95



IMPRESSION MATERIALS

European made. Fully digital scannable. Most hydrophilic with amazing accuracy. Stiffest, snap fit of implant analogs.



Heavy Body Fast

Pack of 2: **\$35**
 Pack of 10: **\$160**
 Pack of 20: **\$295**



Light Body Fast

Pack of 2: **\$35**
 Pack of 10: **\$160**



Heavy Body Regular

Pack of 2: **\$35**
 Pack of 10: **\$160**
 Pack of 20: **\$295**



Light Body Regular

Pack of 2: **\$35**
 Pack of 10: **\$160**



Just pop the tabs out with the handle of a dental mirror - hold handle at angle, as shown in picture

Patent Pending 62941000

The implant tray solution!

MADE FROM RECYCLED MATERIALS

- Very easy to use
- No custom tray needed
- Unique transparent design



Lower



Upper

KnockOut Small Pack of 24

SMALL MEDIUM LARGE

Buy 2 Packs get 1 FREE Mirror Handle

\$36.00



Auto Ree-Mixer for 380 ml Cartridges

Pack of 1: **\$800**



How to use
 KnockOut Open
 Implant Tray

3 Disc Heron IOS Intraoral Scanner w/ Laptop

Made in USA

Virtual demo & **free**
in person training if needed



2 Years Warranty

- No licensing or case fees, FREE updates. LAPTOP is included
- Made in USA. Exceptional customer service, service centers located in both USA and CANADA
- Smallest & lightest scanner in the industry: total weight of 150 grams/5.3 ounces
- Excellent scan accuracy and precision • Tips can be autoclaved up to 250 sterilizations each
- Open system that fits seamlessly into your practice – able to export in STL, PLY and OBJ to any open CAD software

\$13,825 (discount codes not applicable)

Introducing REE-ALIGN

Clear Ortho Aligners - Another Dentalree Quality Product



First Case **50% OFF** - No other discount code will be applied

\$450
QUICK
Up to 20
Single Aligners

\$650
STANDARD
21 - 30
Single Aligners

\$899
UNLIMITED
31+
Single Aligners



Q&A

Every REE-ALIGN aligner pack includes the following:

- Design & plan by orthodontists
- 20% FREE aligners for the first refinement (4 free aligners for QUICK cases, 6 for STANDARD cases, and 20% of the # of aligners in the UNLIMITED case)
- FREE retainers (one upper & one lower)
- Your case will arrive 2-3 weeks after it is approved and paid for

We will charge a \$49 redesign fee if needed for more adjustment | No discount codes applicable | REE-ALIGN is currently only available in the USA

\$15
ADDITIONAL
Single Aligners

Redesign Fee is
not included

\$69
RETAINER
1 Set
(1 Upper & 1 Lower)
Redesign Fee is
not included