



# DENTALREE

## Lab Catalog

### How to Order:

1. Online (www.dentalree.com)
2. Fax (800-349-0728)
3. E-mail (orders@dentalree.com)
4. Phone (800-996-0686)

### Flat Rate Shipping:

USA: \$9.00 | Canada: \$15.00

**CYCLONE ZIRCONIA CUTTING BURS - The Newest Generation of Diamond Crown Remover for Zirconium, e.Max, and all Porcelain Crowns. The remover is designed with the latest coating technology - "Cyclone Vacuum" which dramatically improves cutting efficiency and durability, along with less heat generation and lower vibration during use.**

**2 per pack \$18.00 5 per pack \$45.00**



ZB6LLC (Z856L/018C)



ZB2MLC (Z882/014C)

### CROSSTECH ZIRCONIA AJUSTMENT DIAMONDS

5 per pack **\$20.00**

ISO No.	801L	801	801	368	379	390	862	862	863	807	856	856	856	850	881	878K
ISO Shape No.	001	001	001	257	277	274	249	249	250	225	198	196	196	199	141	298
ISO Ø 1/10 (mm)	014	018	023	023	023	016	014	018	012	018	016	018	025	018	014	021
Head Length (mm)				5	6	4	8	9	10	5	8	8	8	10	8	8
STANDARD	ZALL3S	ZA4	ZA5L	ZC15	ZC15R	ZC21	ZB9S	ZB9LL	ZC10	ZA11L3	ZB5M	ZB5L	ZD2	ZCC4L	ZB2M	ZS4
FINE	ZALL3SF	ZA4F	ZA5LF	ZC15F	ZC15RF	ZC21F	ZB9SF	ZB9LLF	ZC10F	ZA11L3F	ZB5MF	ZB5LF	ZD2F	ZCC4LF	ZB2MF	ZS4F

### LABORATORY ZIRCONIA DIAMOND BURS (HP) FOR STRAIGHT HANDPIECE

6 per pack **\$30**



ISO No.	801	368	850	842R	854R	852
ISO Shape No.	001	257	198	158	198	164
ISO Ø 1/10 (mm)	023	023	023	018	033	033
Head Length (mm)			10	10	9	6
STANDARD	ZHA5L	ZHC15	ZHD5	ZHB1LLR	ZHD4	ZHB73L
FINE	ZHA5LF	ZHC15F	ZHD5F	ZHB1LLRF	ZHD4F	ZHB73LF

**GERMAN MADE "COOL" DIAMOND GRINDER - Heat Resistant and Diamond Impregnated for adjusting and contouring ZIRCON OXIDE & LITHIUM DISILICATE. Reduces micro fractures on Zirconia.**

Recommended speed: 10,000-20,000 rpm.

1 per pack

MEDIUM



5 x 13 mm  
MCE132

4 x 10.5 mm  
MCE138

12 x 2.4 mm  
MCE151

12 x 6.5 mm  
MCE191

15 x 3.5 mm  
MCE155

22 x 4.5 mm  
MCE210

22 x 2.1 mm  
MCE213

22 x 2.0 mm  
MCE239

\$26.00

\$34.00

\$41.50


\$38.00

\$72.00

\$65.00

\$52.00

**COARSE**



5 x 13 mm <b>MCE132C</b>	4 x 10.5 mm <b>MCE138C</b>	15 x 3.5 mm <b>MCE155C</b>	22 x 4.5 mm <b>MCE210C</b>	22 x 2.0 mm <b>MCE239C</b>
<b>\$28.00</b>		<b>\$38.00</b>	<b>\$72.00</b>	<b>\$51.50</b>

**JOTA DIAMOND STONE: SWISS Made For Optimal Material Removal of SOLID ZIRCON OXIDE, LITHIUM DISILICATE, PORCELAIN and METAL.**



4.0 mm <b>SD602F</b>	2.5/6.0 mm <b>SD638F</b>	3.5/10.5 mm <b>SD652RF</b>	3.5/10.5 mm <b>SD652RG</b>	4.0/10.5 mm <b>SD653F</b>	4.0/12.0 mm <b>SD660F</b>	3.50/7.0 mm <b>SD667F</b>
-------------------------	-----------------------------	-------------------------------	-------------------------------	------------------------------	------------------------------	------------------------------

**\$18.50/pkg of 1**



15.0/3.5 mm <b>SD716F</b>	5.0/12.0mm <b>SD732F</b>	7.0/5.0 mm <b>SD735SF</b>	16.0/7.0 mm <b>SD722F</b>	22.0/4.5 mm <b>SD773F</b>
------------------------------	-----------------------------	------------------------------	------------------------------	------------------------------

1 Per Pkg.

**\$22.50/pkg of 1**

**\$29.50/pkg of 1**

**ECONOMIC LINE OF "COOL" DIAMOND GRINDER - Heat Resistant and Diamond Impregnated for Adjusting and Contouring ZIRCON OXIDE & LITHIUM DISILICATE. 1 per pack**



5 x 13 mm <b>DIATG02</b>	4.5 x 13 mm <b>DIATG03</b>	13 x 2.0 mm <b>DIATG10</b>	15 x 3.5 mm <b>DIATG09</b>	22 x 2.0 mm <b>DIATG07</b>	22 x 2.0 mm <b>DIATG11</b>	22 x 2.0 mm <b>DIATG08</b>
<b>\$13</b>	<b>\$13</b>	<b>\$15</b>	<b>\$18</b>	<b>\$21.5</b>	<b>\$21.5</b>	<b>\$24.00</b>












**GERMAN MADE CONTOURING AND POLISHING SYSTEM FOR PRE-SINTERED/GREEN STATE ZIRCONIA: Gray section of this system is used for reduction. The Ultra Fine White Tip is Used for Smoothing. Precise and Efficient system will Significantly Reduce the Risk of Damage.**



<b>BWG164</b> 22.7 X 10.0mm 8000-20000rpm pack of 3: <b>\$26.5</b>	<b>AWG560</b> 19.0 X 7.0mm 8000-20000rpm pack of 3: <b>\$21.50</b>	<b>AWG111</b> 13.0 X 5.6mm 6000-20000rpm pack of 6: <b>\$15.50</b>	<b>AWG176</b> 15.0 X 6.0mm 6000 rpm pack of 6: <b>\$15.50</b>	<b>AWG115</b> 13.0 X 7.0mm 6000-20000 rpm pack of 6: <b>\$15.50</b>	<b>AWG146</b> 15.0 X 0.3mm 6000-20000 rpm pack of 6: <b>\$15.50</b>	<b>AWG106</b> 15.0 X 0.3mm 6000-20000 rpm pack of 6: <b>\$15.50</b>
---	---	---	--	--	--	--

**JOTA SWISS ZIRCONFLEX: Specially Developed for Safe Dry Preparation of Zirconia**

1 per pack: **\$14.50**

											
4.0 mm	6.0/3.0 mm	2.5/6.5 mm	3.5/10.5 mm	4.0/12.0 mm	3.50/7.0 mm	15.0/12.5 mm	6.50/6.5 mm	18.0/3.5 mm	15.0/2.5 mm	18.0/2.5 mm	
<b>SZ602</b>	<b>SZ623</b>	<b>SZ638</b>	<b>SZ652R</b>	<b>SZ660</b>	<b>SZ667</b>	<b>SZ732</b>	<b>SZ736</b>	<b>SZ722</b>	<b>SZ716</b>	<b>SZ715</b>	
speed rpm	35,000	21,000	50,000	35,000	28,000	35,000	25,000	19,000	7,000	7,000	7,000

**GERMAN MADE DIAMOND POLISHERS FOR ZIRCON OXIDE & LITHIUM DISILICATE: Coarse grit polishers are very powerful instruments that should be a primary tool to complete your procedure. After that, if you want more shine, you can use fine grit polishers for the final polishing.**

**COARSE / For reduction and contouring of Zircon Oxide and Lithium Disilicate.**

1 per pack

					
26 x 2 mm	22 x 3.2 mm	17 x 3.0 mm	5.5 x 16 mm	11.5 x 2.4 mm	6 X 15 mm
<b>Z&amp;LD26C</b>	<b>Z&amp;LD22C</b>	<b>Z&amp;LD17C</b>	<b>Z&amp;LF4C</b>	<b>Z&amp;LD11C</b>	<b>Z&amp;LC6C</b>
<b>\$64.00</b>	<b>\$33.50</b>	<b>\$23.00</b>	<b>\$11.95</b>	<b>\$12.50</b>	<b>\$13.50</b>
6,000-20,000 rpm	6,000-20,000 rpm	6,000-20,000 rpm	15,000-20,000 rpm	6,000-20,000 rpm	15,000-20,000 rpm







**MEDIUM / For smoothing and pre-polishing of Zircon Oxide and Lithium Disilicate.**

1 per pack

					
26 x 2 mm	22 x 3.2 mm	17 x 3.0 mm	5.5 x 16 mm	11.5 x 2.4 mm	6 x 15 mm
<b>Z&amp;LD26M</b>	<b>Z&amp;LD22M</b>	<b>Z&amp;LD17M</b>	<b>Z&amp;LF4M</b>	<b>Z&amp;LD11M</b>	<b>Z&amp;LC6M</b>
<b>\$64.00</b>	<b>\$33.50</b>	<b>\$23.00</b>	<b>\$11.95</b>	<b>\$12.50</b>	<b>\$13.50</b>
6,000-20,000 rpm	6,000-20,000 rpm	6,000-20,000 rpm	15,000-20,000 rpm	6,000-20,000 rpm	15,000-20,000 rpm

**FINE / High Gloss Polishing for Zircon Oxide and Lithium Disilicate.**

1 per pack

					
26 x 2 mm	22 x 3.2 mm	17 x 3.0 mm	5.5 x 16 mm	11.5 x 2.4 mm	6 X 15 mm
<b>Z&amp;LD26F</b>	<b>Z&amp;LD22F</b>	<b>Z&amp;LD17F</b>	<b>Z&amp;LF4F</b>	<b>Z&amp;LD11F</b>	<b>Z&amp;LC6F</b>
<b>\$64.00</b>	<b>\$33.50</b>	<b>\$23.00</b>	<b>\$11.95</b>	<b>\$12.50</b>	<b>\$13.50</b>
6,000-20,000 rpm	6,000-20,000 rpm	6,000-20,000 rpm	15,000-20,000 rpm	6,000-20,000 rpm	15,000-20,000 rpm

**GERMAN MADE TURBO DIAMOND POLISHERS WITH TWIST SHAPE For All Ceramic Materials Such as ZIRCON OXIDE ,LITHIUM DISILICATE and VENEERING CERAMIC, Flexibly Adapts to Almost Any Surface. Laboratory Handpiece Shank (HP Shank). Recommended Speed: 8,000 - 10,000 rpm.**







**COARSE**

**MEDIUM**

**FINE**

					
26 x 2 mm	17 x 1.7 mm	26 x 2.0 mm	17 x 1.7 mm	26 x 2.0 mm	17 X 1.7 mm
<b>TZ&amp;LD26C</b>	<b>TZ&amp;LD17C</b>	<b>TZ&amp;LD26M</b>	<b>TZ&amp;LD17M</b>	<b>TZ&amp;LD26F</b>	<b>TZ&amp;LD17F</b>
<b>\$59.00</b>	<b>\$26.75</b>	<b>\$59.00</b>	<b>\$26.75</b>	<b>\$59.00</b>	<b>\$26.75</b>


**FEATHER DIAMOND POLISHERS MADE IN EUROPE** For all Ceramic Materials Such as **ZIRCON OXIDE** , **LITHIUM DISILICATE** and **VENEERING CERAMIC**, Flexibly Adapts to Almost Any Surface. Laboratory Handpiece Shank (HP Shank). Recommended Speed: 8,000 - 10,000 rpm.

COARSE		MEDIUM		FINE	
					
26 x 2 mm <b>TZIRD26C</b>	17 x 1.7 mm <b>TZIRD17C</b>	26 x 2.0 mm <b>TZIRD26M</b>	17 x 1.7 mm <b>TZIRD17M</b>	26 x 2.0 mm <b>TZIRD26F</b>	17 X 1.7 mm <b>TZIRD17F</b>
<b>\$39.00</b>	<b>\$25.00</b>	<b>\$39.00</b>	<b>\$25.00</b>	<b>\$39.00</b>	<b>\$25.00</b>

**ZIRCON OXIDE AND LITHIUM DISILICATE RESTORATION KIT For Dental Lab**

Item Code: PK-8060 **\$235**

Featuring "Cool" Diamond Grinders **MADE IN GERMANY** - a powerful instrument, it is optimally suited for safe reduction and adjustment for zirconia and e.max; diamond polishers for zirconia and e.max are **MADE IN GERMANY** with three grits of Coarse, Medium and Fine - for adjustment, smoothing and high-gloss polishing; zirconia diamond bur for safe preparation of zirconia and e.max.



PK-8060



**DIAMOND POLISHERS FOR ZIRCON OXIDE - Specially Designed to Bring Shine**  
Shine to a High Gloss **MADE IN EUROPE.** 1 per pack

**COARSE / For reduction and contouring of Zircon Oxide** 1 per pack

				
26 x 2 mm <b>ZIRD26C</b>	20 x 1 mm <b>ZIRD22C</b>	17 x 2.5 mm <b>ZIRD17C</b>	4 x 13 mm <b>ZIRF4C</b>	11 X 2 mm <b>ZIRD11C</b>
<b>\$33.00</b>	<b>\$23.00</b>	<b>\$23.00</b>	<b>\$9.75</b>	<b>\$17.00</b>

**MEDIUM / For smoothing and pre-polishing of Zircon Oxide** 1 per pack

				
26 x 2 mm <b>ZIRD26M</b>	20 x 1 mm <b>ZIRD22M</b>	17 x 2.5 mm <b>ZIRD17M</b>	4 x 13 mm <b>ZIRF4M</b>	11 X 2 mm <b>ZIRD11M</b>
<b>\$33.00</b>	<b>\$23.00</b>	<b>\$23.00</b>	<b>\$9.75</b>	<b>\$17.00</b>

**FINE / High Gloss Polishing for Zircon Oxide** 1 per pack

				
26 x 2 mm <b>ZIRD26F</b>	20 x 1 mm <b>ZIRD22F</b>	17 x 2.5 mm <b>ZIRD17F</b>	4 x 13 mm <b>ZIRF4F</b>	11 x 2 mm <b>ZIRD11F</b>
<b>\$33.00</b>	<b>\$23.00</b>	<b>\$23.00</b>	<b>\$9.75</b>	<b>\$17.00</b>



**MEDIUM / For smoothing and pre-polishing of Lithium Disilicate.**



26 x 2 mm  
**LDD26M**  
\$33.00



20 x 1 mm  
**LDD22M**  
\$23.00



17 x 2.5 mm  
**LDD17M**  
\$23.00



4 x 13 mm  
**LDF4M**  
\$9.75



11 X 2 mm  
**LDD11M**  
\$17.00

**FINE / High Gloss Polishing for Lithium Disilicate.**



26 x 2 mm  
**LDD26F**  
\$33.00



20 x 1 mm  
**LDD22F**  
\$23.00



17 x 2.5 mm  
**LDD17F**  
\$23.00




4 x 13 mm  
**LDF4F**  
\$9.75




11 x 2 mm  
**LDD11F**  
\$17.00

**HP Shank: A 3 steps diamond-impregnated polishing system used to restore a natural high shine to porcelain, ceramics and metals. Made in EUROPE.**


**COARSE / 1st Step: Reducing and Shaping / HP Shank**



26 x 2mm  
**LCD26C**  
\$30.00  
1 Per Pkg.



22 x 0.6mm  
**LCD22C**  
\$21.00  
1 Per Pkg.



17 x 2.5mm  
**LCD17C**  
\$21.00  
1 Per Pkg.



4 x 13mm  
**LCF4C**  
\$9.00  
1 Per Pkg.



3 x 7.5mm  
**LCF3C**  
\$9.00  
1 Per Pkg.



11 x 2mm  
**LCD11C**  
\$15.00  
1 Per Pkg.

**MEDIUM / 2nd Step: Smoothing / HP Shank**



26 x 2mm  
**LCD26C**  
\$30.00  
1 Per Pkg.



22 x 0.6mm  
**LCD22C**  
\$21.00  
1 Per Pkg.



17 x 2.5mm  
**LCD17C**  
\$21.00  
1 Per Pkg.



4 x 13mm  
**LCF4C**  
\$9.00  
1 Per Pkg.



3 x 7.5mm  
**LCF3C**  
\$9.00  
1 Per Pkg.



11 x 2mm  
**LCD11C**  
\$15.00  
1 Per Pkg.

**FINE / 3rd Step: High Shine Polishing / HP Shank**



26 x 2mm  
**LCD26C**  
\$30.00  
1 Per Pkg.



22 x 0.6mm  
**LCD22C**  
\$21.00  
1 Per Pkg.



17 x 2.5mm  
**LCD17C**  
\$21.00  
1 Per Pkg.



4 x 13mm  
**LCF4C**  
\$9.00  
1 Per Pkg.



3 x 7.5mm  
**LCF3C**  
\$9.00  
1 Per Pkg.



11 x 2mm  
**LCD11C**  
\$15.00  
1 Per Pkg.

**3 steps Silicone polishers for adjusting and polishing denture acrylics. Made in EUROPE.**

**COARSE / 1st step: Reducing / HP Shank**

**MEDIUM / 2nd step: Smoothing / HP Shank**



6 x 16 mm  
NAC1C



10 x 20 mm  
NAC2C



10 x 24 mm  
NAC3C



15 x 17 mm  
NAC4C



6 x 16 mm  
NAC1M



10 x 20 mm  
NAC2M

**\$14.40/Pkg of 6 (\$2.40/Bur)**

6 Per Pkg.

**MEDIUM / 2nd step: Smoothing / HP Shank**

**FINE / 3rd step: Smoothing / HP Shank**



10 x 24 mm  
NAC3M



15 x 17 mm  
NAC4M



6 x 16 mm  
NAC1F



10 x 20 mm  
NAC2F



10 x 24 mm  
NAC3F



15 x 17 mm  
NAC4F

**\$14.40/Pkg of 6 (\$2.40/Bur)**

6 Per Pkg.

**2 steps Silicone polishers for adjusting and polishing prosthetic acrylics. Made in EUROPE.**

**COARSE / 1st step: Reducing / HP Shank**

**MEDIUM / 2nd step: Smoothing / HP Shank**



5.5 x 16 mm  
PC1C



10 x 20 mm  
PC2C



10 x 24 mm  
PC3C



15 x 17 mm  
PC4C



5.5 x 16 mm  
PC1M



10 x 20 mm  
PC2M



10 x 24 mm  
PC3M



15 x 17 mm  
PC4M

**\$14.40/Pkg of 6 (\$2.40/Bur)**

6 Per Pkg.

**GERMAN MADE STIFF BUFF: Supple, yet stiff use for all Acrylics, Valplast, Aligners, and 3D printed materials.**

5 Per Pkg.

**\$18.50/Pkg of 5 (\$3.70/Bur)**



**SBUF-UF3**  
26X3 mm  
ULTRA FINE



**SBUF-F3**  
26X3 mm  
FINE



**SBUF-M3**  
26X3 mm  
MEDIUM



**SBUF-UF5**  
26X5.5 mm  
ULTRA FINE



**SBUF-F5**  
26X5.5 mm  
FINE



**SBUF-M5**  
26X5.5 mm  
MEDIUM



**DH4**  
**\$22.00/Pk of 10**

**GERMAN MADE ABRASIVE BUFF for Denture Acrylics. Extremely Soft, Very Efficiently Applicable for VALPLAST.**

**\$12.50/Pkg of 5 (\$2.50/Bur)**



**ABF-M**  
Ø 26mm  
MEDIUM



**ABF-F**  
Ø 26mm  
FINE



**ABF-UF**  
Ø 26mm  
ULTRA FINE

**CERAMIC CUTTER - Reliable and Long Lasting Instruments Desined for Gental Operation with Absolute Precision for Shaping, Trimming and Cutting. Very Efficiently Applicable to Denture Acrylics, Valplast, Soft Acrylis and Other Materials that Tend to Clog The Other Instruments.**

**\$20.00/Pkg of 1**



**Z251GSQ060**  
060/15.0  
se Straight Cross Cut (GSQ)



**Z079GSQ040**  
040/14.0  
Coarse Straight Cross Cut (GSQ)



**Z251SPF060**  
060/15.0  
Spiral Fine Cross Cut (SPF)



**Z079SPF040**  
040/14.0  
Spiral Fine Cross Cut (SPF)



**Z251QSF060**  
060/15.0  
Spiral Extra Fine Cross Cut (QSF)



**Z079QSF040**  
040/14.0  
Spiral Extra Fine Cross Cut (QSF)



**Z251ACR060**  
060/15.5



**Z079ACR040**  
040/14.0



**Z261GSQ023**  
023/16.0



**Z251ESQ060**  
060/15.5

**Green Stones - JOTA SWISS**

Silicon carbide for preparing porcelain and acrylics.

**12 per pack \$15.60**



**G652**  
3.5/10.5mm



**G613**  
7.0/3.0 mm



**G649**  
2.5/6.0 mm



**G622**  
6.5/2.0 mm



**G663**  
6.0/10.5 mm



**G645F**  
2.8/7.0 mm



**G642**  
5.0/12.0 mm



**G731**  
6.5/13.0 mm



**G702**  
10.0/1.5mm



**G703**  
13.0/1.5 mm

**Brown Stones - JOTA SWISS**

**12 per pack \$15.60**

High-grade corundum for preparing precious metal alloys.

**White Stones - JOTA SWISS**

**12 per pack \$15.60**

High-grade corundum for preparing hard and non-precious metal alloys.



**BR733**  
3.5/10.5 mm



**BR732**  
5.0/12.0 mm



**BR731**  
6.5/13.0 mm



**W733**  
3.5/10.5 mm



**W732**  
5.0/12.0 mm



**W731**  
6.5/13.0 mm

**Pink Stones - JOTA SWISS**


12 per pack **\$15.60**

High-grade corundum for preparing medium-hard metal alloys and chrome-cobalt.

**Blue Stones - JOTA SWISS**

6 per pack **\$15.00**

Ideal for preparing soft relines.



**Pre-Mounted Diamond Disks - JOTA SWISS**

1 per pack (pre-mounted) **\$19.50**

**SUPERFLEX: DOUBLE-SIDED**

● Medium (64-126 µm) ● Fine (27-76 µm) ● Extra Fine (10-36 µm)



Head dia 1/10mm	220	220	190	190	220	220
Thickness mm	0.25	0.20	0.25	0.20	0.20	0.20
Grit	Medium	Fine	Medium	Fine	Fine	Fine
Code	915D-220	915DF-220	915D-190	915DF-190	921DF-220	940DF-220
	355.524.220	355.514.220	355.524.190	355.514.190	358.514.220	377.514.220

**SUPERFLEX: DOUBLE-SIDED**

**FLEX: DOUBLE-SIDED**

Head dia 1/10mm	220	220	220	220	220	190	220
Thickness mm	0.20	0.15	0.20	0.30	0.30	0.30	0.30
Grit	Fine	Extra Fine	Fine	Medium	Medium	Medium	Medium
Code	947DF-220	947DEF-220	401DF-220	930D-220	932D-220	932D-190	935D-220
	389.514.220	389.504.220	400.514.220	345.524.220	350.524.220	350.524.190	340.524.220

**FLEX: DOUBLE-SIDED**

**SEMI-FLEX: DOUBLE-SIDED**

Head dia 1/10mm	220	190	220	190	190	220	220
Thickness mm	0.25	0.25	0.50	0.50	0.45	0.50	0.45
Grit	Fine	Fine	Medium	Medium	Fine	Medium	Fine
Code	935DF-220	935DF-190	910D-220	910D-190	910DF-190	911D-220	911DF-220
Page 26	340.514.220	340.514.190	321.524.220	321.524.190	321.514.190	332.524.220	332.514.220

**SEMI-FLEX: DOUBLE-SIDED**

**SUPERFLEX: SINGLE-SIDED**

1 per pack (pre-mounted) **\$18.50**

Head dia 1/10mm	220	220	220	220	220	220
Thickness mm	0.50	0.50	0.15	0.15	0.15	0.15
Grit	Medium	Medium	Fine	Fine	Fine	Fine
Code	916D-220	918D-220	914F-220	912F-220	915F-220	913F-220
	327.524.220	335.524.220	356.514.220	384.514.220	357.514.220	385.514.220



**SUPERFLEX: DOUBLE-SIDED**

● Coarse (150 µm) ● Medium (100 µm) ● Fine (50 µm) ● Extra Fine (30 µm)

Head dia 1/10mm	220	220	220	190	190	190	220	220
Thickness mm	0.25	0.20	0.15	0.25	0.20	0.15	0.25	0.20
Grit	Medium	Fine	Extra Fine	Medium	Fine	Extra Fine	Medium	Fine
Code	D911H-220	D911H-220F	D911HEF-220	D911H-190	D911H-190F	D911HEF-190	D940-220	D940-220F
	355.524.220	355.514.220	355.504.220	355.524.190	355.514.190	355.504.190	358.524.220	358.514.220

**SUPERFLEX: DOUBLE-SIDED**

Head dia 1/10mm	190	190	220	220	220	220	220	220
Thickness mm	0.25	0.20	0.25	0.20	0.20	0.20	0.25	0.25
Grit	Medium	Fine	Medium	Fine	Fine	Fine	Medium	Medium
Code	D940-190	D940-190F	D918PB-220	D918PB-220F	D934-220F	D405-220F	D405-220	D605-220
	358.524.190	358.514.190	353.524.220	353.514.220	400.514.220	405.514.220	405.524.220	605.524.220

**SUPERFLEX: DOUBLE-SIDED**

**TURBO SUPERFLEX: DOUBLE-SIDED**

Head dia 1/10mm	220	220	220	220	190	220	190
Thickness mm	0.20	0.20	0.20	0.15	0.15	0.20	0.20
Grit	Fine	Medium	Fine	Extra Fine	Extra Fine	Fine	Fine
Code	D605-220F	D365-220	D365-220F	D911HEF-220T	D911HEF-190T	D940-220FT	D940-190FT
	605.514.220	365.524.220	365.514.220	505.504.220	505.504.190	505.514.220	505.514.190

**SUPERFLEX: SINGLE-SIDED / SAFE SIDE UP**

**SUPERFLEX: SINGLE-SIDED / SAFE SIDE DOWN**

Head dia 1/10mm	220	220	220	220	220	220	220
Thickness mm	0.15	0.20	0.15	0.15	0.15	0.15	0.20
Grit	Fine	Medium	Fine	Fine	Fine	Fine	Medium
Code	D911HU-220F	D351-220	D351-220F	D911HD-220F	D352-220F	D352-220F	D352-220
	356.514.220	351.524.220	351.514.220	357.514.220	352.514.220	352.514.220	352.524.220

**FLEX: DOUBLE-SIDED**

Head dia 1/10mm	220	220	220	190	190	190	220	220
Thickness mm	0.25	0.30	0.35	0.25	0.30	0.35	0.30	0.25
Grit	Fine	Medium	Coarse	Fine	Medium	Coarse	Medium	Fine
Code	D911-220F	D911-220	D911-220C	D911-190F	D911-190	D911-190C	D345-220	D345-220F
	340.514.220	340.524.220	340.534.220	340.514.190	340.524.190	340.534.190	345.524.220	345.514.220



**FLEX: DOUBLE-SIDED**

Head dia 1/10mm	220	190	190	190	220	220	220
Thickness mm	0.55	0.30	0.25	0.35	0.30	0.25	0.35
Grit	<b>Coarse</b>	<b>Medium</b>	<b>Fine</b>	<b>Coarse</b>	<b>Medium</b>	<b>Fine</b>	<b>Coarse</b>
Code	<b>D345-220C</b>	<b>D345-190</b>	<b>D345-190F</b>	<b>D345-190C</b>	<b>D918F-220</b>	<b>D918F-220F</b>	<b>D918F-220C</b>
	345.534.220	345.524.190	345.514.190	345.534.190	350.524.220	350.514.220	350.534.220

**FLEX: SINGLE-SIDED / SAFE SIDE UP**

Head dia 1/10mm	220	190
Thickness mm	0.25	0.25
Grit	<b>Medium</b>	<b>Medium</b>
Code	<b>D919-220</b>	<b>D919-190</b>
	346.524.220	346.524.190

**FLEX: SINGLE-SIDED / SAFE SIDE DOWN**

Head dia 1/10mm	220	190
Thickness mm	0.25	0.25
Grit	<b>Medium</b>	<b>Medium</b>
Code	<b>D918-220</b>	<b>D918-190</b>
	347.524.220	347.524.190

**SEMI-FLEX: DOUBLE-SIDED**

Head dia 1/10mm	220	220	220	220	220	220	220	220
Thickness mm	0.50	0.45	0.55	0.50	0.45	0.55	0.50	0.55
Grit	<b>Medium</b>	<b>Fine</b>	<b>Coarse</b>	<b>Medium</b>	<b>Fine</b>	<b>Coarse</b>	<b>Medium</b>	<b>Coarse</b>
Code	<b>D916-220</b>	<b>D916-220F</b>	<b>D916-220C</b>	<b>D910-220</b>	<b>D910-220F</b>	<b>D910-220C</b>	<b>D918P-220</b>	<b>D918P-220C</b>
	327.524.220	327.514.220	327.534.220	321.524.220	321.514.220	321.534.220	335.524.220	335.534.220

**SINTERED DISK**

1 per pack (unmounted) **\$18.00**

**DIE SEPERATING DISK: DOUBLE-SIDED** 2 per pack (unmounted) **\$24.00**

Head dia 1/10mm	220	300	300	300
Thickness mm	0.6	0.30	0.30	0.30
Grit	<b>Medium</b>	<b>Medium</b>	<b>Medium</b>	<b>Medium</b>
Code	<b>D9941-220</b>	<b>D365-300</b>	<b>D323-300</b>	<b>D321-300</b>
	345.524.220-5	365.524.300	323.524.300	321.524.300

**DIE SEPERATING DISK: FLEX DOUBLE-SIDED**

2 per pack (unmounted) **\$37.00**


Head dia 1/10mm	450	450	450
Thickness mm	0.30	0.30	0.30
Grit	<b>Medium</b>	<b>Medium</b>	<b>Medium</b>
Code	<b>D365-450</b>	<b>D323-450</b>	<b>D321-450</b>
	365.524.450	323.524.450	321.524.450

	METALS					ACRYLICS				MODELS	VENEERS
	Precious Alloys	Semi-Precious Alloys	None-Precious Alloys	Chrome Cobalt	Titanium: Implant	Composites	Soft Reline	Partial & Complete Dentures	Resins	Plaster & Stone Die	Ceramics:Venners, Facets,Inlays, Crowns
<b>S(Regular)</b>		Trim & smooth						Trim & smooth		Trim & smooth	
<b>E(Regular CrossCut)</b>	Trim & smooth	Trim & smooth	Trim & smooth	Trim & smooth				Trim & smooth	Trim & smooth	Trim & smooth	
<b>EF(Fine Cross Cut)</b>	Trim & smooth	Trim & smooth	Trim & smooth			Trim & smooth		Trim & smooth		Trim & smooth	
<b>SF(SuperFine Cross Cut)</b>	Trim & smooth		Trim & smooth								Trim & smooth
<b>XG(Super Coarse CrossCut)</b>							Gross Reduction	Wet Gross Reduction		Gross Reduction	
<b>SG(Coarse CrossCut)</b>								Reduction		Reduction	
<b>GE(Bulk Cross Cut)</b>								Dry Reduction		Reduction	
<b>GSQ(Coarse Straight Crosscut)</b>						Rough & Trimming	Rough & Trimming	Rough & Trimming			
<b>FST(Fine Straight Crosscut)</b>		Remove & Trim	Remove & Trim		Remove & Trim		Remove & Trim				
<b>SPF(Spiral Fine Crosscut)</b>		Fine Cutting	Fine Cutting		Fine Cutting		Trim & Smooth	Smoothing Valplast			
<b>GTI(Coarse Titanium Crosscut)</b>		Coarse Rough trimming	Coarse Rough trimming		Coarse Rough trimming						

**REGULAR PLAIN CUT: (S)**

Plain cut design is ideal for cutting on all arylc, plaster and stone. Titan

**\$14.75/pkg of 1**



**REGULAR CROSS CUT: (E)**

Plain cut design is ideal for cutting on all arylc, plaster and stone. Titan

**\$14.75/pkg of 1**




**REGULAR CROSS CUT: (E)**

Crosscut tothing design is ideal for rapid cutting of metal, acrylic and stone.


**FINE CROSS CUT: (EF)**

Fine Corss cut tothing design for cutting of metal acrylic and stone.



**FINE CROSS CUT: (EF)**

Fine cross cut toothing design is ideal for fine cutting of metal, acrylic and stone.



**FINE CROSS CUT: (EF)**

Fine cross cut toothing for fine cutting of metal, acrylic and stone.

**SUPERCOARSE CROSSCUT: (XG)**

For fast reduction of acrylic, stone and removal of soft reline materials.




**COARSE CROSS CUT: (SG)**

Coarse, wide cross cut toothing design is ideal for rapid bulk trimming of acrylic and plaster.

**FINE STRAIGHT BLADE CROSS CUT: (FST)**

Straight blades with finer cross cuts are engineered to trim mouth guard and soft reline. At 15,000 rpm, FST are ideal on titanium.

**\$14.75/pkg of 1**



**COARSE STRAIGHT CROSS CUT (GSQ):**

It is excellent for trimming soft reline material with its straight coarse blades and cross cuts.

**\$14.75/pkg of 1**


**COARSE TITANIUM TOOTHING: (GTI)**

This special toothing design stabilizes the cutting edge allowing for a more aggressive cut.

**\$14.75/pkg of 1**

**SPIRAL FINE CROSS CUT (SPF):**

trimming all soft acrylics. "Shaving" effect on all



**BULK CROSS CUT (GE):**


For fast, smooth reduction of acrylic, plaster and stone.

**\$14.75/pkg of 1**

**SUPER FINE CROSS CUT: (SF)**

Superfine cross cut toothing design is ideal for texturizing porcelain, metal substructures and temporary acrylic restorations.

**\$14.75/pkg of 1**



**Carbide Goldies: REGULAR-CUT**  
 "STANDARD" for adjusting acrylic and metals.

**\$9.50/pkg of 1**




84-T 064/12.8 <b>8001</b>	82-T 064/16.5 <b>8002</b>	63-B 064/12.5 <b>8003</b>	53-A 064/12.5 <b>8004</b>	52-D 064/5.0 <b>8005</b>	52-C 064/9.0 <b>8006</b>	51-A 052/10.0 <b>8012</b>	61-A/81-A 062/12.5 <b>8013</b>	73-A 064/6.0 <b>8014</b>	88-A 064/12.5 <b>8015</b>	83-E 064/13.0 <b>8016</b>
---------------------------------	---------------------------------	---------------------------------	---------------------------------	--------------------------------	--------------------------------	---------------------------------	--------------------------------------	--------------------------------	---------------------------------	---------------------------------

**SPECIAL-CUT**

For "clog-free" bulk reduction of acrylic, plaster and stone.

Packed 1 per unit: **\$14.75**




84-T/SP 064/13.0 <b>8091</b>	88-A/SP 064/13.0 <b>8092</b>
------------------------------------	------------------------------------

**47 SERIES**

Available in both Fine and Coarse cuts.

Packed 1 per unit: **\$9.50**



47-XF 050/13.0 <b>8010</b>	47-XC 050/13.0 <b>8011</b>
----------------------------------	----------------------------------

**LATHE BURS**

1/4" (6.3mm) shanks

Packed 1 per unit: **\$24.50**



A-1/2 12.0/26.0 <b>8071</b>	C-1/2 12.0/26.0 <b>8073</b>	D-1/2 12.0/22.0 <b>8074</b>	A-3/8 9.5/19.0 <b>8081</b>	C-3/8 9.5/20.0 <b>8083</b>	D-3/8 9.5/16.0 <b>8084</b>
-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------	----------------------------------	----------------------------------



mm 12.0/26.0 <b>7071</b>	12.0/26.0 <b>7073</b>	12.0/22.0 <b>7074</b>	9.5/19.0 <b>7081</b>	9.5/20.0 <b>7083</b>	9.5/16.0 <b>7084</b>
-----------------------------	--------------------------	--------------------------	-------------------------	-------------------------	-------------------------

**Mandrels: Top Quality, Stainless Steel**

**FG to HP Adapter**



5 mm <b>DH3</b>	8 mm <b>DH4</b>	<b>CH1</b>	<b>CH2</b>	2 mm (inside) <b>PH2</b>	3 mm (inside) <b>PH3</b>	5 mm <b>DH1</b>	<b>DH2</b>	1.6 mm to 2.35 mm <b>FG2HP</b>
--------------------	--------------------	------------	------------	-----------------------------	-----------------------------	--------------------	------------	-----------------------------------


10 per pack <b>\$15.00</b>	10 per pack <b>\$19.00</b>	10 per pack <b>\$15.00</b>	1 per pack <b>\$5.80</b>	10 per pack <b>\$15.00</b>	5 per pack <b>\$12.00</b>	1 per pack <b>\$18.00</b>
-------------------------------	-------------------------------	-------------------------------	-----------------------------	-------------------------------	------------------------------	------------------------------



## COARSE

For Use in Straight Nose Cones | Total Length: 44.5mm


1 per pack **\$14.95**



## MEDIUM

For Use in Straight Nose Cones | Total Length: 44.5mm


1 per pack **\$14.95**



## CROSSTECH HP DIAMOND (MEDIUM GRIT)

De Beers Natural Diamond • Premium Quality

6 Per Pkg.: **\$21.00** (\$3.50/bur)





**ROUND END CYLINDER**

**ROUND END TAPER**



Head/Lgth (mm)	1.80/12.0	2.70/6.0	1.80/10.0	1.60/8.0	0.90/4.0	1.20/4.0	1.40/4.0	1.20/8.0	1.60/8.0	1.60/10.0
	H842R/018	H880/027M	H882/014	H881/016	H849/009	H849/012	H849/014	H856/012	H856/016	H850/016
	<b>C</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b> <b>F</b>	<b>C</b>
	\$16.80/pkg of 6 (\$2.80/bur)			\$12.00/pkg of 6 (\$2.00/bur)						

**ROUND END TAPER**

**X-MAS TREE**

Head/Lgth (mm)	1.60/10.5	1.80/10.0	2.10/8.0	2.30/12.0	2.30/10.0	2.50/8.0	4.00/14.0	5.00/10.0	3.70/7.0
	H898/016	H850/018	H856/021	H856/023	H850/023	H856/025	H856/040	H854R/050	H852/037
	<b>M</b>	<b>C</b> <b>M</b> <b>F</b>	<b>M</b> <b>F</b>	<b>C</b>	<b>M</b> <b>F</b>	<b>M</b> <b>C</b>	<b>C</b>	<b>M</b>	<b>M</b>
	\$12.00/pkg of 6	\$16.80/pkg of 6 (\$2.80/bur)				\$22.80/pkg 6		\$16.80/pkg 6	

**WHEEL**

**KNIFE EDGE**

**ROUND**

Head/Lgth (mm)	4.0/1.40	5.5/2.0	6.5/3.0	5.00/0.7	2.5/0.9	5.00/1.5	1.2	1.4	1.60	1.80	2.10
	H909/040	H909/055	H909/065	H818.050	H825/025	H825/050	H801/012	H801/014	H801/016	H801/018	H801/021
	<b>M</b> <b>C</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>C</b> <b>M</b>	<b>C</b> <b>M</b>
	\$16.80/pkg 6	\$22.80/pkg (\$3.80/bur)		\$16.80/pkg of 6 (\$2.80/bur)		\$12.00/pkg of 6 (\$2.00/bur)			\$16.80/pkg 6		

**ROUND**

**NEEDLE**

**INVERTED CONE**

Head/Lgth (mm)	2.3	1.80/10.0	1.2/1.5	1.4/1.5	1.6/1.5	1.6/4.0	1.8/1.5	1.80/0.70	2.1/2.0	2.3/2.0	4.0/1.5
	H801/023	H859/018	H805/012	H805/014	H805/016	H807/016	H805/018	H808/018	H805/021	H805/023	H805/040
	<b>C</b>	<b>M</b> <b>F</b>	<b>C</b> <b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>
	\$16.80/pkg 6		\$12.00/pkg of 6 (\$2.00/bur)						\$16.80/pkg 6		

**INVERTED CONE**

**FLAME**

**FLAT END CYLINDER**

Head/Lgth (mm)	9.00/4.3	1.2/5.0	1.20/10.0	1.40/10.0	1.60/10.0	1.80/8.0	1.80/10.0	2.50/8.0	2.50/6.0	1.80/8.0	1.40/7.0
	H812/090	H860/012	H863/012	H863/014	H863/016	H862/018	H863/018	H862/025	H836/025	H837/018	H837/014
	<b>M</b>	<b>M</b>	<b>M</b>	<b>C</b> <b>M</b> <b>F</b>	<b>M</b>	<b>C</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>
	\$22.80/pk (\$3.8/bur)	\$12.00/pkg of 6 (\$2.00/bur)			\$16.80/pkg of 6 (\$2.80/bur)						\$12.00/pkg of 6

**FLAT END TAPER**

**BEVELED CYLINDER**

Head/Lgth (mm)	1.00/4.0	1.40/8.0	1.6/10.0	1.80/10.0	2.3/10.0	5.00/9.5	1.8/18.0
	H845/010	H847/014	H848/016	H848/018	H848/023	H854/050	H879/018
	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>M</b>	<b>F</b>
	\$12.00/pkg of 6 (\$2.00/bur)			\$16.80/pkg of 6 (\$2.80/bur)			\$16.80/pkg of 6 (\$2.80/bur)



HP: 44.5mm L x 2.35mm Ø

Interspersed with diamond grit.

Made for cutting, separating, and grinding ceramic and zirconium oxide materials.

Double fiberglass-reinforced material for high stability and durability.

**10 per pack \$14.95**

Shatterproof, fiberglass-reinforced aluminum oxide discs.

Cut everything from hard metals to soft acrylics.


**20 per pack \$19.95**



22 x 0.25 mm  
**FDZ22025**



22 x 0.25 mm  
**FDM22025**



40 x 0.50 mm  
**FDM40050**

## Crosstech Multi-Use Diamonds: Highest Rated

Natural Diamond | Premium Quality

The highest-rated multi-use diamond burs, according to an independent non-profit dental education and product testing foundation.

There are over 1,200 different shapes and grits of Crosstech burs, and Crosstech is the only manufacturer in the industry to offer one low price for all of them.


















Manufactured with natural diamonds, which produce more cutting surfaces than synthetic, and Swiss multi-coating technique offers the highest level of cutting efficiency with durability and less clogging.


















One-piece stainless steel shanks are specially heat-treated to ensure rigidity, strength, and precision.



















**5 per pack \$9.50 = \$1.90 per bur | Gold-Plated: 5 per pack \$14.00 = \$2.80 per bur**

















FG		ROUND END TAPER																	
ISO No.		849	849	849	849	849	849L	855	855	855	855	855	856N	856	856	856	856M	856N	
ISO Shape No.		196	196	196	196	196	196L	196	196	196	196	196	198N	198	198	198	198M	198N	
Head/Tip (mm)		1.0	1.2	1.4	1.6	2.5	0.9/0.6	1.2/1.0	1.4/1.15	1.6/1.3	1.8/1.45	2.5/2.0	1.6/0.8	1.2/0.8	1.4/0.9	1.6/0.9	1.6/1.3	1.8/01.0	
Head Length (mm)		4	4	4	4	4	6	6	6	6	6	6	7	8	8	8	8	8	
		NEW	NEW	NEW	NEW	NEW												NEW	
FG31	REGULAR	SUPER COARSE				B54XC	B55XC		B5SXC	B5MSSXC	B5MSXC	D3SXC	D3XC		B5NXC	B6SNXC	B5MXC	B6MXC	B5LXC
		COARSE		B52C		B54C	B55C	B5SSC	B5SC	B5MSSC	B5MSC	D3SC	D3C	B6C	B5NC	B6SNC	B5MC	B6MC	B5LC
		STANDARD	B51	B52	B53	B54	B55	B5SS	B5S	B5MSS	B5MS	D3S	D3	B6	B5N	B6SN	B5M	B6M	B5L
		FINE	B51F	B52F					B5SF		B5MSF	D3SF	D3F	B6F	B5NF	B6SNF	B5MF	B6MF	B5LF
		EXTRA FINE	B51P										D3P	B6P	B5NP	B6SNP	B5MP	B6MP	B5LP

FG		ROUND END TAPER																
ISO No.		856	856	856	856	856L	856L	856L	856L	850	850	850	850	850	850N	850N	850	
ISO Shape No.		198	198	198	198	198L	198L	198L	198L	199	199	199	199	199	199N	198N	199	
Head/Tip (mm)		1.8/1.5	2.1/1.7	2.5/2.0	2.9/2.3	1.4/1.0	1.6/1.25	1.8/1.45	2.1/1.7	1.0/0.7	1.2/0.8	1.4/0.9	1.6/1.0	1.8/1.1	1.6/0.8	1.8/0.9	2.3/1.4	
Head Length (mm)		8	8	8	8	9	9	9	9	10	10	10	10	10	10	10	10	
FG31	REGULAR	SUPER COARSE	B5LNXC	D2SNXC	D2NXC	D3LXC	C3SSXC	B6LXC	B5LLXC	D2LLXC		CC4SXC	CC4XC	CC4MXC	CC4LXC	C3SXC	C3XC	C4LLXC
		COARSE	B5LNC	D2SNC	D2NC	D3LC	C3SSC	B6LC	B5LLC	D2LLC	CC4SSC	CC4SC	CC4C	CC4MC	CC4LC	C3SC	C3C	C4LLC
		STANDARD	B5LN	D2SN	D2N	D3L	C3SS	B6L	B5LL	D2LL	CC4SS	CC4S	CC4	CC4M	CC4L	C3S	C3	C4LL
		FINE	B5LNF	D2SNF	D2NF		C3SSF	B6LF	B5LLF	D2LLF	CC4SSF	CC4SF	CC4F	CC4MF	CC4LF	C3SF	C3F	C4LLF
		EXTRA FINE						B6LP				CC4SP	CC4P		CC4LP	C3SP	C3P	

FG		FLAT END CYLINDER																	
ISO No.		835	835	835	835	835	835	835	835	837	836	836	837	837	837L	837L	837L	842	
ISO Shape No.		107	107	107	107	107	107	107	107	110	107	107	110	110	110L	110L	110L		
Head (mm)		0.8	0.9	1.0	1.2	1.2	1.4	1.4	1.6	1.0	1.2	1.4	1.6	1.8	1.2	1.6	1.8	1.4	
Head Length (mm)		3.5	3	4	4	5	4	5	4	8	7	7	8	8	10	10	10	12	
																			
FG31	REGULAR	SUPER COARSE			A13SXC	A13XC		A14XC			A13SLXC	B1SXC	B1XC	B1LXC	B1LLXC	B1MXC	B1NXC	B1QXC	B1L3XC
		COARSE	A12C	A13SSC	A13SC	A13C	A13LC	A14C	A14LC	A14MC	A13SLC	B1SC	B1C	B1LC	B1LLC	B1MC	B1NC	B1QC	B1L3C
		STANDARD	A12	A13SS	A13S	A13	A13L	A14	A14L	A14M	A13SL	B1S	B1	B1L	B1LL	B1M	B1N	B1Q	B1L3
		FINE	A12F		A13SF	A13F	A13LF	A14F			A13SLF	B1SF	B1F	B1LF		B1MF			
		EXTRA FINE	A12P			A13P												B1NP	

FG		PERIDON		ROUND END CYLINDER															
ISO No.		830L	830L	835KR	835KR	835KR	835KR	835KR	836KR	836KR	837KR	837KR	837KR	837KR	838	838	838	838	
ISO Shape No.		258	258	156	156	156	156	156	157	157	158	158	158	158	138	139	139	139	
Head/Tip (mm)		014	012	0.8	0.8	1.0	1.2	1.4	1.0	1.6	1.0	1.2	1.4	1.6	0.8	1.0	1.2	1.2	
Head Length (mm)		5	4	3	4.5	4	5	5	6	6	8	8	8	8	3	4	4	6	
																			
FG31	REGULAR	SUPER COARSE							B1SSXC		B1SSRXC	B1SRXC	B1RXC	B1LRXC					
		COARSE			A19LC	A20C	A20LC	A20LLC	B1SSC	A20L3C	B1SSRC	B1SRC	B1RC	B1LRC			A20LRC	B21C	
		STANDARD	A29	A30	A19	A19L	A20	A20L	A20LL	B1SS	A20L3	B1SSR	B1SR	B1R	B1LR	A19R	A20R	A20LR	B21
		FINE	A29F	A30F	A19F	A19LF	A20F	A20LF	A20LF	B1SSF		B1SSRF	B1SRF	B1RF	B1LRF			A20LRF	B21F
		EXTRA FINE	A29P	A30P	A19P		A20P	A20LP		B1SSP		B1SSRP	B1SRP	B1RP	B1LRP		A20RP	A20LRP	B21P

FG		ROUND END CYLINDER			ROUND W/COLLAR			KS SERIES						FLAT END SHOULDER						
ISO No.		880	882	882	802	802	802	KS6	KS0	KS1	KS2	KS3	KS4	KS5	845	845	845	845	845	
ISO Shape No.		140	142	142	002	002	002								168	168	168	168	168	
Head/Tip (mm)		1.4	1.2	1.4	0.9	1.2	1.6	2.5	0.9	1.2	1.4	1.6	2.4	3.1	0.9	1.0/0.7	1.2/0.9	1.4/1.1	1.6/1.2	
Head Length (mm)		6	10	10	3	3	3	8.4	7	7	8	8	4	6	3.5	4	4	4	4	
																				
FG31	REGULAR	SUPER COARSE	B2XC	B2SLXC	B2MLXC			KS6XC	B2SSXC	B2SXC	B2MXC	B2LXC	KS4XC	KS5XC						
		COARSE	B2C	B2SLC	B2MLC	AL1C	AL2C	AL3C		B2SSC	B2SC	B2MC	B2LC	KS4C	KS5C	D169C	A15C	D701C	A16SC	A16C
		STANDARD	B2	B2SL	B2ML	AL1	AL2	AL3	KS6	B2SS	B2S	B2M	B2L	KS4	KS5	D169	A15	D701	A16S	A16
		FINE	B2F	B2SLF	B2MLF					B2SSF	B2SF	B2MF	B2LF	KS4F	KS5F		A15F			A16F
		EXTRA FINE	B2P	B2SLP	B2MLP					B2SSP				KS4P	KS5P					A16P

FG		FLAT END SHOULDER																
ISO No.		846	846	846	846	847	847	847	847	847	848	848	848	848	848	848L	848	
ISO Shape No.		169	171	171	171	172	172	172	172	172	173	173	173	173	173	174	173	
Head/Tip (mm)		1.0	1.2/0.7	1.6/1.2	2.5/1.8	1.0/0.7	1.2/0.8	1.4/1.0	1.6/1.2	1.8/1.4	1.0/0.7	1.2/0.8	1.4/0.9	1.6/1.1	1.8/1.5	1.8/1.0	2.3/1.8	
Head Length (mm)		6	6	6	7	8	8	8	8	8	10	10	10	10	10	12	9	
																		
FG31	REGULAR	SUPER COARSE		B3SXC	B4SSXC	D10XC		B4SXC	BB3XC	BB4XC	B4LXC			C2SXC	C2XC	C2MXC	C2LXC	D9XC
		COARSE	D700LC	B3SC	B4SSC	D10C	B3SSC	B4SC	BB3C	BB4C	B4LNC	C1SC	C1C	C2SC	C2C	C2MC	C2LC	D9C
		STANDARD	D700L	B3S	B4SS	D10	B3SS	B4S	BB3	BB4	B4LN	C1S	C1	C2S	C2	C2M	C2L	D9
		FINE			B4SSF	D10F		B4SF	BB3F	BB4F	B4LNF		C1F	C2SF	C2F	C2MF		D9F
		EXTRA FINE		D3SP		D10P		B4SP			B4LNP			C2SP	C2P			

FG		ROUND TIP				BULK REDUCTION			MODIFIED SHOULDER																	
ISO No.		390	390	390	390	6055	6051	6051	845KR	845KR	845KR	846KR	846KR	846KR	847KR	847KR	847KR									
ISO Shape No.		274	274	274	274	516	510	510	168KR	168KR	168KR	168KR	168KR	168KR	172KR	172KR	172KR									
Head/Tip (mm)		1.0	1.4	1.6	2.1	1.8	1.7	1.8	1.6/1.3	1.8/1.5	2.5/2.0	1.6/1.2	1.8/1.4	2.3/1.6	1.6/1.2	1.8/1.4	2.3/1.7									
Head Length (mm)		3	3	3.5	4	8	8	9	4	4	4	6	6	6	8	8	8									
FG31	REGULAR	SUPER COARSE							D1NXC	D1LNXC	D1L3XC	A16RLXC						A16RLLXC						B4RXC	B4LRXC	D9RXC
		COARSE							D1NC	D1LNC	D1L3C	A16RLC	A162C	A16RLLC	A16RC	A163C	A164C	B4RC	B4LRC	D9RC						
		STANDARD							D1N	D1LN	D1L3	A16RL	A162	A16RLL	A16R	A163	A164	B4R	B4LR	D9R						
		FINE										A16RLF		A16RLLF	A16RF	A163F	A164F	B4RF	B4LRF	D9RF						
		EXTRA FINE										A16RLP		A16RLLP				B4RP	B4LRP							

FG		ROUND											ROUND W/Surgical L.																					
ISO No.		801	801	801	801	801	801	801	801	801	801	801	801	801L	801L	801L	801L	801L																
ISO Shape No.		001	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001																
Head (mm)		0.8	0.9	1.0	1.2	1.4	1.6	1.8	2.1	2.3	2.9	3.3	3.5	0.9	1.2	1.4	1.6	1.8																
Head Length (mm)																																		
FG31	REGULAR	SUPER COARSE																A3XC	A4XC	A5XC	A5LXC	A5LLXC	A5L3XC	A5L4XC						ALL3SXC		ALL4XC		
		COARSE																A0C	A1C	A2SC	A2C	A2LC	A3C	A4C	A5C	A5LC	A5LLC	A5L3C	A5L4C	ALL1C	ALL2C	ALL3SC	ALL3C	ALL4C
		STANDARD																A0	A1	A2S	A2	A2L	A3	A4	A5	A5L	A5LL	A5L3	A5L4	ALL1	ALL2	ALL3S	ALL3	ALL4
		FINE																	A1F	A2SF	A2F	A2LF	A3F	A4F	A5F	A5LF	A5LLF	A5L3F	A5L4F			ALL3SF		
		EXTRA FINE																		A2SP	A2P	A2LP	A3P	A4P	A5P	A5LP	A5LLP	A5L3P	A5L4P					

FG		MODIFIED BEVELED CYLINDER														BEVELED CYL																			
ISO No.		877	877	877	878	878	878	878	878	878	879	879	879	879	879L	879L	884	884	885																
ISO Shape No.		288	288	288	289	289	289	289	289	289	290	290	290	290	290	290	129	129	130																
Head (mm)		1.0	1.2	1.4	1.0	1.2	1.4	1.6	1.8	1.2	1.4	1.6	1.8	1.2	1.4	1.2	1.4	1.0																	
Head Length (mm)		6	6	6	8	8	8	8	8	10	10	10	10	12	12	6	6	8																	
FG31	REGULAR	SUPER COARSE																	B11XC	B11MXC	B11LXC	B11LLXC	C22XC	C23XC	C24XC	C25XC	C26XC	C27XC							
		COARSE																	B10C	B10MC	B10LC	B11SC	B11C	B11MC	B11LC	B11LLC	C22C	C23C	C24C	C25C	C26C	C27C	B12C	B13C	B14C
		STANDARD																	B10	B10M	B10L	B11S	B11	B11M	B11L	B11LL	C22	C23	C24	C25	C26	C27	B12	B13	B14
		FINE																	B10F	B10MF	B10LF	B11SF	B11F	B11MF	B11LF	B11LLF	C22F	C23F	C24F	C25F	C26F	C27F	B12F	B13F	B14F
		EXTRA FINE																	B10P	B10MP			B11P				C22P								

FG		BEVELED CYLINDER						MODIFIED CHAMFER																					
ISO No.		885	885	886	886	886	886	876K	877K	877K	877K	877K	877K	878K	878K	878K	878K	878K											
ISO Shape No.		130	130	131	131	131	131	297	297	297	297	297	298	298	298	298	298	298											
Head (mm)		1.2	1.4	1.0	1.2	1.4	1.6	1.2	1.2	1.4	1.6	1.8	2.1	1.2	1.4	1.6	1.8	2.1											
Head Length (mm)		8	8	10	10	10	10	4	6	6	6	6	6	8	8	8	8	8											
FG31	REGULAR	SUPER COARSE																	S2SSXC	S2MSXC	S2LSXC	S2LLSXC	S2SXC	S2XC	S2MXC	S2LXC	S2LLXC		
		COARSE																	S2S4C	S2S3C	S2SSC	S2MSC	S2LSC	S2LLSC	S2SC	S2C	S2MC	S2LC	S2LLC
		STANDARD																	S2S4	S2S3	S2SS	S2MS	S2LS	S2LLS	S2S	S2	S2M	S2L	S2LL
		FINE																	S2S3F	S2SSF			S2LSF	S2LLSF	S2SF	S2F	S2MF	S2LF	
		EXTRA FINE																							S2P	S2MP	S2LP		

FG		MODIFIED CHAMFER							INVERTED CONE											
ISO No.		878K	878K	879K	879K	879K	879K	879K	805	805	805	805	805	805	805	805	807	807	807	807
ISO Shape No.		298	298	298	299	299	299	299	010	010	010	010	010	010	010	010	225	225	225	255
Head (mm)		2.3	1.7	1.2	1.4	1.6	1.8	2.1	1.0	1.2	1.4	1.6	1.8	2.1	2.3	1.2	1.4	1.6	1.8	
Head Length (mm)		8	9	10	10	10	10	10	1	1.5	1.5	1.8	1.8	1.8	2.3	3.5	3.5	3.5	5	
FG31 REGULAR	SUPER COARSE	S4XC	S1XC	S3SSXC	S3SXC	S3XC	S3LXC	S5XC												
	COARSE	S4C	S1C	S3SSC	S3SC	S3C	S3LC	S5C	A6C	A7C	A8C	A8MC	A8LC	A8LLC	A8L3C	A11C	A11LC	A11LLC	A11L3C	
	STANDARD	S4	S1	S3SS	S3S	S3	S3L	S5	A6	A7	A8	A8M	A8L	A8LL	A8L3	A11	A11L	A11LL	A11L3	
	FINE	S4F	S1F	S3SSF	S3SF	S3F	S3LF		A6F	A7F	A8F					A11F			A11L3F	
	EXTRA FINE		S1P		S3SP	S3P	S3LP		A6P		A8P					A11P				

FG		FOOTBALL						EGG						BARREL			
ISO No.		368	368	368	368	368	369	379	379	379	379	379	379	811	811	811	811
ISO Shape No.		257	257	257	257	257		277	277	277	277	277	277	038	038	038	038
ISO Ø 1/10 (mm)		016	018	018	021	023	2.5	012	014	016	018	021	023	017	032	038	047
Head Length (mm)		3.5	4	4.5	5	5	5.5	2.8	2.8	3.4	3.4	3.8	5	3	5	7	7
FG31 REGULAR	SUPER COARSE	A17SXC	A17XC	A173XC	C15SXC	C15XC								C13XC	C13MXC	C13LLXC	
	COARSE	A17SC	A17C	A173C	C15SC	C15C	C28C	C15RS3C	C15RSSC	C15RS1C	C15RSC	C15RMSC	C15RC	C17C	C13C	C13MC	C13LLC
	STANDARD	A17S	A17	A173	C15S	C15	C28	C15RS3	C15RSS	C15RS1	C15RS	C15RMS	C15R	C17	C13	C13M	C13LL
	FINE	A17SF	A17F	A173F	C15SF	C15F	C28F	C15RS3F	C15RSSF	C15RS1F	C15RSF	C15RMSF	C15RF		C13F		
	EXTRA FINE	A17SP	A17P	A173P	C15SP	C15P		C15RS3P	C15RSSP	C15RS1P	C15RSP	C15RMSP	C15RP		C13P		

FG		FLAME																
ISO No.	6 Per Pkg	30011	861	862	862	888	862	888	30011	862	863	863	863L	863	862L	30011	860	860
ISO Shape No.		052	247	249	249	249	249	249	056	249	250	250	250L	250	249	055	247	247
Head (mm)		1.2	1.4	1.0	1.2	1.2	1.4	1.4	1.4	1.6	1.2	1.4	1.4	1.6	1.8	2.0	1.0	1.2
Head Length (mm)		6.5	6	8	8	8	8	8	8.0	8	10	10	12	10	9	9	4	4
FG31 REGULAR	SUPER COARSE				B9SSXC	B8XC	B9LXC	B9XC	B9SXC	B9MXC	C10XC	C10MXC	C10LXC	C11XC	B9LLXC	B9L3XC		
	COARSE	B8SSC	B8S1C	B8SC	B9SSC	B8C	B9LC	B9C	B9SC	B9MC	C10C	C10MC	C10LC	C11C	B9LLC	B9L3C	A25C	A26C
	STANDARD	B8SS	B8S1	B8S	B9SS	B8	B9L	B9	B9S	B9M	C10	C10M	C10L	C11	B9LL	B9L3	A25	A26
	FINE	B8SSF	B8S1F	B8SF	B9SSF	B8F	B9LF	B9F	B9SF	B9MF	C10F	C10MF	C10LF	C11F	B9LLF	B9L3F	A25F	A26F
	EXTRA FINE	B8SSP		B8SP	B9SSP	B8P	B9LP	B9P	B9SP	B9MP	C10P			C11P			A25P	A26P

FG		FLAME		NEEDLES													SPIRAL	
ISO No.		860	860	852	852	852	858	858	858	858	859	859	859	859	859	859	859	848
ISO Shape No.		247	247	160	160		164	164	164	164	166	166	166	166	166	166	173	
Head (mm)		1.4	1.6	0.8	1.2	2.3	1.0	1.2	1.4	1.6	1.2	1.0	1.4	1.6	1.8	2.1	1.6	
Head Length (mm)		4	4	6	6	6	8	8	8	8	10	11	10	10	10	10	10	
FG31 REGULAR	SUPER COARSE					B73LXC				B7XC	B7LXC	C6XC		C7SXC	C7XC	C8XC	C8LXC	D6XC
	COARSE	A27C	A28C			B73LC	C6SC	B7SC	B7C	B7LC	C6C	C6LC	C7SC	C7C	C8C	C8LC	D6C	
	STANDARD	A27	A28	B71	B73	B73L	C6S	B7S	B7	B7L	C6	C6L	C7S	C7	C8	C8L	D6	
	FINE	A27F	A28F	B71F	B73F		C6SF	B7SF	B7F	B7LF	C6F	C6LF	C7SF	C7F	C8F	C8LF		
	EXTRA FINE		A28P	B71P	B73P			B7SP	B7P	B7LP	C6P	C6LP	C7SP	C7P	C8P	C8LP		



# QUALITÉ CARBIDE BURS

## PREMIUM CARBIDE BURS • MADE BY KERR FROM CANADA

- Precision ground cutting edges for consistent cutting performance.

FG -Friction Grip

SS -FG Short Shank

RA -Latch (Right Angle)

10 Per Pkg. \$12.00 100 Per Pkg. \$99.00

HPOS -Use in Straight Nose Cones (65 mm)

10 Per Pkg. \$19.50

FGOS -FG with Surgical Length (25 mm)

RAOS -RA with Surgical Length

10 Per Pkg. \$17.50 100 Per Pkg. \$160.00

HP -for Straight Hnadpiece (44 mm)

10 Per Pkg. \$13.00 100 Per Pkg. \$120.00



## SOLID CARBIDE ONE - PIECE CONSTRUCTION • MADE IN USA

- Eliminates joint breakage

FG -Friction Grip/FGSS (Short) 10 Per Pkg. \$17.00 100 Per Pkg. \$155.00















FGOS (FG Surgical) 10 Per Pkg. \$29.50 100 Per Pkg. \$280.00













SHANK TYPE			
Code	Shank Type	Shank Image	Dia/Length (mm)
FG	Friction Grip		1.6/19-21
FGSS	FG Short Shank		1.6/16.5
FGOS	FG Oral Surgical		1.6/25
RASS	Latch Short Shank		2.35/18.5
RA	Latch (Right Angle)		2.35/22
RAOS	Latch Oral Surgical		2.35/26
HP	Handpiece		2.35/44.5
HPOS	HP Surgical		2.35/65













TAPER ROUND END X-CUT FISSURE					
ISO No.	1700	1701	1702	1703	1703L
ISO Ø 1/10 (mm)	010	012	016	021	021
Head Length (mm)	3.7	3.7	4.1	4.5	4.9
<b>6 BLADES</b>					
FG-CANADA	FG1700	FG1701	FG1702		
FGOS (Surgical)			FGOS1702	FGOS1703	
HP-CANADA		HP1701	HP1702	HP1703	HP1703L













ROUND													AMALGAM PREP			
ISO No.	¼	½	1	2	3	4	5	6	7	8	9	10	245	246	256	257
ISO Ø 1/10 (mm)	005	007	008	010	012	014	016	018	021	023	025	027	009	012	009	010
Head Length (mm)													2.7	3.7	2.7	3.7
<b>6 BLADES</b>																
FG-CANADA	FG¼	FG½	FG1	FG2	FG3	FG4	FG5	FG6	FG7	FG8			FG245	FG246	FG256	FG257
FG - One Piece- USA	FG¼-1	FG½-1	FG1-1	FG2-1	FG3-1	FG4-1	FG5-1						FG245-1	FG246-1	FG256-1	
FGSS (Short)-CANADA	FGSS¼	FGSS½	FGSS1	FGSS2	FGSS3	FGSS4	FGSS5	FGSS6		FGSS8			FGSS245			
FGSS (Short)-1 Piece-USA			FGSS1-1	FGSS2-1		FGSS4-1							FGSS245-1			
FGOS (Surgical) -CANADA	FGOS¼	FGOS½	FGOS1	FGOS2	FGOS3	FGOS4		FGOS6		FGOS8						
FGOS (Surgical) -1 Piece-USA		FGOS½-1	FGOS1-1	FGOS2-1	FGOS3-1	FGOS4-1										
RA(Latch)-CANADA	RA¼	RA½	RA1	RA2	RA3	RA4	RA5	RA6	RA7	RA8	RA9		RA245			
RASS-CANADA				RASS2	RASS3		RASS5									
RAOS-CANADA		RAOS½	RAOS1	RAOS2	RAOS3	RAOS4		RAOS6		RAOS8						
HP-CANADA	HP¼	HP½	HP1	HP2	HP3	HP4	HP5	HP6	HP7	HP8		HP10				
HPOS-CANADA								HPOS6		HPOS8						

PEAR									STRAIGHT ROUND END FISSURE			
ISO No.	329	330	331	332	330L	331L	332L	333L	1155	1156	1157	1158
ISO Ø 1/10 (mm)	006	008	010	012	008	010	012	014	008	009	010	012
Head Length (mm)	1.2	1.6	1.7	1.8	3.8	3.8	3.8	3.8	3.7	3.7	3.7	3.7
<b>6 BLADES</b>												
FG-CANADA	FG329	FG330	FG331	FG332		FG331L	FG332L	FG333L	FG1155	FG1156	FG1157	FG1158
FG - One Piece- USA	FG329-1	FG330-1	FG331-1	FG332-1	FG330L-1	FG331L-1			FG1155-1	FG1156-1	FG1157-1	FG1158-1
FGSS (Short)-CANADA	FGSS329	FGSS330	FGSS331	FGSS332		FGSS331L			FGSS1156	FGSS1157	FGSS1158	
FGSS (Short)-1 Piece-USA		FGSS330-1	FGSS331-1									
FGOS (Surgical) -CANADA												FGOS1158
RA(Latch)-CANADA		RA330	RA331	RA332		RA331L						
HP-CANADA											HP1157	HP1158

	INLAY PREP	INVERTED CONE										STRAIGHT ROUND END X-CUT FISSURE			
ISO No.	271	33½	34	35	36	37	38	39	41	37L	1556	1557	1558	1559	
ISO Ø 1/10 (mm)	012	006	008	010	012	014	016	018	023	014	009	010	012	014	
Head Length (mm)	2.7	0.4	0.6	0.7	0.8	0.8	1.0	1.3	2.4	4.1	3.2	3.7	3.7	3.7	
<b>6 BLADES</b>															
FG - CANADA	FG271	FG33½	FG34	FG35	FG36	FG37	FG38	FG39		FG37L	FG1556	FG1557	FG1558		
FG - One Piece- USA		FG33½-1	FG34-1	FG35-1	FG36-1	FG37-1					FG1556-1	FG1557-1	FG1558-1	FG1559-1	
FGSS (Short)-CANADA		FGSS33½	FGSS34	FGSS35							FGSS1556	FGSS1557	FGSS1558		
FGSS (Short)-One Piece-USA				FGSS35-1								FGSS1557-1			
FGOS (Surgical) -CANADA			FGOS34									FGOS1557	FGOS1558		
FGOS (Surgical) -One Piece-USA												FGOS1557-1	FGOS1558-1		
RA(Latch)-CANADA		RA33½	RA34	RA35	RA36	RA37	Ra38	Ra39				RA1557			
HP-CANADA		HP33½	HP34	HP35	HP36	HP37		HP39	HP41		HP1556	HP1557	HP1558		

	CROSSCUT TAPERED FISSURE												
ISO No.	699	700	701	702	703	699L	700L	701L	701XL	702L	703L	704	
ISO Ø 1/10 (mm)	009	010	012	016	021	009	010	012	012	016	021	023	
Head Length (mm)	3.2	3.7	3.7	4.1	4.5	4.9	4.9	6.0	6.0	4.9	5.7	4.5	
<b>6 BLADES</b>													
FG - CANADA	FG699	FG700	FG701	FG702	FG703	FG699L	FG700L	FG701L					
FG - One Piece- USA	FG699-1	FG700-1	FG701-1	FG702-1		FG699L-1	FG700L-1	FG701L-1		FG702L-1			
SS (Short)-CANADA	FGSS699	FGSS700	FGSS701										
SS (Short)-One Piece-USA		FGSS700-1	FGSS701-1										
FGOS (Surgical) -CANADA		FGOS700	FGOS701	FGOS702	FGOS703					FGOS702L			
FGOS (Surgical) One Piece- USA		FGOS700-1	FGOS701-1	FGOS702-1					OS701XL-1				
RA (Latch)-CANADA	RA699	RA700	RA701	RA702	RA703								
RAOS (Surgical) -CANADA			RAOS701										
HP-CANADA	HP699	HP700	HP701	HP702	HP703	HP699L	HP700L	HP701L		HP702L	HP703L	HP704	
HPOS-CANADA				HPOS702	HPOS703								

	END CUTTING		TAPERED FISSURE									
ISO No.	956	957	167	168	169	170	171	172	173	169L	170L	171L
ISO Ø 1/10 (mm)	009	010	005	008	009	010	012	016	021	009	010	012
Head Length (mm)	3.2	3.7	3.2	3.2	3.2	3.7	3.7	4.1	4.5	4.9	4.9	4.9
<b>6 BLADES</b>												
FG - CANADA	FG956	FG957	FG167	FG168	FG169	FG170	FG171	FG172	FG173	FG169L	FG170L	FG171L
FG - One Piece- USA					FG169-1	FG170-1	FG171-1			FG169L-1	FG170L-1	FG171L-1
FGSS (Short)-CANADA	FGSS956	FGSS957			SS169	SS170						
FGOS (Surgical) -CANADA						FGOS170	FGOS171					
RA(Latch)-CANADA					RA169	RA170	RA171			RA169L		
HP-CANADA					HP169	HP170				HP169L		HP171L

	STRAIGHT FLAT END X-CUT FISSURE									STRAIGHT FLA-END FISSURE		
ISO No.	555	556	557	558	559	560	556L	557L	558L	56	57	58
ISO Ø 1/10 (mm)	008	009	010	012	014	016	009	010	012	009	010	012
Head Length (mm)	3.2	3.2	3.7	3.7	4.1	4.1	4.6	4.9	4.9	3.2	3.7	3.7
<b>6 BLADES</b>												
FG - CANADA		FG556	FG557	FG558	FG559	FG560	FG556L	FG557L	FG558L	FG56	FG57	FG58
FG - One Piece- USA	FG555-1	FG556-1	FG557-1	FG558-1	FG559-1			FG557L-1	FG558L-1	FG56-1	FG57-1	FG58-1
FGSS (Short)-CANADA		FGSS556	FGSS557	FGSS558				FGSS557L		FGSS56	FGSS57	FGSS58
FGSS (Short)-One Piece-USA		FGSS556-1	FGSS557-1	FGSS558-1						FGSS57-1		
FGOS (Surgical) -CANADA		FGOS556	FGOS557	FGOS558	FGOS559	FGOS560						
FGOS (Surgical) -One Piece-USA			FGOS557-1	FGOS558-1				FGOS557L-1				
RA(Latch)-CANADA		RA556	RA557	RA558	RA559					RA56	RA57	RA58
RASS-CANADA										RASS57		
RAOS-CANADA			RAOS557	RAOS558								
HP-CANADA		HP556	HP557	HP558	HP559	HP560				HP57	HP58	

STRAIGHT FLAT-END FISSURE						TAPER ROUND END FISSURE						
ISO No.	59	60	57L	58L	60L	1169	1170	1171	1172	1169L	1170L	1171L
ISO Ø 1/10 (mm)	014	016	010	012	016	009	010	012	016	009	010	012
Head Length (mm)	4.1	4.1	4.9	4.9	5.7	3.2	3.7	3.7	4.1	4.9	4.9	4.9
<b>6 BLADES</b>												
<b>FG – CANADA</b>	FG59	FG60	FG57L	FG58L		FG1169	FG1170	FG1171	FG1172	FG1169L	FG1170L	FG1171L
<b>FG – One Piece– USA</b>	FG59-1		FG57L-1				FG1170-1	FG1171-1				
<b>RA(Latch)–CANADA</b>								RA1171	RA1172			
<b>HP–CANADA</b>	HP59				HP60L		HP1170	HP1171	HP1172			

### 12 & 30 FLUTES TRIMMING & FINISHING BURS • In Friction Grip

Premium Quality Carbide Burs • Made in Canada

Solid Carbide One-Piece Construction • Made in USA

12 BLADES • 5 bur Pkg.  
\$18.00 = **\$3.60 per bur**

30 BLADES • 5 bur Pkg.  
\$28.00 = **\$5.60 per bur**

12 BLADES • 5 bur Pkg.  
\$26.00 = **\$5.20 per bur**

30 BLADES • 5 bur Pkg.  
\$36.00 = **\$7.2 per bur**



D: 2.3mm  
L: 4.2 mm

**CT6**  
12FL  
5 pack **\$26**



**ET6**  
20FL  
5 pack **\$32**



**FT6**  
30FL  
5 pack **\$36**

		COMPOSITE TRIMMING				ROUND					
ISO No.		008	010	014	014	2	3	4	6	8	9
ISO Ø 1/10 (mm)		008	010	014	014	010	012	014	018	023	027
Head Length (mm)		3.0	4.2	6.0	9.0						
<b>12 &amp; 30 BLADES</b>											
<b>12 Blades CANADA</b>						7002	7003	7004	7006	7008	7009
<b>12 Blades USA</b>		EF3	EF4	EF6	EF9			7004-1			
<b>12 Blades RA</b>									RA7006		
<b>30 Blades CANADA</b>								9004	9006	9008	
<b>30 Blades USA</b>		UF3	UF4	UF6	UF9						

	BULLET				ROUND END TAPER				EGG			NEEDLES				CYLINDER
ISO No.	OS3	OS2									OS1					
ISO Ø 1/10 (mm)	007	009	010	012	010	012	014	016	014	018	023	009	010	012	014	015
Head Length (mm)	3.2	3.2	3.4	3.4	8.0	8.0	8.0	8.0	2.8	3.4	4.2	3.6	3.6	3.6	3.6	
<b>12 &amp; 30 BLADES</b>																
<b>12 Blades CANADA</b>		7801	7802	7803	7642		7664		7404	7406	7408	7901	7902	7903		7572
<b>12 Blades USA</b>		7801-1	7802-1	7803-1	7642-1	7653-1	7664-1	7675-1	7404-1	7406-1		7901-1	7902-1	7903-1		
<b>12 Blades RA (Latch)</b>										RA7406						
<b>30 Blades CANADA</b>				9803	9642					9406				9903	9904	
<b>30 Blades USA</b>	9800-1	9801-1	9802-1	9803-1					9404-1	9406-1	9408-1			9903-1	9904-1	

	TAPER T-SERIES			FLAME					POINT TAPER				INTERPROXIMAL			
ISO No.	T-1	T-2	T-3													
ISO Ø 1/10 (mm)	009	012	014	012	014	018	023	016	010	012	0.8	1.0	1.4	1.4	012	010
Head Length (mm)	2.9	5.1	7.6	3.5	3.5	3.8	4.6	3.5	8.0	8.0	3.4	3.9	5.8	8.7	3.2	6.0
<b>12 &amp; 30 BLADES</b>																
<b>12 Flutes CANADA</b>	7114	7214	7714	7103	7104	7106	7108				7610	7611	7612	7613	7103	7602
<b>12 Flutes USA</b>			7714-1	7103-1	7104-1			H274	H48L010	H48L012			7612-1	7613-1		
<b>30 Flutes CANADA</b>		9214	9714													
<b>30 Flutes USA</b>		9214-1	9714-1													

	TAPER					CURETTAGE		PARALLEL	BEVEL	INVERTED TAPER		DOME-END TAPER	CHAMFERING
ISO No.													
ISO Ø 1/10 (mm)	010	012	014	016	018	016	016	012	014	012	014	009	015
Head Length (mm)	5.2	5.2	9.0	9.0	9.0	6.0	8.0	8.0	8.0	4.2	4.2	3.4	
<b>12 &amp; 30 BLADES</b>													
<b>12 Flutes CANADA</b>	7702	7713	7204	7205	7206	7283	7283K6	283	284	7303	7304		7345
<b>12 Flutes USA</b>			7204-1										
<b>30 Flutes CANADA</b>		9713										9561	

## 12 FLUTES FINISHING BURS

FG-For Use in High Speed Handpiece • Made in Canada  
100 Per Pkg. \$295 = **\$2.95 per bur**

12 BLADES PACK OF 100							
ISO No.							
ISO Ø 1/10 (mm)	009	010	012	014	018	023	014
Head Length (mm)	3.6	3.6	3.6	2.8	3.4	4.2	
12 BLADES 100 PACK							
	<b>12 BLADES</b>	<b>FG7901</b>	<b>FG7902</b>	<b>FG7903</b>	<b>FG7404</b>	<b>FG7406</b>	<b>FG7408</b>
	<b>/100PK</b>	<b>/100PK</b>	<b>/100PK</b>	<b>/100PK</b>	<b>/100PK</b>	<b>/100PK</b>	<b>/100PK</b>

## ENDO ACCESS BURS • MADE IN USA

Solid Carbide One-Piece Construction  
5 Per Pkg. \$32.00 = **\$6.40 per bur**

ISO Ø 1/10 (mm)	016	014		016	016
Head Length (mm)	11	11		9.0	9.0
TD (mm)				0.70	0.9
ENDO ACCESS BUR PACKS OF 5					
	<b>ENDO ACCESS</b>	<b>40199Z</b>	<b>40151Z</b>	<b>4219EZ</b>	<b>4152EZ</b>

## BARRACUDA

Ideal for rapid reduction of all materials such as amalgam, porcelain, metal and tooth structure. Its super sharp transversing tip and blade design result in powerful cutting performance, perfect for crown removal and endodontic access.

10 Per Pkg. \$36.00

100 Per Pkg. \$320

SOLID CARBIDE ONE PIECE • MADE IN USA

METAL/CROWN CUTTERS																		
ISO No.		2	4	6	8	34	35	37	245	330	331	556	557	558	701	702	1557	1558
ISO Ø 1/10 (mm)		010	014	016	023	008	010	014	008	008	010	009	010	012	012	016	010	012
Head Length (mm)						0.9	1.1	1.4	2.7	1.6	1.7	4.2	4.2	4.2	4.2	4.2	4.2	4.2
BARRACUDA																		
	METAL CUTTER: MC	MC02	MC04	MC06	MC08	MC34	MC35	MC37	MC245	MC330	MC331	MC556	MC557	MC558	MC701	MC702	MC1557	MC1558
MC SHORT									MCSS330	MCSS331		MCSS557						MCSS1558

## C&B SPEEDSTER

Technologically designed to provide a superior alternative to diamonds in crown and bridge preparation procedures.

10 Per Pkg. \$54.50

SOLID CARBIDE ONE PIECE • MADE IN USA

	ROUND END TAPER				FLAT END TAPER				FOOTBALL
ISO No.	856	856	856	856	847	847	847	847	379
ISO Ø 1/10 (mm)	012	014	016	018	012	014	016	018	023
Head Length (mm)	8	8	8	8	8	8	8	8	5
SPEEDSTER									
	CROWN PREP	CR856-012	CR856-014	CR856-016	CR856-018	CR847-012	CR847-014	CR847-016	CR847-018

## FINE CROSSCUT "BEAVER" BURS • CRISS CROSSCUT • MADE IN CANADA

10 Per Pkg. \$27.00

100 Per Pkg. \$250.00

	FINE CROSS CUT ROUND				FINE CROSS CUT PEAR				FINE CROSS CUT AMELGAM PREP		FINE CROSS CUT STRAIGHT FISSURE			FINE CROSS CUT STRAIGHT FISSURE DOME								
ISO Ø 1/10 (mm)		010	014	018	023		006	008	010	012		009	012		009	010	012		009	010	012	012
Head Length (mm)							1.6	1.6	1.6	1.6		2.7	3.7		3.2	3.7	3.7		3.2	3.7	3.7	4.9
FG																						
	FGSS	1902	1904	1906	1908	1929	1930	1931	1932	1945	1946	2056	2057	2058	1956	1957	1958	1958L				
FGOS			OS1906				SS1930	SS1931						SS2057						SS1958		
														OS2057								

	FINE CROSS CUT TAPER FLAT END				FINE CROSS CUT INVERTED CONE			KRISS KROSS STRAIGHT DOME		FINE CROSS CUT TAPER DOME END			KRISS KROSS TAPER DOME	
ISO Ø 1/10 (mm)	009	010	012	016	008	010	014	010	012	009	010	012	010	012
Head Length (mm)	3.2	3.7	3.7	4.1	0.6	0.7	0.8	3.7	3.7	3.2	3.7	3.7	3.7	3.7
FG	2069	2070	2071	2072	2034	2035	2037	2157	2158	1969	1970	1971	2170	2171

## ValuDiamond: Economic Line of Diamond Burs

Multi-Use or Single Use | Non-Sterilized

This economic line of diamond burs is very high quality and come in packs of 10 burs.

ValuDiamond burs are designed for both single and multiple use; their one-piece stainless steel shanks undergo a special heat treatment to ensure rigidity, strength and precision.

There are over 200 shapes and grits available, which all sell for the same low price.

10 per pack **\$10.50 = \$1.05 per bur**

### ROUND END TAPER

Order / ISO #	V-850.010	V-856.012	V-850.012	V-S855.014	V-856.014	V-850.014	V-S855.016	V-856.016	V-850.016
Grits	C M	C M	C M	SC C	SC C M F	SC C M F	SC M	SC C M F XF	SC M F
Head / Lgh / Tip (mm)	1.0/10/0.7	1.2/7/0.7	1.2/10/0.7	1.4/6/0.9	1.4/8/0.9	1.4/10/0.9	1.6/6/1.1	1.6/8/1.1	1.6/10/1.1
Neo. #		1112.7	1112.10	1114.6	1114.8	1114.10	1116.6	1116.8	1116.10

### ROUND END TAPER

Order / ISO #	V-856.018	V-856N.018	V-856L.018	V-856.021	V-856.022	V-S856.024	V-856.024	V-847.010	V-848.010	V-847.012
Grits	SC C M F	C	SC C M F	SC	SC	SC	SC F	C F	C M	C
Head / Lgh / Tip (mm)	1.8/8/1.4	1.8/8/1.2	1.8/9/1.4	2.1/8/1.6	2.2/8/1.8	2.4/7/1.8	2.4/7/1.8	1.0/8/0.7	1.0/10/0.7	1.2/8/0.8
Neo. #	1118.7	1118.8	1118.9	1121.8	1122.8	2424CS	2424			

### FLAT END TAPER

### FLAT END TAPER

Order / ISO #	V-847L.014	V-847.014	V-S847.014	V-847.016	V-848.016	V-847.018	V-848.018	V-S846KR.016	V-847KR.016	V-845KR.018	V-847KR.018
Grits	C	SC C M F	SC	SC C M F	SC M	SC M	SC M	SC M	SC C M F	SC C M	SC
Head / Lgh / Tip (mm)	1.4/9/0.7	1.4/8/1.0	1.4/8/1.0	1.6/8/1.2	1.6/10/1.1	1.8/8/1.4	1.8/10/1.4	1.6/6/1.1	1.6/8/1.1	1.8/4/1.4	1.8/8/1.4
Neo. #	0914.9	0914.8	0914.8	0916.8	0916.10	0918.8	0918.10	0816.6S	0816.8	0818.4	0818.8

### MODIFIED FLAT END TAPER

### MODIFIED FLAT END TAPER

Order / ISO #	V-845KR.025	V-878K.012	V-879K.012	V-878K.014	V-879K.014	V-S877K.016	V-878K.016	V-878K.018	V-879K.016	V-879K.018	V-878K.021
Grits	C M	C M F	C M	SC C M F	C M	C M	SC C M F	SC F	SC	SC M	C
Head / Lgh / Tip (mm)	2.5/4/2.0	1.2/8/0.8	1.2/10/0.8	1.4/8/1.0	1.4/10/1.1	1.6/6/1.2	1.6/8/1.2	1.8/8/1.4	1.6/10/1.2	1.8/10/1.4	2.1/8/1.6
Neo. #	2525	1712.8	1712.10	1714.8	1714.10	1716.6	1716.8	1718.8	1718.8	1718.10	1721.8

### MODIFIED CHAMFER



**FLAT END CYLINDER**

**MOD. FLAT END CYL.**

**ROUND END CYLINDER**

Order / ISO #	V-835.008	V-835.009	V-S835.010	V-835.010	V-835.012	V-835.014	V-837.010	V-837.012	V-837.014	V-837.016	V-837KR.014	V-881.009	V-881.012	V-881.014
Grits	C	C	C M	C M	C	C	C	C	C	C	C F	C F	SC	SC
Head / Lgh / Tip (mm)	0.8/4/0.8	0.9/4/0.9	1.0/4/1.0	1.0/4/1.0	1.2/4/1.2	1.4/4/1.4	1.0/7/1.0	1.2/8/1.2	1.4/8/1.4	1.6/8/1.6	1.4/8/1.4	0.9/7/0.9	1.2/7/1.2	1.4/8/1.4
Neo. #			0710S	0710	0712			0712.7		0716.8	0614.8	1210.7	1212.7	1214.8

**MOD. BEVELED CYL.**

**BEVELED CYLINDER**

**ROUND**

ORDER/ISO #	V-878.012	V-878.014	V-885.010	V-885.012	V-886.012	V-886.016	V-801.009	V-801.010	V-801.012	V-801.014	V-801.016	V-801.018
GRITS	C F	C F	M	C F	C M	C	M	M	C M	C M	C M F	C M
Head/Lgh/Tip(mm)	1.2/8/1.2	1.4/8/1.4	1.0/8/1.0	1.2/8/1.2	1.2/10/1.2	1.6/10/1.6	0.9/0.8	1.0/0.8	1.2/1.0	1.4/1.0	1.6/1.4	1.8/1.6
Neo. #	1800.8	1804.8		1812.8	1812.10			0110	0112		0116	0118

**ROUND**

**INVERTED CONE**

**DOUBEL INVERTED CONE**

**PEAR**

ORDER/ISO #	V-801.021	V-801.023	V-805.012	V-805.016	V-807.016	V-807.018	V-813.014	V-S830.008	V-830.008	V-830L.008	V-830.010	V-S830.012
GRITS	C	C M F	M	C	C	C	C	M	M	M	M	M
Head/Lgh/Tip(mm)	2.3/2.0	2.3/2.0	1.2/9	1.6/1.4	1.6/4.0	1.8/5.0	1.4/2.2	0.8/1.6	0.8/1.6	0.8/2.7	1.0/2.7	1.2/2.7
Neo. #	0123	0123	0312	0316	0316.4	0318.5	0416	0508S	0508			0512S

**PEAR**

**END CUTTER**

**INTER-PROXIMAL**

**NEEDLES**

ORDER/ISO #	V-830.012	V-830L.012	V-10839.012	V-10839.014	V-10839.016	V-392.016	V-S858.008	V-858.008	V-858.010	V-859.010
GRITS	M C	C	M	M	M	M F	F	M F XF	M F XF	M F XF
Head/Lgh/Tip(mm)	1.2/2.7	1.2/4	1.2	1.4	1.6	1.6/5	0.8/3	0.8/3	1.0/8.0	1.0/10
Neo. #			5012	5014	5016	1416	1300FS	1310.3		

**NEEDLES**

**WHEEL**

**EGG**

ORDER/ISO #	V-858.012	V-859L.012	V-858.014	V-859.014	V-859.016	V-909.035	V-909.042	V-379.023	V-379.018
GRITS	C M F XF	C F XF	C M F XF	C M F XF	C M F XF	C	C	SC M F XF	C F
Head/Lgh/Tip(mm)	1.2/8.0	1.2/11	1.4/8	1.4/10	1.6/10	3.5/1.3	4.2/1.5	2.3/4.2	1.8/3.4
Neo. #		1312.11	1314.8	1314.10		2035	2042	1900	1908

**FOOTBALL**

**DEPTH CUTTER**

**FLAME**

ORDER/ISO #	V-368.016	V-368.018	V-368.020	V-368.023	V-828.026	V-834.016	V-834.021	V-889.009	V-862.010	V-S862.012	V-861.012
GRITS	C F XF	C	C F	SC C M F XF	M	M	M	M F	C M F XF	C M	C F XF
Head/Lgh/Tip(mm)	1.6/3.2	1.8/4.0	2.0/5.0	2.3/5.2	dep: 0.5	dep: 0.3	dep: 0.5	0.9/3.0	1.0/8.0	1.2/8.0	1.2/7.0
Neo. #	1916		1920	1923	6005	7003	7005	1509.3	1510.8	1512.6	1512.7

FLAME							OCCLUSAL REDUCTION	GROSS REDUCTION	ACORN		
ORDER/ISO #	V-862.012	V-863.012	V-861.014	V-862.014	V-862.016	V-862L.018	V-811.033	V-811.037	V-6051.17	V-6055.18	V-905/028
GRITS	C M F XF	C M F XF	C M	C M F XF	C M F XF	C F	SC	SC	C	C	M F
Head/Lgh/Tip(mm)	1,2/8.0	1.2/10	1.4/7.5	1.4/8	1.6/8	1.8/9.0	3.3/5.0	3.7/7.0	1.7/8/1.7	1.8/8/1.3	2.8/2.9
Neo. #	1512.8	1512.10	1514.7	1514.8	1516.8	1518.9	2133	2137	2217	2218	



## IMPRESSION MATERIALS

European made. Fully digital scannable. Most hydrophilic with amazing accuracy. Stiffest, snap fit of implant analogs.



**Heavy Body Fast**  
Pack of 2  
**\$35.00**



**Heavy Body Fast**  
Pack of 10  
**\$160.00**



**Heavy Body Fast**  
Pack of 20  
**\$295.00**



**Light Body Fast**  
Pack of 2  
**\$35.00**



**Light Body Fast**  
Pack of 10  
**\$160.00**



**Bite Registration Fast**  
Pack of 2  
**\$35.00**



**Bite Registration Fast**  
Pack of 10  
**\$160.00**



**Bite Registration Fast**  
Pack of 20  
**\$295.00**

## ACCESSORIES



**Next Heavy Body**  
**Tip Pack of 48**  
**\$18.95**



**Next Light Body Tip**  
**+ Intra-Oral Tip**  
**Pack of 48 \$22.95**



**Impression Gun**  
**Pack of 1**  
**\$39.00**

# IMPLANT TRAYS

Patent Pending 62941000


## The implant tray solution!

MADE FROM RECYCLED MATERIALS

- Very easy to use
- No custom tray needed
- Unique transparent design

# KnockOut™

Just pop the tabs out with the handle of a dental mirror - hold handle at angle, as shown in picture



Lower

Upper

KnockOut Small Pack of 24  
SMALL MEDIUM LARGE

Buy 2 Packs get 1 FREE Mirror Handle

**\$36.00**



### MATERIAL MIXER

Heavy Body Standard 380 ml  
Pack of 2 + 10 Tips + 2 Rings

**\$215.00**

Auto Ree-Mixer for 380 ml  
Pack of 1

**\$1200.00**

For the best results use  
NEXT Light Body with  
NEXT Heavy Body



### Combo #2

Consists 20 packs of  
2 of 380 ml tubes \$4300  
+ FREE Auto Ree-Mixer \$0  
Includes 200 Tips & 40 Rings

**\$4300.00**

### Combo #1

Consists of 10 packs of 2 of 380 ml tubes \$2150  
+ 1/2 OFF Auto Ree-Mixer \$600  
Includes 100 Tips & 20 Rings

**\$2750.00**

Contact us to order today!



Implant Tray



# Shining Desktop Scanner DS-ES Pro



**Leave Scanning and dongle fees behind with a Shining 3D Desktop Scanner**

- No yearly scanning / dongle fees.
- Works perfectly with Exocad software
- Makes excellent scans of Next Digital VPS
- Create Open STL files



**\$7,099**



**The practical path to Digital  
Easy as 1.2.3**

*Next Digital™ VPS*

- Patented, new, E.U. made
- Designed for digital scans
- Vacuum-packed to eliminate air bubbles and bad mixes that cause pulls, tears or drags
- Extremely stiff and hydrophillic
- Locks implant in position



Use fully scannable **Next Digital VPS** for your full tray or 3-way tray Impression.

**Shining Desktop Scanner Autoscan-DS ExPro.** Best for impression scanning with no yearly scanning fees.

Produce open STL files that integrate with EXOCAD.