

Try out [PMC Labs](#) and tell us what you think. [Learn More.](#)



Wiley Public Health Emergency Collection

Public Health Emergency COVID-19 Initiative

[Phytother Res.](#) 2020 Aug 4 : 10.1002/ptr.6797.

PMCID: PMC7436866

doi: [10.1002/ptr.6797](#) [Epub ahead of print]

PMID: [32754955](#)

Astaxanthin, COVID-19 and immune response: Focus on oxidative stress, apoptosis and autophagy

[Sajad Fakhri](#), ¹ [Zeinab Nouri](#), ² [Seyed Zachariah Moradi](#), ^{1, 3} and [Mohammad Hosein Farzaei](#)^{✉ 1}

¹ Pharmaceutical Sciences Research Center, Health Institute, Kermanshah University of Medical Sciences, Kermanshah Iran,

² Student Research Committee, Kermanshah University of Medical Sciences, Kermanshah Iran,

³ Medical Biology Research Center, Health Technology Institute, Kermanshah University of Medical Sciences, Kermanshah Iran,

Mohammad Hosein Farzaei, Email: mh.farzaei@gmail.com.

[✉]Corresponding author.

* Correspondence

Mohammad Hosein Farzaei, Pharmaceutical Sciences Research Center, Health Institute, Kermanshah University of Medical Sciences, Kermanshah 6734667149, Iran.

Email: [,mh.farzaei@gmail.com](mailto:mh.farzaei@gmail.com)

Received 2020 Jun 13; Revised 2020 Jun 21; Accepted 2020 Jun 22.

[Copyright](#) © 2020 John Wiley & Sons, Ltd.

This article is being made freely available through PubMed Central as part of the COVID-19 public health emergency response. It can be used for unrestricted research re-use and analysis in any form or by any means with acknowledgement of the original source, for the duration of the public health emergency.

Dear Editor,

Researchers are aware of a global pandemic on novel coronavirus named severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), which causes coronavirus disease 2019 (COVID-19). It has been a serious leading cause of morbidity and mortality worldwide (Wang et al., [2020](#); Wu et al., [2020](#)).

Despite advancements in providing antiviral drugs, no effective treatment has now been approved for the prevention/management/treatment of COVID-19. Therefore, there exists a dire need to discover new, safe, and more efficacious treatment options to achieve ideal results. Besides, considering the contagiousness and unabated spread of COVID-19 infection, there is considerable interest in providing novel treatments. Accordingly, natural products possess promising antiviral effects through interfering with several aspects of viral infection like viral entry, genome release processes, gene expression, and replication (Pour, Fakhri, Asgary, Farzaei, & Echeverria, [2019](#)). Besides, several reports have indicated

the crucial role of oxidative stress, inflammation, apoptosis, autophagy, in triggering the pathogenesis and complications of COVID-19. So, providing novel treatments with potential anti-inflammatory, antioxidative, antiapoptotic effects, as well as ameliorative candidates on autophagy, would be grateful in preventing the progression of COVID-19. Additionally, during the past viral infections such as SARS-CoV and influenza, natural origin based medicinal plants have been widely used for counteracting viral infections (Ang, Lee, Choi, Zhang, & Lee, [2020](#)). Astaxanthin (3,3'-dihydroxy- β,β -carotene-4,4'-dione) is a keto-carotenoid with a wide variety of health-promoting properties through its effects on a plethora of molecular targets (Fakhri, Yosifova Aneva, Farzaei, & Sobarzo-Sánchez, [2019](#)). From the mechanistic point of view, considering the antioxidant, anti-inflammatory, antiapoptosis, and autophagy-modulatory activities (Fakhri, Dargahi, Abbaszadeh, & Jorjani, [2019](#); Heidari Khoei et al., [2019](#)), astaxanthin underscores a great potential in alleviating the complications of COVID-19.

Astaxanthin is a lipid-soluble carotenoid with a polar–nonpolar–polar structure that could easily pass through and fix into the double layers of cell membrane. While the polar zones of astaxanthin's structure scavenge free radicals inside and outside the cell membrane, its polyene chain captures radicals in the cell membrane (Augusti et al., [2012](#)). This effect has been found to be several folds more than other antioxidants, like vitamin E (Heidari Khoei et al., [2019](#); Østerlie, Bjerken, & Liaaen-Jensen, [2000](#); Shimidzu, Goto, & Miki, [1996](#)). In terms of pharmacological mechanisms, astaxanthin decreased the membrane fluidity and increased the activation of nuclear factor erythroid 2-related factor 2 (Nrf2)/heme oxygenase-1 (HO-1) pathway (Wu et al., [2014](#)). The pathway, in turn, elevates the antioxidant enzymes, including catalase (CAT), superoxide dismutase (SOD), peroxidase, thiobarbituric acid reactive substances (TBARS), NAD(P)H quinone oxidoreductase-1 (NQO-1) glutathione-S-transferase- α 1 (GST- α 1) (Fakhri, Abbaszadeh, Dargahi, & Jorjani, [2018](#)). Astaxanthin also showed potential inhibitory effects on superoxide radicals, nitrogen dioxide radicals, cytosolic calcium (Otton et al., [2010](#)), reactive oxygen species (ROS), myeloperoxidase (MPO), and other oxidative mediators, as well as lipid peroxidation (Campoio, Oliveira, & Otton, [2011](#); Kamath, Srikanta, Dharmesh, Sarada, & Ravishankar, [2008](#)). All the reports, are in the way to introduce astaxanthin as a super antioxidant, which could be a promising candidate in combating COVID-19.

Astaxanthin is a multi-target agent which employs several mechanisms to apply potential anti-inflammatory effects. For instance, astaxanthin reduced the expression of N-methyl-D-aspartate receptor subtype 2B (NR2B), tumor necrosis factor- α (TNF- α), p-p38 mitogen-activated protein kinase (MAPK) (Fakhri, Dargahi, Abbaszadeh, & Jorjani, [2018](#)), p-extracellular signal-regulated kinases (p-ERK)/ERK, and increased p-Akt/Akt to modulate inflammation (Fakhri, Dargahi, et al., [2019](#)). Astaxanthin also suppressed nuclear factor- κ B (NF- κ B) and down-stream mediators, including interleukin (IL)-6, IL-1 β , matrix metalloproteinase (MMP-9) (Bhuvaneswari, Yogalakshmi, Sreeja, & Anuradha, [2014](#); Speranza et al., [2012](#)), nitric oxide (NO), and cyclooxygenase-2 (COX-2) (Choi, Park, Choi, & Chang, [2008](#)). The modulatory effects of astaxanthin on the phosphoinositide 3-kinases (PI3K)/Akt, ERK/MAPK, and the up-stream macrophage migration inhibitory factor (MIF) has also been shown regarding its anti-inflammatory effects (Fakhri, Abbaszadeh, et al., [2018](#)).

Considering the role of Janus kinase/signal transducer and activator of transcription (JAK/STAT) in the initiation of interferon-stimulated response elements (ISRE), attenuating the pathway would play a pivotal role in preventing the inflammation occurs in COVID-19. In this regard, the inhibitory effects of astaxanthin on JAK2/STAT3 has been revealed (Kowshik et al., [2014](#)). All the pharmacological and mechanistic evidence are confirming a bright future for astaxanthin to be used against the destructive inflammatory pathways then related complications in COVID-19.

Growing evidence is also making a precise association between the therapeutic effects of astaxanthin and its antiapoptotic properties (Fakhri, Yosifova Aneva, et al., [2019](#)). Astaxanthin exerted

antiapoptotic effects by inhibiting Bax/Bcl-2, and caspases-3/9 (Masoudi et al., [2017](#)). Astaxanthin also reduced apoptosis through PI3K/Akt pathway to overcome associated side effects (Wang, Cai, & Wen, [2016](#)). Liu et al. also showed the ameliorative effects of astaxanthin on reducing ROS, cytochrome C release, mitochondrial membrane potential, and apoptosis (Liu, Shibata, Hisaka, & Osawa, [2009](#)). Accordingly, ROS-mediated apoptosis could be a promising target for astaxanthin to prevent the progression of several organ damages. Moreover, astaxanthin inhibited mitochondrial dysfunction and 6-hydroxydopamine (6-OHDA)-induced apoptosis via suppressing p-p38MAPK, caspases, and poly(ADP-ribose) polymerase (Ikeda et al., [2008](#)). Altogether astaxanthin could be introduced as an auspicious antiapoptotic agent in combating apoptotic events during COVID-19.

As the type II programmed death of cells, autophagy degrades unused cell components, including microautophagy, macroautophagy, and chaperone-mediated autophagy. It is worth noting that autophagy acts as a double sword knife, so its modulating is very important. Various autophagy mediators, including LC3, Beclin, and autophagy-related protein (Atg) are affected by PI3K/Akt /mammalian target of rapamycin (mTOR), c-Jun N-terminal kinase (JNK), AMPK, and p38MAPK (Kim & Kim, [2019](#)). COVID-19 dysregulates the autophagy, thereby make organ damages. Since, it is regulated by several signaling pathways, targeting autophagy is of great importance. Astaxanthin has shown modulatory effects on the aforementioned pathways to reduce the autophagy-related complications of COVID-19. Astaxanthin phosphorylates/activates AMPK to activate autophagy through mTOR inhibition (Yang et al., [2018](#)). Of the mediatory role of PI3K/Akt on the astaxanthin's effects on autophagy, it modulated Akt, to induce autophagy through the Akt/mTOR pathway. Besides, astaxanthin activated peroxisome proliferator-activated receptors (PPAR)- α while inhibited PPAR- γ , to regulate autophagy (Jia, Wu, Kim, Kim, & Lee, [2016](#)). In the other study by Li et al., astaxanthin blocked JNK, thereby modulated autophagy in an in vivo model of autoimmune hepatitis (Li, Xia, et al., [2015](#)). On the other hand, treatment with astaxanthin reduced LC3 and Beclin1, and inhibited autophagy by modifying MAPK, to confirm its modulatory effect on autophagy, depend on the situation (Kim & Kim, [2019](#); Li, Wang, et al., [2015](#)).

It is worth noting that astaxanthin has been already used in related clinical trials for the treatment of metabolic syndrome, atherosclerosis, cognitive impairment, muscle damage, visual fatigue, and dermatological diseases with hopeful results. The administrated doses were shown to be ranged between 2 and 24 mg/day with no safety concerns (Brendler & Williamson, [2019](#); Williamson, Liu, & Izzo, [2020](#)). Therefore, clinical trials are also needed to evaluate the possible potential of astaxanthin in combating COVID-19.

CONFLICT OF INTEREST

The authors declare no potential conflict of interests.

REFERENCES

1. Ang, L. , Lee, H. W. , Choi, J. Y. , Zhang, J. , & Lee, M. S. J. I. M. R. (2020). Herbal medicine and pattern identification for treating COVID-19: A rapid review of guidelines. *Integrative Medicine Research*, 9(2), 100407. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
2. Augusti, P. R. , Quatrin, A. , Somacal, S. , Conterato, G. M. , Sobieski, R. , Ruviano, A. R. , ... Emanuelli, T. (2012). Astaxanthin prevents changes in the activities of thioredoxin reductase and paraoxonase in hypercholesterolemic rabbits. *Journal of Clinical Biochemistry and Nutrition*, 51(1), 42–49. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
3. Bhuvanewari, S. , Yagalakshmi, B. , Sreeja, S. , & Anuradha, C. V. (2014). Astaxanthin reduces hepatic endoplasmic reticulum stress and nuclear factor- κ B-mediated inflammation in high

- fructose and high fat diet-fed mice. *Cell Stress and Chaperones*, 19(2), 183–191. [\[PMC free article\]](#) [\[PubMed\]](#) [\[Google Scholar\]](#)
4. Brendler, T. , & Williamson, E. M. (2019). Astaxanthin: How much is too much? A safety review. *Phytotherapy Research*, 33(12), 3090–3111. [\[PubMed\]](#) [\[Google Scholar\]](#)
 5. Campoio, T. , Oliveira, F. , & Otton, R. (2011). Oxidative stress in human lymphocytes treated with fatty acid mixture: Role of carotenoid astaxanthin. *Toxicology in Vitro*, 25(7), 1448–1456. [\[PubMed\]](#) [\[Google Scholar\]](#)
 6. Choi, S.-K. , Park, Y.-S. , Choi, D.-K. , & Chang, H.-I. (2008). Effects of astaxanthin on the production of NO and the expression of COX-2 and iNOS in LPS-stimulated BV2 microglial cells. *Journal of Microbiology and Biotechnology*, 18(12), 1990–1996. [\[PubMed\]](#) [\[Google Scholar\]](#)
 7. Fakhri, S. , Abbaszadeh, F. , Dargahi, L. , & Jorjani, M. (2018). Astaxanthin: A mechanistic review on its biological activities and health benefits. *Pharmacological Research*, 136, 1–20. [\[PubMed\]](#) [\[Google Scholar\]](#)
 8. Fakhri, S. , Dargahi, L. , Abbaszadeh, F. , & Jorjani, M. (2018). Astaxanthin attenuates neuroinflammation contributed to the neuropathic pain and motor dysfunction following compression spinal cord injury. *Brain Research Bulletin*, 143, 217–224. [\[PubMed\]](#) [\[Google Scholar\]](#)
 9. Fakhri, S. , Dargahi, L. , Abbaszadeh, F. , & Jorjani, M. (2019). Effects of astaxanthin on sensory-motor function in a compression model of spinal cord injury: Involvement of ERK and AKT signalling pathway. *European Journal of Pain*, 23(4), 750–764. [\[PubMed\]](#) [\[Google Scholar\]](#)
 10. Fakhri, S. , Yosifova Aneva, I. , Farzaei, M. H. , & Sobarzo-Sánchez, E. (2019). The neuroprotective effects of astaxanthin: Therapeutic targets and clinical perspective. *Molecules*, 24(14), 2640. [\[PMC free article\]](#) [\[PubMed\]](#) [\[Google Scholar\]](#)
 11. Heidari Khoei, H. , Fakhri, S. , Parvardeh, S. , Shams Mofarahe, Z. , Baninameh, Z. , & Vardiani, M. (2019). Astaxanthin prevents the methotrexate-induced reproductive toxicity by targeting oxidative stress in male mice. *Toxin Reviews*, 38(3), 248–254. 10.1080/15569543.2018.1452263 [\[CrossRef\]](#) [\[Google Scholar\]](#)
 12. Ikeda, Y. , Tsuji, S. , Satoh, A. , Ishikura, M. , Shirasawa, T. , & Shimizu, T. (2008). Protective effects of astaxanthin on 6-hydroxydopamine-induced apoptosis in human neuroblastoma SH-SY5Y cells. *Journal of Neurochemistry*, 107(6), 1730–1740. [\[PubMed\]](#) [\[Google Scholar\]](#)
 13. Jia, Y. , Wu, C. , Kim, J. , Kim, B. , & Lee, S.-J. (2016). Astaxanthin reduces hepatic lipid accumulations in high-fat-fed C57BL/6J mice via activation of peroxisome proliferator-activated receptor (PPAR) alpha and inhibition of PPAR gamma and Akt. *The Journal of Nutritional Biochemistry*, 28, 9–18. [\[PubMed\]](#) [\[Google Scholar\]](#)
 14. Kamath, B. S. , Srikanta, B. M. , Dharmesh, S. M. , Sarada, R. , & Ravishankar, G. A. (2008). Ulcer preventive and antioxidative properties of astaxanthin from *Haematococcus pluvialis* . *European Journal of Pharmacology*, 590(1–3), 387–395. [\[PubMed\]](#) [\[Google Scholar\]](#)
 15. Kim, S. H. , & Kim, H. (2019). Astaxanthin modulation of signaling pathways that regulate autophagy. *Marine Drugs*, 17(10), 546. [\[PMC free article\]](#) [\[PubMed\]](#) [\[Google Scholar\]](#)
 16. Kowshik, J. , Baba, A. B. , Giri, H. , Deepak Reddy, G. , Dixit, M. , & Nagini, S. (2014). Astaxanthin inhibits JAK/STAT-3 signaling to abrogate cell proliferation, invasion and angiogenesis in a hamster model of oral cancer. *PLoS One*, 9(10), e109114 10.1371/journal.pone.0109114 [\[PMC free article\]](#) [\[PubMed\]](#) [\[CrossRef\]](#) [\[Google Scholar\]](#)
 17. Li, J. , Wang, F. , Xia, Y. , Dai, W. , Chen, K. , Li, S. , ... Lu, W. (2015). Astaxanthin pretreatment attenuates hepatic ischemia reperfusion-induced apoptosis and autophagy via the ROS/MAPK pathway in mice. *Marine Drugs*, 13(6), 3368–3387. [\[PMC free article\]](#) [\[PubMed\]](#) [\[Google Scholar\]](#)
 18. Li, J. , Xia, Y. , Liu, T. , Wang, J. , Dai, W. , Wang, F. , ... Abudumijiti, H. (2015). Protective

effects of astaxanthin on ConA-induced autoimmune hepatitis by the JNK/p-JNK pathway-mediated inhibition of autophagy and apoptosis. *PLoS One*, 10(3), e0120440. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]

19. Liu, X. , Shibata, T. , Hisaka, S. , & Osawa, T. (2009). Astaxanthin inhibits reactive oxygen species-mediated cellular toxicity in dopaminergic SH-SY5Y cells via mitochondria-targeted protective mechanism. *Brain Research*, 1254, 18–27. [[PubMed](#)] [[Google Scholar](#)]
20. Masoudi, A. , Dargahi, L. , Abbaszadeh, F. , Pourgholami, M. H. , Asgari, A. , Manoochehri, M. , & Jorjani, M. (2017). Neuroprotective effects of astaxanthin in a rat model of spinal cord injury. *Behavioural Brain Research*, 329, 104–110. [[PubMed](#)] [[Google Scholar](#)]
21. Østerlie, M. , Bjerkeng, B. , & Liaaen-Jensen, S. (2000). Plasma appearance and distribution of astaxanthin E/Z and R/S isomers in plasma lipoproteins of men after single dose administration of astaxanthin. *The Journal of Nutritional Biochemistry*, 11(10), 482–490. [[PubMed](#)] [[Google Scholar](#)]
22. Otton, R. , Marin, D. P. , Bolin, A. P. , dos Santos, R. d. C. M. , Polotow, T. G. , Sampaio, S. C. , & de Barros, M. P. (2010). Astaxanthin ameliorates the redox imbalance in lymphocytes of experimental diabetic rats. *Chemico-Biological Interactions*, 186(3), 306–315. [[PubMed](#)] [[Google Scholar](#)]
23. Pour, P. M. , Fakhri, S. , Asgary, S. , Farzaei, M. H. , & Echeverria, J. (2019). The signaling pathways, and therapeutic targets of antiviral agents: Focusing on the antiviral approaches and clinical perspectives of anthocyanins in the management of viral diseases. *Frontiers in Pharmacology*, 10, 1207. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
24. Shimidzu, N. , Goto, M. , & Miki, W. (1996). Carotenoids as singlet oxygen quenchers in marine organisms. *Fisheries Science*, 62(1), 134–137. [[Google Scholar](#)]
25. Speranza, L. , Pesce, M. , Patrino, A. , Franceschelli, S. , Lutiis, M. A. d. , Grilli, A. , & Felaco, M. (2012). Astaxanthin treatment reduced oxidative induced pro-inflammatory cytokines secretion in U937: SHP-1 as a novel biological target. *Marine Drugs*, 10(4), 890–899. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
26. Wang, C. M. , Cai, X. L. , & Wen, Q. P. (2016). Astaxanthin reduces isoflurane-induced neuroapoptosis via the PI3K/Akt pathway. *Molecular Medicine Reports*, 13(5), 4073–4078. 10.3892/mmr.2016.5035 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
27. Wang, D. , Hu, B. , Hu, C. , Zhu, F. , Liu, X. , Zhang, J. , ... Xiong, Y. J. J. (2020). Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus-infected pneumonia in Wuhan, China. *JAMA*, 323(11), 1061–1069. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
28. Williamson, E. M. , Liu, X. , & Izzo, A. A. (2020). Trends in use, pharmacology, and clinical applications of emerging herbal nutraceuticals. *British Journal of Pharmacology*, 177(6), 1227–1240. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
29. Wu, C. , Chen, X. , Cai, Y. , Zhou, X. , Xu, S. , Huang, H. , ... Zhang, Y. J. J. (2020). Risk factors associated with acute respiratory distress syndrome and death in patients with coronavirus disease 2019 pneumonia in Wuhan, China. *JAMA Internal Medicine*, 180(7), 934–943. 10.1001/jamainternmed.2020.0994 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
30. Wu, Q. , Zhang, X.-S. , Wang, H.-D. , Zhang, X. , Yu, Q. , Li, W. , ... Wang, X.-L. (2014). Astaxanthin activates nuclear factor erythroid-related factor 2 and the antioxidant responsive element (Nrf2-ARE) pathway in the brain after subarachnoid hemorrhage in rats and attenuates early brain injury. *Marine Drugs*, 12(12), 6125–6141. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
31. Yang, J.-P. , Shin, J.-H. , Seo, S.-H. , Kim, S.-G. , Lee, S. H. , & Shin, E.-H. (2018). Effects of antioxidants in reducing accumulation of fat in hepatocyte. *International Journal of Molecular Sciences*, 19(9), 2563. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]

