

RTW-LA60

Dual frontal feeding welding cell. Fixed or rotating tables






RTW-LA60





Sumig specializes in robotics welding and has the solution for your company









Our **RTW-LA60** is a dual frontal feeding welding cell. It has two 45° working stations. Fixed or rotating tables.

Sumig's newly designed **Ready-To-Weld (RTW)** modular cells systems line offers the highest scalability and configurable options in the market today. Our standard robotic welding systems includes world class robotic arms and power sources to meet your welding application, productivity and quality goals. The modular design concept allows for future expansion as your business grows.

Turn Key Systems Includes:












Technical Data

| Workstation Dimmensions | 29.5" x 59" |
|-------------------------|--|
| Max load capacity | 2204,62 lb |
| Input Power Ratings | 63 Amps @ 240V 3PH 50 Amps @ 460V 3PH |
| Cell Dimensions | 83.4" height x 129.7" depth |
| Weight | 6613,86 lb |
| Air Requirement | 87 Psi.@ 20 CFM |
| Size in ft ² | 129 ft² |
| | |








Front Side Working Area

Standard Components



Entire process can be automated, not only welding, but toolings, positioners, manipulation, among others. Reach us out and learn more about these components.

Optionals





1504 EAGLE CT. STE 8 - LEWISVILLE, TX, 75057 PHONE: +1(800) 503 9717 - SUMIGUSA@SUMIG.COM

FOLLOW OUR SOCIAL MEDIA







Sumig USA

