

RTW-SS67

Single Station Welding Cell with Dual Station Option





RTW-SS67





Sumig specializes in robotics welding and has the solution for your company









Our **RTW-SS67** is the ideal cell for those who seek higher performance in welding combining it with a medium investment. Single Station Welding Cell with Dual Station Option.

Sumig's newly designed **Ready-To-Weld (RTW)** modular cells systems line offers the highest scalability and configurable options in the market today. Our standard robotic welding systems includes world class robotic arms and power sources to meet your welding application, productivity and quality goals. The modular design concept allows for future expansion as your business grows.


Turn Key Systems Includes:





Technical Data

Workstation Dimmensions	30" x 59"
Max load capacity	2205 lb
Input Power Ratings	47 Amps @ 240V 3PH 23 Amps @ 460V 3PH
Cell Dimensions	83.5" height x 88.6" width x 88.6" depth
Weight	4410 lb
Air Requirement	87 Psi.@ 20 CFM
Size in ft²	61 ft²

Measurements








Standard Components



Entire process can be automated, not only welding, but toolings, positioners, manipulation, among others. Reach us out and learn more about these components.

Optionals





1504 EAGLE CT. STE 8 - LEWISVILLE, TX, 75057 PHONE: +1(800) 503 9717 - SUMIGUSA@SUMIG.COM

FOLLOW OUR SOCIAL MEDIA







Sumig USA

