

JILL PLATNER

Ring Sizing Guide

HOW TO USE THIS GUIDE

Before you print this page, make sure to uncheck all "scale" or "fit to print" checkboxes. Also check that "page scaling" is set to "none" or "100%" on your print dialog box so that you're printing the "actual size".

Use a ring that fits you just the way you like on the finger you intend to wear the ring. Place it over the circles below to find your size. Match the inside diameter of the ring to the circle's outline.

TIPS FOR MEASURING YOUR RING SIZE

Your ring should fit your finger comfortably; snug enough so that it won't fall off, but loose enough to slide over your knuckle with some resistance.

Finger sizes change depending on the time of the day and the weather. Don't measure when your body temperature is either too cold or too hot; cold fingers shrink and hot fingers expand. For most accurate results measure when fingers are at room temperature and 3 to 4 times to eliminate an inaccurate reading.

For best results, use a plain, thin band. Never use a string to measure your ring size they stretch, which may give you an incorrect reading.


Remember, each one of your fingers is a different size, so a ring you wear on your right hand will not necessarily fit your matching finger on the left.

If you're buying a wide band, they tend to feel tighter than thin bands, so err on the large size when ordering.

JILL PLATNER

Ring Sizing Chart


NOTE: This guide can help you estimate your ring size, but to be absolutely sure of your size you should be measured by your local jeweler or at our Crosby Street store. Jill Platner cannot be responsible for conversion errors, paper sizer malfunctions, typos, or any other ring sizing mistakes made on your end.



Use only the inside of the ring,
when you measure.



Measure this line, it needs
to be exactly 1 inch.



JILL PLATNER

Ring Size Conversion

NORTH AMERICA	UK, EUROPE & AU	JAPAN	SWITZERLAND	INSIDE DIAMETER
3	F	4	4	14.07 MM
3.25	F 1/2	5	5.25	14.27 MM
3.5	G			14.48 MM
3.75	G 1/2	6	6.5	14.68 MM
4	H	7		14.88 MM
4.25	H 1/2		7.75	15.09 MM
4.5	I	8		15.29 MM
4.75	J		9	15.49 MM
5	J 1/2	9		15.70 MM
5.25	K		10	15.90 MM
5.5	K 1/2	10		16.10 MM
5.75	L		11.75	16.31 MM
6	L 1/2	11	12.75	16.51 MM
6.25	M	12		16.71 MM
6.5	M 1/2	13	14	16.92 MM
6.75	N			17.20 MM
7	N 1/2	14	15.25	17.32 MM
7.25	O			17.53 MM
7.5	O 1/2	15	16.5	17.73 MM
7.75	P			17.93 MM
8	P 1/2	16	17.75	18.14 MM
8.25	Q			18.34 MM
8.5	Q 1/2	17		18.54 MM
8.75	R		19	18.75 MM
9	R 1/2	18		18.95 MM
9.25	S		20.25	19.15 MM
9.5	S 1/2	19		19.35 MM
9.75	T		21.5	19.56 MM
10	T 1/2	20		19.76 MM
10.25	U	21		19.96 MM
10.5	U 1/2	22	22.75	20.17 MM
10.75	V			20.37 MM
11	V 1/2	23		20.57 MM
11.25	W		25	20.78 MM
11.5	W 1/2	24		20.98 MM