
PRODUCT CATALOG







RADAR DETECTOR CR68



- High performance
- Icon display with digital signal strength indicator
- Total laser detection
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- POP™ mode detection
- Stay Alert®
- Setting Saver®
- Dim/dark mode
- Alert periscopes
- Total band protection
- 360° max coverage
- 3 city modes/highway mode
- Quiet/auto quiet mode
- Alert priority
- High gain lens
- Vehicle battery saver
- VG-2 detection

Order Number CR68

MSRP \$89.95

UPC 0 52303 40774 1

Packaging Box

Unit Dimensions 1.26 in. H x 2.83 in. W x 4.46 in. L

Unit Weight .31 lb.

Retail Packaging Dimensions 6 in. H x 7.625 in. W x 2.125 in. L

Retail Weight .6 lb.

Case Pack Quantity 6

Case Pack Dimensions 7 in. H \times 7.938 in. W \times 12 in. L

Case Pack Weight 4.3 lb.

Case Pack Cube .39 lb.



RADAR DETECTOR CR73



- High performance
- Icon display with digital signal strength indicator
- English/Spanish Real Voice® alerts
- Total laser detection
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- POP™ mode detection
- Stay Alert®
- Setting Saver®
- Dim/dark mode
- Alert periscopes
- Total Band Protection®
- 360° maxx coverage
- 3 city modes/highway mode
- Quiet/auto quiet mode
- Safety Warning System[™]
- Alert priority
- High gain lens
- Vehicle battery saver
- VG-2 detection

Order Number CR73

MSRP \$119.95

UPC 0 52303 40775 8

Packaging Box

Unit Dimensions 1.26 in. H x 2.83 in. W x 4.46 in. L

Unit Weight .31 lb.

Retail Packaging Dimensions 6 in. H x 7.625 in. W x 2.125 in. L

Retail Weight .65

Case Pack Quantity 6

Case Pack Dimensions 7 in. H x 7.938 in. W x 12 in. L

Case Pack Weight 4.4

Case Pack Cube .39

Includes Laser Radar Detector, 12V Power Cord, Windshield Bracket Kit, User Guide

1-800-457-6888



RADAR DETECTOR **CR88**



- Optimum performance
- Bilingual (English/Spanish) Real Voice® alerts
- Bilingual (English/Spanish) blue OLED text display
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- Ka max mode
- Radar Signature ID (RSID
- Laser Signature ID (LSID)
- POP[™] mode detection
- Total laser detection
- Selectable bands
- 4 XK filter modes • 4 Ka Filter Modes
- Setting Saver®
- Auto dim/dark mode
- Alert periscopes
- Total Band Protection®
- 360° maxx coverage
- 3 city modes/highway mode
- Quiet/auto quiet modes
- Alert priority
- High gain lens
- Selectable vehicle battery saver
- VG-2 detection
- Intellicord® ready

Order Number CR88

MSRP \$229.95

UPC 0 52303 40778 9

Packaging Box

Unit Dimensions 1.31 in. H x 3.12 in. W x 4.93 in. L

Unit Weight .39 lb.

Retail Packaging Dimensions 6 in. H x 7.625 in. W x 2.125 in. L

Retail Weight .80 lb.

Case Pack Quantity 6

Case Pack Dimensions 7 in. H x 7.938 in. W x 12 in. L

Case Pack Weight 5.45 lb.

Case Pack Cube .39

Includes Laser Radar Detector, 12V Power Cord. Windshield Bracket Kit, Hardwire Kit, Dash Pad and User Guide



RADAR DETECTOR CR93



- Optimum performance
- Bilingual (English/Spanish) Real Voice® alerts
- Bilingual (English/Spanish) OLED text display
- Internal GPS
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- Total laser detection
- POP™ mode detection
- Total Band Protection®
- Selectable bands
- 4 XK filter modes
- 4 Ka filter modes
- Radar Signature ID (RSID)
- Laser Signature ID (LSID)
- External audio jack
- Stay Alert®
- Auto dim/dark mode
- Setting Saver®
- Alert periscopes
- 360° max coverage
- 3 city modes/highway mode
- Quiet/auto quiet mode
- VG-2 detection
- Intellicord® ready

Order Number CR93

MSRP \$279.95

UPC 0 52303 40779 6

Packaging Box

Unit Dimensions 1.31 in. H x 3.12 in. W x 4.93 in. L

Unit Weight .4 lb.

Retail Packaging Dimensions 6 in. H x 7.625 in. W x 2.125 in. L

Retail Weight .75 lb.

Case Pack Quantity 6

Case Pack Dimensions 7 in. H x 7.938 in. W x 12 in. L

Case Pack Weight 5.5 lb.

Case Pack Cube .39

Includes Laser Radar Detector, 12V Power Cord/USB Charge Port, Windshield Bracket Kit, Dash Pad, USB Cable and User Guide



RADAR DETECTOR PRO-3700

Order Number PRO-3700 MSRP \$479.95 UPC 0 52303 40845 8

Packaging Box

Unit Dimensions .56 in. H x 95 in. W x 3.22 in. L

Unit Weight 1.125 lb.

Retail Packaging Dimensions 6.875 in. H x 9 in. W x 3 in. L

Retail Weight 2.2 lb.

Case Pack Quantity 3

Case Pack Dimensions 7 in. H x 9.75 in. W x 10.380 in. L

Case Pack Weight 7.2 lb.

Case Pack Cube .41 lb.

Includes Laser Radar Detector, Mounting Hardware, Thru-Dash Bracket, Quick Disconnect Cable, Double Sided Tape, User Guide, Installation Guide





WHISTLER



Voice





Maximum Performance Antenna w/ Laser



Interface Module

- Maximum performance
- Versatile installation
- Modular design
- Red tri-directional bilingual (English/Spanish) text display
- Discreet tri-colored LED & security alert mode
- 3 aux ports
- TFSR/FDSR
- Ka max mode

- RSID/LSID
- VG2
- Bilingual Real Voice® module (English/Spanish)
- Discreet console
- 4 filter modes
- 3 display brightness modes
- 2 signal strength options
- Outdoor temperature probe
- Battery voltage meter

- POP™ mode detection
- Total Band Protection®
- 360° maxx coverage
- 3 city modes
- High gain lens
- Selectable bands
- Quiet/auto quiet modes
- Stay Alert®
- Setting saver®
- Selectable vehicle battery saver

OPTIONAL MODULES



SWRA-37 Rear Antenna

Order Number SWRA-37 MSRP \$139.95 UPC 0 52303 40860 1 **Packaging** Box **Unit Dimensions** .9 in. H x 3.54 in. W x 1.75 in. L Unit Weight .4 lbs. **Retail Packaging Dimensions** 6.05 in. H x 4.5 in. W x 3 in. D Retail Weight 1.08 lbs. Case Pack Quantity 3 **Case Pack Dimensions** 5.88 in. H x 6.38 in. W x 9.69 in. L

Case Pack Weight 3.75 lbs. Case Pack Cube .321 Includes Rear Antenna, Mounting Hardware, Brackets, Interface Cable and User Guide



LRM-360 Laser Module

Includes Laser Module, Windshield Bracket

Order Number LRM-360 MSRP \$39.95 **UPC** 0 52303 40530 3 **Packaging** Box **Unit Dimensions** .70 in. H x .90 in. W x 1.90 in. L Unit Weight .15 lbs. **Retail Packaging Dimensions** 4.875 in. H x 2.5 in. W x 1.5 in. D Retail Weight .2 lbs. Case Pack Quantity 3 **Case Pack Dimensions** 2 in. H x 7.13 in. W x 7.75 in. L Case Pack Weight .8 lbs. Case Pack Cube .06

and User Guide



RLC-360 GPS Module

Order Number RLC-360 MSRP \$129.95 **UPC** 0 52303 40507 5 **Packaging** Box **Unit Dimensions** .61 in. H x 1.57 in. W x 1.57 in. L Unit Weight .07 lbs. **Retail Packaging Dimensions** 4.875 in. H x 2.5 in. W x 1.5 in. D Retail Weight .3 lbs. Case Pack Quantity 3 **Case Pack Dimensions** 2 in. H x 7.13 in. W x 7.75 in. L Case Pack Weight 1.1 lbs. Case Pack Cube .06 Includes GPS Module, USB Cable and User Guide System Requirements Works only with Windows Operating System

1-800-457-6888



SAFETY DASH CAMERA D12VR





This super small dash camera is unobtrusive on your windshield. Measuring just 1.5"x3" it is about the size of a business card!

Document your road trips, protect your vehicle and guard against insurance fraud with a dash camera. The loop recording allows you to record your road trip and the G-Sensor will stop recording if a collision is detected.

- High-def 1280 x 720p / 30fps
- 1.5" LCD Monitor
- 120 degree viewing angle
- Seamless loop recording
- Micro SD up to 32GB
- 4x digital zoom
- Parking monitor function
- Motion detection function
- G-sensor
- A/V out jack

Order Number D12VR

MSRP \$89.95

UPC 0 52303 40838 0

Packaging Box

Unit Dimensions 1.5 in. H x 3 in. W x 1 in. L

Unit Weight .19 lb.

Retail Packaging Dimensions 5.5 in. H \times 6.75 in. W \times 2.75 in. L

Retail Weight 1.05 lbs

Case Pack Quantity 6

Case Pack Dimensions 8.13 in. H x 9.13 in. W x 11.75 in. L

Case Pack Weight 7 lbs

Case Pack Cube .50



SAFETY DASH CAMERA D16VR





The luxurious metal housing of this dash camera makes it ideal for anyone that wants to make a statement.

Protect yourself and guard against insurance fraud with the seamless loop recording. Keep tabs on your vehicle with the parking monitor and motion detection functions.

- High-def 1920 x 1080p / 30fps
- 3" LCD monitor
- 170° viewing angle
- Seamless loop recording
- Micro SD up to 32GB
- 4x digital zoom
- Parking monitor function
- Motion detection function
- G-sensor
- HDMI playback capability
- (HDR) High Dynamic Range

Order Number D16VR

MSRP \$129.95

UPC 0 52303 40840 3

Packaging Box

Unit Dimensions 2 in. H x 3.25 in. W x 1.76 in. L

Unit Weight .39 lb.

Retail Packaging Dimensions 5.75 in. H x 8 in. W x 3 in. L

Retail Weight .55 lbs

Case Pack Quantity 6

Case Pack Dimensions 8.75 in. H x 6.25 in. W x 16 in. L

Case Pack Weight 7.15 lbs

Case Pack Cube .46

Cree Dreit Weight 7.15 lbs

1-800-457-6888

Includes Dash Cam, Mount, USB Cable, Car Charger and User Guide



SAFETY

BACKUP CAMERA WBU-1000





Installs in minutes!



Order Number WBU-1000

MSRP \$199.95

UPC 0 52303 40887 8

Packaging Box

Retail Packaging Dimensions 8 in. H x 13.875 in. W x 3 in. L

Retail Weight 3.30 lbs

Case Pack Quantity 6

Case Pack Weight 21.5 lbs

Case Pack Cube 1.2

Case Pack Dimensions 18.125 in. H x 14.125 in. W x 8.125 in. L

Includes Assembled Solar Powered Camera, 4.3" Monitor, 2 Solar Panels, Suction Cup Mount, Dash Disk, Car Charger, USB Cable, Mounting Hardware and User Guide

Easy installation! No drilling or hard-wiring required.

- Reduces dangerous blind spots
- Battery operated camera
- Built-in solar panels maintain battery for worry-free operation
- Fits most cars, trucks and SUVs
- Includes 4.3" monitor



MINI JUMP STARTER WJS-1800



Premium Protection Cables

- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

- The MINI is for use on single battery 12V systems like garden tractors, ATVs, boats, motorcycles and passenger vehicles (4 and 6 cyl.)
- 160 starting Amps / 320 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design fits conveniently in toolboxes, consoles and glove boxes
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1 year
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Provides multiple jump starts from a single charge
- 1 USB port can power and charge phones, tablets, cameras and more

Order Number WJS-1800 MSRP \$119.95

UPC 0 52303 40744 4 **Packaging** Clamshell

Unit Dimensions .67 in. H x 3 in. W x 5.5 in. L

Unit Weight .52 lb.

Retail Packaging Dimensions 6.5 in. H x 7.87 in. W x 2.62 in. L

Retail Weight 1.12 lb.

Case Pack Quantity 6

Case Pack Dimensions 12 in. H x 8.19 in. W x 8.75 in. L

Case Pack Weight 7.25 lb.

Case Pack Cube .5

Includes Mini Jump Starter, Premium Protection Cables,

Home AC Adapter, User Guide

MIGHTY JUMP STARTER WJS-3500



- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

- The MIGHTY is for use on a wide range of 12V single battery vehicles including 4, 6, & 8 cyl. engine's for cars, trucks, SUVs, boats, motorcycles, garden tractors, ATVs and more
- 200 starting Amps / 400 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design fits conveniently in toolboxes, consoles and glove boxes
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1 year
- Provides multiple jump starts from a single charge
- 2 USB ports (2.1 Amp shared) can power and charge phones, tablets, cameras and more
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Heavy-duty impact resistant cover

Order Number WJS-3500

MSRP \$149.95

UPC 0 52303 40770 3

Packaging Clamshell

Unit Dimensions 1.2 in. H x 3.0 in. W x 5.1 in. L

Unit Weight .80 lb.

Retail Packaging Dimensions in. 8.75 H x 9.25 in. W x 2.5 in. L

Retail Weight 2.2 lb.

Case Pack Quantity 6

Case Pack Dimensions 8.625 in. H x 10.125 in. W x 8 in. L

Case Pack Weight 15.65 lb.

Case Pack Cube .91

Includes MIGHTY Jump Starter, Premium Protection Cables, Home AC Adapter, 12V DC Car Adapter, Zippered Storage Case and User Guide

1-800-457-6888



MEGA JUMP STARTER W.JS-4000



4-in-1 USB Charging Pigtail

• 4-in-1 USB cable recharges USB devices, such as smart phones, tablets and more

Premium Protection Cables

- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

• The MEGA is for use on a wide range of 12V single battery vehicles including 4, 6, & 8 cyl. engines for cars, trucks, SUVs, boats, motorcycles, garden tractors, ATVs and more

- 240 starting Amps / 480 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design fits conveniently in toolboxes, consoles and glove boxes
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1 year
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Heavy duty impact resistant cover
- Provides multiple jump starts from a single charge
- 2 USB ports (2.1 Amp shared) can power and charge phones, tablets, MP3 players, cameras and more
- 19.1V port for charging of laptops and tablets

Order Number WJS-4000

MSRP \$179.95

UPC 0 52303 40766 6

Packaging Clamshell

Unit Dimensions 1.5 in. H x 3.4 in. W x 6.1 in. L

Unit Weight 1.16 lb.

Retail Packaging Dimensions 8.75 in. H x 8.75 in. W x 3 in. L

Retail Weight 2.9 lb.

Case Pack Quantity 6

Case Pack Dimensions 11 in. H x 9.5 in. W x 17.25 in. L

Case Pack Weight 18.05 lb.

Case Pack Cube 1.04

Includes MEGA Jump Starter, Premium Protection Cables, 4-in-1 USB Charging Pigtail, 19.1V Charging Cable w/8 Adapter Tips, Zippered Storage Case, Home AC Adapter, 12 V Charger and User Guide

1-800-457-6888

MAXX JUMP STARTER W.IS-6000





4-in-1 USB Charging Pigtail

 4-in-1 USB cable recharges USB devices, such as smart phones, tablets and more

Premium Protection Cables

- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

Order Number WJS-6000

MSRP \$229.95

UPC 0 52303 40745 1

Packaging Hard Case

Unit Dimensions 4.25 in. H x 1.6875 in. W x 7.1875 in. L

Unit Weight 1.8 lb.

Retail Packaging Dimensions 9 in. H \times 15.563 in. W \times 4.25 in. L

Retail Weight 5 lb.

Case Pack Quantity 4

Case Pack Dimensions 10 in. H x 18.5 in. W x 21.6 in. L

Case Pack Weight 24.5 lb.

Case Pack Cube 2.31

Includes MAXX Jump Starter, Premium Protection Cables, Home AC Adapter, 12V DC Car Adapter, 4-in-1 USB Charging Pigtail, Hard Storage Case and User Guide

- The MAXX jump starter is for use on single and dual 12V battery systems like garden tractors, ATVs, boats, motorcycles, passenger vehicles and diesel vehicles up to 7 31
- 400 starting Amps / 800 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1 year
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Heavy duty impact resistant cover
- Provides multiple jump starts from a single charge
- 2 USB ports (2.1 Amp shared) can power and charge phones, tablets, cameras and more



Power Inverter XP100i



- 1 AC outlet
- 1 USB port
- 180° multi-position adjustable plug
- 100 watt continuous power
- 200 watt peak power
- Plugs into 12V socket
- Cooling fan
- 10 Amp power requirement
- Ground fault sensing
- Electronic circuit protection

Order Number XP100i

MSRP \$34.95

UPC 0 52303 40708 6

Packaging Clamshell

Unit Dimensions 1 in. H \times 3.15 in. W \times 3.55 in. L

Unit Weight .3 lb.

Retail Packaging Dimensions 7.75 in. H x 6.5 in. W x 3 in. L

Retail Weight .5 lb.

Case Pack Quantity 6

Case Pack Dimensions 6.75 in. $H \times 7.5$ in. $W \times 11$ in. L

Case Pack Weight 3.35 lb.

Case Pack Cube .32

Includes 100 Watt Power Inverter and User Guide

1-800-457-6888



Power Inverter XP200i



- 1 AC outlet
- 2 USB ports
- Plugs into 12V socket
- 200 watt continuous power
- 400 watt peak power
- 12V adapter cable
- Cooling fan
- 20 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP200i

MSRP \$49.95

UPC 0 52303 40710 9

Packaging Clamshell

Unit Dimensions 1.3 in. H x 3.5 in. W x 5.3 in. L

Unit Weight .8 lb.

Retail Packaging Dimensions $8 \text{ in. H} \times 7 \text{ in. W} \times 2.75 \text{ in. L}$

Retail Weight 1 lb.

Case Pack Quantity 6

Case Pack Dimensions 7.5 in. H x 7.5 in. W x 11 in. L

Case Pack Weight 6.75 lb.

Case Pack Cube .36

Includes 200 Watt Power Inverter, Power Cable and User Guide

1-800-457-6888



Power Inverter XP400i



- 2 AC outlets
- 2 USB ports
- 400 watt continuous power
- 800 watt peak power
- Plugs into 12V socket
- 12V adapter cable
- Battery cable w/clamps
- Cooling fan
- 40 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP400i

MSRP \$79.95

UPC 0 52303 40711 6

Packaging Clamshell

Unit Dimensions 2 in. H x 4.15 in. W x 6.5 in. L

Unit Weight 1.25 lb.

Retail Packaging Dimensions 9 in. H x 8 in. W x 3.25 in. L

Retail Weight 1.88 lb.

Case Pack Quantity 6

Case Pack Dimensions 8 in. H x 9.375 in. W x 13.5 in. L

Case Pack Weight 11.8 lb.

Case Pack Cube .59

Includes 400 Watt Power Inverter, 12v Adapter Cable, Direct Wire Cable w/Clamps and User Guide



Power Inverter XP800i



- 2 AC outlets
- 2 USB ports
- 800 Watt continuous power
- 1600 Watt peak power
- Battery cable w/clamps
- Mountable
- Cooling fan
- 80 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP800i

MSRP \$129.95

UPC 0 52303 40713 0

Packaging Clamshell

Unit Dimensions 2 in. H x 5.1 in. W x 8.25 in. L

Unit Weight 3.1 lb.

Retail Packaging Dimensions 9.375 in. H x 10.125 in. W x 3.625 in. L

Retail Weight 3.9 lb.

Case Pack Quantity 4

Case Pack Dimensions 10.75 in. H x 9.5 in. W x 10.25 in. L

Case Pack Weight 16.25 lb.

Case Pack Cube .61

1-800-457-6888

Includes 800 Watt Power Inverter, Direct Wire Cable w/Clamps and User Guide



Power Inverter XP1200i



- 3 AC outlets
- 2 USB ports
- 1200 watt continuous power
- 2400 watt peak power
- Digital volt/watt meter
- Mountable
- Overload indicator
- Remote control ready
- Thermostat controlled fan
- 120 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP1200i

MSRP \$199.95

UPC 0 52303 40714 7

Packaging Box

Unit Dimensions 3.54 in. H x 7.4 in. W x 8.9 in. L

Unit Weight 4.5 lb.

Retail Packaging Dimensions 9.625 in. H x 11.375 in. W x 5.125 in. L

Retail Weight 7 lb.

Case Pack Quantity 2

Case Pack Dimensions 10 in. H \times 10.75 in. W \times 11.5 in. L

Case Pack Weight 15.10 lb.

Case Pack Cube .72

Includes 1200 Watt Power Inverter and User Guide

1-800-457-6888



Power Inverter XP2000i



- 3 AC outlets
- 2 USB ports
- 2000 watt continuous power
- 4000 watt peak power
- Digital volt/watt meter
- Mountable
- Overload indicator
- Remote control ready
- Thermostat controlled fan
- 200 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP2000i

MSRP \$349.95

UPC 0 52303 40716 1

Packaging Box

Unit Dimensions 3.54 in. H x 8.9 in. W x 12 in. L

Unit Weight 7.3 lb.

Retail Packaging Dimensions 11 in. H x 14.875 in. W x 5.5 in. L

Retail Weight 11.5 lb.

Case Pack Quantity 2

Case Pack Dimensions 6.34 in. H x 15.67 in. W x 22.76 in. L

Case Pack Weight 26.25 lb.

Case Pack Cube 1.31

Includes 2000 Watt Power Inverter and User Guide

1-800-457-6888



Power Inverter XP3000i



- 3 AC outlets
- 2 USB ports
- 3000 watt continuous power
- 6000 watt peak power
- Digital volt/watt meter
- Mountable
- Overload indicator
- Remote control ready
- Thermostat controlled fan
- 300 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP3000i

MSRP \$549.95

UPC 0 52303 40717 8

Packaging Box

Unit Dimensions $3.54 \text{ in. H} \times 8.9 \text{ in. W} \times 15.5 \text{ in. L}$

Unit Weight 12.5 lb.

Retail Packaging Dimensions 11 in. H x 18.75 in. W x 5.5 in. L

Retail Weight 15 lb.

Case Pack Quantity 2

Case Pack Dimensions 6.34 in. H x 19.53 in. W x 22.91 in. L

Case Pack Weight 33.05 lb.

Case Pack Cube 1.64

Includes 3000 Watt Power Inverter and User Guide

1-800-457-6888



GARAGE

INSPECTION CAMERA WIC-4750



- 3.5 in. detachable color monitor with anti-glare screen
- Video and image recording capabilities
- Built in microphone for audio recording
- 9mm water, gas, diesel, alcohol and oil proof camera
- Image rotation
- 3x zoom capability
- 3.3 ft. flexible camera tube
- TV/Video output jack
- Internal rechargeable Li-ion battery
- Includes additional 3.3 ft. extension tube
- Adjustable LED brightness control
- 8 Levels of contrast control

Order Number WIC-4750

MSRP \$339.95

UPC 0 52303 40719 2

Packaging Hard Case

Unit Dimensions 8 in. H x 7.2 in. W x 2.2 in. L

Unit Weight .51 lb.

Retail Packaging Dimensions 11.75 in. H x 15 in. W x 4.5 in. L

Retail Weight 5.45 lb.

Case Pack Quantity 4

Case Pack Dimensions 11.75 in. H x 15 in. W x 19 in. L

Case Pack Weight 22.5 lb.

Case Pack Cube 1.94

Includes Inspection Camera, 3.3' Flexible Camera Tube, 3.3' Extension Tube, Video Cable, AC Adapter, USB Cable, Mirror, Magnet, Hook Clip, Hard Case and User Guide



GARAGE

FLEXIGLO WFG-21



- Bend & shape to fit
- Magnetic back
- Durable silicone
- Weather resistant
- 126 lumens (fully illuminated)
- Battery life = 12 hrs (approx) with standard alkaline batteries
- Uses 3 AAA batteries (not included)

Order Number WFG-21
MSRP \$24.95
UPC 0 52303 40783 3
Packaging Clamshell
Unit Dimensions
10.4375 in. H x 2.85 in. W x .76 in. D
Unit Weight .33 lbs.
Retail Packaging Dimensions
14.25 in. H x 6 in. W x .75 in. D
Retail Weight .47 lbs.
Case Pack Quantity 12
Case Pack Dimensions
8.75 in. H x 5.625 in. W x 13.875 in. L
Case Pack Weight 6.10 lbs.
Case Pack Cube .40



1-800-457-6888 www.whistlergroup.com