

PRODUCT CATALOG





COMMUNICATION

RADAR DETECTOR Z-11R+



- High performance
- Icon display
- Total laser detection
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- Total band protection
- POP™ mode detection
- Setting saver®
- Dim/dark mode
- Alert periscopes
- 360° max coverage
- 3 city modes/highway mode
- Quiet/auto quiet mode
- Alert priority
- High gain lens
- Vehicle battery saver
- VG-2 detection

Order Number Z-11R+

MSRP \$79.95

UPC 0 52303 40648 5

Packaging Clam Box

Unit Dimensions 1.23 in. H x 2.85 in. W x 4.44 in. L

Unit Weight .34 lb.

Retail Packaging Dimensions 9.25 in. H x 6 in. W x 2.125 in. L

Retail Weight .65

Case Pack Quantity 6

Case Pack Dimensions 6.125 in. H x 8.063 in. W x 13.25 in. L

Case Pack Weight 4.1 lb.

Case Pack Cube .41

Includes Laser Radar Detector, 12V Power Cord, Windshield Bracket Kit, User Guide

1-800-457-6888

www.whistlergroup.com



COMMUNICATION

RADAR DETECTOR Z-15R+



- High performance
- Icon display with digital strength indicator
- Bilingual (English/Spanish) Real Voice® alerts
- Total laser detection
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- Total band protection
- POP™ mode detection
- Stay Alert®
- Setting Saver®
- Dim/dark mode
- Alert periscopes
- 360° max coverage
- 3 city modes/highway mode
- Quiet/auto quiet
- Alert priority
- High gain lens
- Vehicle battery saver
- VG-2 detection

Order Number Z-15R+

MSRP \$119.95

UPC 0 52303 40649 2

Packaging Clam Box

Unit Dimensions 1.23 in. H x 2.85 in. W x 4.44 in. L

Unit Weight .34 lb.

Retail Packaging Dimensions 9.25 in. H x 6 in. W x 2.125 in. L

Retail Weight .65 lb.

Case Pack Quantity 6

Case Pack Dimensions 6.125 in. H x 8.063 in. W x 13.25 in. L

Case Pack Weight 4.15 lb.

Case Pack Cube .41

Includes Laser Radar Detector, 12V Power Cord, Windshield Bracket Kit, User Guide

1-800-457-6888

www.whistlergroup.com



COMMUNICATION

RADAR DETECTOR Z-19R+



- High performance
- Bilingual (English/Spanish) OLED text display
- Bilingual (English/Spanish) Real Voice® alerts
- Total laser detection w/ LSID
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- Stay Alert®
- Selectable tone alerts
- POP™ mode detection
- Total band protection
- Setting Saver®
- Dim/dark mode
- Alert periscopes
- 360° max coverage
- 3 city modes/highway mode
- Quiet/auto quiet
- Alert priority
- High gain lens
- Selectable vehicle battery saver
- VG-2 detection

Order Number Z-19R+

MSRP \$139.95

UPC 0 52303 40650 8

Packaging Clam Box

Unit Dimensions 1.23 in. H x 2.85 in. W x 4.44 in. L

Unit Weight .34 lb.

Retail Packaging Dimensions 9.25 in. H x 6 in. W x 2.125 in. L

Retail Weight .65 lb.

Case Pack Quantity 6

Case Pack Dimensions 6.125 in. H x 8.063 in. W x 13.25 in. L

Case Pack Weight 4.1 lb.

Case Pack Cube .41

Includes Laser Radar Detector, 12V Power Cord, Windshield Bracket Kit and User Guide

1-800-457-6888

www.whistlergroup.com



COMMUNICATION

RADAR DETECTOR Z-31R+



- High performance
- Bilingual (English/Spanish) OLED text display
- Bilingual (English/Spanish) Real Voice® alerts
- Internal GPS
- Total laser detection w/ LSID
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- Stay Alert®
- Selectable tone alerts
- POP™ mode detection
- Total band protection
- Setting Saver®
- Dim/dark mode
- Alert periscopes
- 360° max coverage
- 3 city modes/highway mode
- Quiet/auto quiet
- Alert priority
- High gain lens
- Selectable vehicle battery saver
- VG-2 detection

Order Number Z-31R+

MSRP \$209.95

UPC 0 52303 40653 9

Packaging Clam Box

Unit Dimensions 1.23 in. H x 2.85 in. W x 4.44 in. L

Unit Weight .34 lb.

Retail Packaging Dimensions 9.25 in. H x 6 in. W x 2.125 in. L

Retail Weight .75 lb.

Case Pack Quantity 6

Case Pack Dimensions 6.125 in. H x 8.063 in. W x 13.25 in. L

Case Pack Weight 4.35 lb.

Case Pack Cube .36

Includes Laser Radar Detector, Power Cord w/USB Port, Windshield Bracket Kit, USB Cable and User Guide

1-800-457-6888

www.whistlergroup.com



COMMUNICATION

RADAR DETECTOR PRO-3700



Order Number PRO-3700

MSRP \$479.95

UPC 0 52303 40845 8

Packaging Box

Unit Dimensions .56 in. H x 95 in. W x 3.22 in. L

Unit Weight 1.125 lb.

Retail Packaging Dimensions 6.875 in. H x 9 in. W x 3 in. L

Retail Weight 2.2 lb.

Case Pack Quantity 3

Case Pack Dimensions 7 in. H x 9.75 in. W x 10.380 in. L

Case Pack Weight 7.2 lb.

Case Pack Cube .41 lb.

Includes Laser Radar Detector, Mounting Hardware, Thru-Dash Bracket, Quick Disconnect Cable, Double Sided Tape, User Guide, Installation Guide



LED



Cable



Voice



**Maximum Performance
Antenna w/ Laser**



Interface Module

- Maximum performance
- Versatile installation
- Modular design
- Red tri-directional bilingual (English/Spanish) text display
- Discreet tri-colored LED & security alert mode
- 3 aux ports
- TFSR/FDSR
- Ka max mode

- RSID/LSID
- VG2
- Bilingual Real Voice® module (English/Spanish)
- Discreet console
- 4 filter modes
- 3 display brightness modes
- 2 signal strength options
- Outdoor temperature probe
- Battery voltage meter

- POP™ mode detection
- Total Band Protection®
- 360° maxx coverage
- 3 city modes
- High gain lens
- Selectable bands
- Quiet/auto quiet modes
- Stay Alert®
- Setting saver®
- Selectable vehicle battery saver

OPTIONAL MODULES



**SWRA-37
Rear Antenna**

Order Number SWRA-37

MSRP \$139.95

UPC 0 52303 40860 1

Packaging Box

Unit Dimensions

.9 in. H x 3.54 in. W x 1.75 in. L

Unit Weight .4 lbs.

Retail Packaging Dimensions

6.05 in. H x 4.5 in. W x 3 in. D

Retail Weight 1.08 lbs.

Case Pack Quantity 3

Case Pack Dimensions

5.88 in. H x 6.38 in. W x 9.69 in. L

Case Pack Weight 3.75 lbs.

Case Pack Cube .321

Includes Rear Antenna, Mounting Hardware, Brackets, Interface Cable and User Guide



**LRM-360
Laser Module**

Order Number LRM-360

MSRP \$39.95

UPC 0 52303 40530 3

Packaging Box

Unit Dimensions

.70 in. H x .90 in. W x 1.90 in. L

Unit Weight .15 lbs.

Retail Packaging Dimensions

4.875 in. H x 2.5 in. W x 1.5 in. D

Retail Weight .2 lbs.

Case Pack Quantity 3

Case Pack Dimensions

2 in. H x 7.13 in. W x 7.75 in. L

Case Pack Weight .8 lbs.

Case Pack Cube .06

Includes Laser Module, Windshield Bracket and User Guide



**RLC-360
GPS Module**

Order Number RLC-360

MSRP \$129.95

UPC 0 52303 40507 5

Packaging Box

Unit Dimensions

.61 in. H x 1.57 in. W x 1.57 in. L

Unit Weight .07 lbs.

Retail Packaging Dimensions

4.875 in. H x 2.5 in. W x 1.5 in. D

Retail Weight .3 lbs.

Case Pack Quantity 3

Case Pack Dimensions

2 in. H x 7.13 in. W x 7.75 in. L

Case Pack Weight 1.1 lbs.

Case Pack Cube .06

Includes GPS Module, USB Cable and User Guide

System Requirements Works only with Windows Operating System

1-800-457-6888

www.whistlergroup.com



COMMUNICATION

MULTI-FUNCTION RADAR DETECTOR + *BUILT-IN DASH CAM* MFU440

Combining the technology of both a radar detector and a dash cam, the MFU440 gives you the added protection and convenience you desire.



RADAR DETECTOR SPECS

- High performance
- Bilingual (English/Spanish) OLED text display
- Bilingual (English/Spanish) Real Voice® alerts
- Internal GPS
- Total laser detection w/ LSID
- Field Disturbance Sensor Rejection (FDSR)
- Traffic Flow Signal Rejection (TFSR)
- Stay Alert®
- Selectable tone alerts
- POP™ mode detection
- Total band protection
- Setting Saver
- Dim/dark mode
- 360° max coverage
- 3 city modes/highway mode
- Quiet/auto quiet
- Alert priority
- High gain lens
- Selectable vehicle battery saver
- VG-2 detection

DASH CAM SPECS

- Full HD playback
- Wi-Fi enabled
- Free iOS and Android app
- 130° Optical Quality 4 Glass Lens
- Built-in microphone
- Supports up to 32GB SD card

Order Number MFU440

UPC 0 52303 40889 2

Packaging Box

Unit Dimensions 1.23 in. H x 2.85 in. W x 4.44 in. L

Unit Weight .19 lb.

Case Pack Quantity 6

Includes Multi-Function Unit, Power Cord w/USB Port, Windshield Bracket Kit, USB Cable and User Guide

1-800-457-6888

www.whistlergroup.com



SAFETY

DASH CAMERA D12VR



This super small dash camera is unobtrusive on your windshield. Measuring just 1.5"x3" it is about the size of a business card!

Document your road trips, protect your vehicle and guard against insurance fraud with a dash camera. The loop recording allows you to record your road trip and the G-Sensor will stop recording if a collision is detected.

- High-def 1280 x 720p / 30fps
- 1.5" LCD Monitor
- 120 degree viewing angle
- Seamless loop recording
- Micro SD up to 32GB
- 4x digital zoom
- Parking monitor function
- Motion detection function
- G-sensor
- A/V out jack

Order Number D12VR

MSRP \$89.95

UPC 0 52303 40838 0

Packaging Box

Unit Dimensions 1.5 in. H x 3 in. W x 1 in. L

Unit Weight .19 lb.

Retail Packaging Dimensions 5.5 in. H x 6.75 in. W x 2.75 in. L

Retail Weight 1.05 lbs

Case Pack Quantity 6

Case Pack Dimensions 8.13 in. H x 9.13 in. W x 11.75 in. L

Case Pack Weight 7 lbs

Case Pack Cube .50

Includes Dash Cam, Mount, USB Cable, Car Charger and User Guide

1-800-457-6888

www.whistlergroup.com



SAFETY

DASH CAMERA D16VR



The luxurious metal housing of this dash camera makes it ideal for anyone that wants to make a statement.

Protect yourself and guard against insurance fraud with the seamless loop recording. Keep tabs on your vehicle with the parking monitor and motion detection functions.

- High-def 1920 x 1080p / 30fps
- 3" LCD monitor
- 170° viewing angle
- Seamless loop recording
- Micro SD up to 32GB
- 4x digital zoom
- Parking monitor function
- Motion detection function
- G-sensor
- HDMI playback capability
- (HDR) High Dynamic Range

Order Number D16VR

MSRP \$129.95

UPC 0 52303 40840 3

Packaging Box

Unit Dimensions 2 in. H x 3.25 in. W x 1.76 in. L

Unit Weight .39 lb.

Retail Packaging Dimensions 5.75 in. H x 8 in. W x 3 in. L

Retail Weight .55 lbs

Case Pack Quantity 6

Case Pack Dimensions 8.75 in. H x 6.25 in. W x 16 in. L

Case Pack Weight 7.15 lbs

Case Pack Cube .46

Includes Dash Cam, Mount, USB Cable, Car Charger and User Guide

1-800-457-6888

www.whistlergroup.com



SAFETY

DASH CAMERA

D2200S

180°
Dual Camera
Rotating Lens



- Built-in dual cameras w/IR LEDs
- Record inside & outside of vehicle
- Full or split screen option
- High definition
- 1080p/25fps - 720p/30fps
- 2.7" LCD monitor
- 120° viewing angle
- Seamless loop recording
- Includes 8GB micro SD card for recording
- 12MP camera
- Adjustable digital zoom
- G-Sensor
- File protection
- Parking monitor function
- Motion detection function
- A/V out jack

Order Number D2200S

MSRP \$189.95

UPC 0 52303 40868 7

Packaging Box

Unit Dimensions 2 in. H x 4.125 in. W x .75 in. L

Unit Weight .12 lb.

Retail Packaging Dimensions 5.75 in. H x 8 in. W x 3 in. L

Retail Weight 1.1 lbs

Case Pack Quantity 6

Case Pack Dimensions 8.13 in. H x 9.13 in. W x 11.75 in. L

Case Pack Weight 6.9 lbs

Case Pack Cube .51

Includes Dash Cam, Mount, USB Cable, Car Charger, 8GB Micro SD Card and User Guide

1-800-457-6888

www.whistlergroup.com



SAFETY

DASH CAMERA D24RS

WORLD'S SMALLEST STARLIGHT FHD DASH CAM!



TINY DASH CAM - Half the size of a credit card! The small size is easily concealable and doesn't obstruct your line of vision.

1920x1080 FULL HD RESOLUTION - Captures 1080p footage and delivers stunning image quality and clear video.

ENHANCED NIGHT VISION - Clear vivid images with Patented Technology.

1.5" LCD SCREEN - Even with its tiny size it has a large 1.5" screen.

AUTO ACCIDENT DETECTION FEATURE - If the G-Sensor is triggered, the dash cam will automatically lock videos giving you a record of the incident for use in insurance claims.

LOOP RECORDING - Selects how long you want each recording to last, before it is saved and starts a new recording.

EASY TO SET UP - Simply mount the dash cam to the windshield using the suction cup mount. Connect the USB cable and plug into any 12V outlet.

*Supports microSD cards up to 32GB
8GB MicroSD card included.*

Order Number D24RS

MSRP \$89.95

UPC 0 52303 40879 3

Packaging Box

Unit Dimensions 1.75 in. H x 2.625 in. W x 1.25 in. L

Unit Weight .31 lb.

Includes Dash Cam, 8GB MicroSD Card, Mount, USB Cable, Car Charger, Reset Tool, MicroSD to USB Adapter and User Guide

1-800-457-6888

www.whistlergroup.com



SAFETY

DASH CAMERA D28RS



MAGNETIC ATTACHMENT TO DASH CAM

Disconnect camera from the magnetic base and easily store it in your console, glove compartment or even your purse

1080 FULL HD RESOLUTION

Captures 1080p footage and delivers stunning image quality and clear video

6 GLASS LENS

Provides an optical quality clear image

360 DEGREE ROTATION

Easily rotate the camera a full 360° to see inside or outside the vehicle

1.2" LCD DISPLAY

AUTO ACCIDENT DETECTION FEATURE

If the G-Sensor is triggered, the dash cam will automatically lock videos giving you a record of the incident for use in insurance claims

LOOP RECORDING

Select how long you want each recording to last, before it is saved and starts a new recording

BUILT IN GPS

Record time, location and speed (shown in a compatible pc player)

BUILT IN WIFI

Connect seamlessly to mobile app available for both iOS and Android (view files, change select settings, stream live)



Order Number D28RS

MSRP \$149.95

UPC 0 52303 40881 6

Packaging Clambox

Unit Dimensions 2 in. H x 2 in. W x 3.25 in. L

Unit Weight .35 lb.

Retail Packaging Dimensions 4.25 in. H x 5.75 in. W x 2.125 in. L

Retail Weight 0.85 lbs

Case Pack Quantity 6

Case Pack Dimensions 6 in. H x 7.5 in. W x 8.5 in. L

Case Pack Weight 3.8 lbs

Case Pack Cube .22

Includes Dash Cam, Mount, USB Cable, Car Charger, 8GB MicroSD Card, Spare Adhesive Pad, User Guide

1-800-457-6888

www.whistlergroup.com



SAFETY

BACKUP CAMERA WBU-900

Easy installation!
*No drilling or
hard-wiring required.*

- Reduces dangerous blind spots
- Battery operated camera
- Built-in solar panels maintain battery for worry-free operation
- Fits most cars, trucks and SUVs
- Includes 4.3" monitor



Order Number WBU-900

MSRP \$199.95

UPC 0 52303 40861 8

Packaging Box

Retail Packaging Dimensions 13 in. H x 7.5 in. W x 3 in. L

Retail Weight 2.7 lbs

Case Pack Quantity 6

Case Pack Dimensions 18.5 in. H x 13.5 in. W x 8.2 in. L

Case Pack Weight 17.7 lbs

Case Pack Cube 1.19

Includes Solar Powered Camera, 4.3" Monitor, 2 Solar Panels, Suction Cup Mount, Dash Disk, Car Charger, USB Cable, Mounting Hardware and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

MINI JUMP STARTER WJS-1800



Premium Protection Cables

- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

Order Number WJS-1800

MSRP \$119.95

UPC 0 52303 40744 4

Packaging Clamshell

Unit Dimensions .67 in. H x 3 in. W x 5.5 in. L

Unit Weight .52 lb.

Retail Packaging Dimensions 6.5 in. H x 7.87 in. W x 2.62 in. L

Retail Weight 1.12 lb.

Case Pack Quantity 6

Case Pack Dimensions 12 in. H x 8.19 in. W x 8.75 in. L

Case Pack Weight 7.25 lb.

Case Pack Cube .5

Includes Mini Jump Starter, Premium Protection Cables, Home AC Adapter, User Guide

- The MINI is for use on single battery 12V systems like garden tractors, ATVs, boats, motorcycles and passenger vehicles (4 and 6 cyl.)
- 160 starting Amps / 320 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design fits conveniently in toolboxes, consoles and glove boxes
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1 year
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Provides multiple jump starts from a single charge
- 1 USB port can power and charge phones, tablets, cameras and more

1-800-457-6888

www.whistlergroup.com



POWER

MIGHTY JUMP STARTER WJS-3500



Premium Protection Cables

- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

- The MIGHTY is for use on a wide range of 12V single battery vehicles including 4, 6, & 8 cyl. engine's for cars, trucks, SUVs, boats, motorcycles, garden tractors, ATVs and more
- 200 starting Amps / 400 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design fits conveniently in toolboxes, consoles and glove boxes
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1year
- Provides multiple jump starts from a single charge
- 2 USB ports (2.1 Amp shared) can power and charge phones, tablets, cameras and more
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Heavy-duty impact resistant cover

Order Number WJS-3500

MSRP \$149.95

UPC 0 52303 40770 3

Packaging Clamshell

Unit Dimensions 1.2 in. H x 3.0 in. W x 5.1 in. L

Unit Weight .80 lb.

Retail Packaging Dimensions in. 8.75 H x 9.25 in. W x 2.5 in. L

Retail Weight 2.2 lb.

Case Pack Quantity 6

Case Pack Dimensions 8.625 in. H x 10.125 in. W x 8 in. L

Case Pack Weight 15.65 lb.

Case Pack Cube .91

Includes MIGHTY Jump Starter, Premium Protection Cables, Home AC Adapter, 12V DC Car Adapter, Zippered Storage Case and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

MEGA JUMP STARTER WJS-4000



4-in-1 USB Charging Pigtail

- 4-in-1 USB cable recharges USB devices, such as smart phones, tablets and more

Premium Protection Cables

- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

Order Number WJS-4000

MSRP \$179.95

UPC 0 52303 40766 6

Packaging Clamshell

Unit Dimensions 1.5 in. H x 3.4 in. W x 6.1 in. L

Unit Weight 1.16 lb.

Retail Packaging Dimensions 8.75 in. H x 8.75 in. W x 3 in. L

Retail Weight 2.9 lb.

Case Pack Quantity 6

Case Pack Dimensions 11 in. H x 9.5 in. W x 17.25 in. L

Case Pack Weight 18.05 lb.

Case Pack Cube 1.04

Includes MEGA Jump Starter, Premium Protection Cables, 4-in-1 USB Charging Pigtail, 19.1V Charging Cable w/8 Adapter Tips, Zippered Storage Case, Home AC Adapter, 12 V Charger and User Guide

- The MEGA is for use on a wide range of 12V single battery vehicles including 4, 6, & 8 cyl. engines for cars, trucks, SUVs, boats, motorcycles, garden tractors, ATVs and more
- 240 starting Amps / 480 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design fits conveniently in toolboxes, consoles and glove boxes
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1 year
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Heavy duty impact resistant cover
- Provides multiple jump starts from a single charge
- 2 USB ports (2.1 Amp shared) can power and charge phones, tablets, MP3 players, cameras and more
- 19.1V port for charging of laptops and tablets

1-800-457-6888

www.whistlergroup.com



POWER

MAXX JUMP STARTER WJS-6000



4-in-1 USB Charging Pigtail

- 4-in-1 USB cable recharges USB devices, such as smart phones, tablets and more

Premium Protection Cables

- Reverse polarity protection
- Short circuit protection
- Low voltage protection
- Cranking time protection
- Back feed protection
- Over discharge protection
- Low vehicle voltage protection

Order Number WJS-6000

MSRP \$229.95

UPC 0 52303 40745 1

Packaging Hard Case

Unit Dimensions 4.25 in. H x 1.6875 in. W x 7.1875 in. L

Unit Weight 1.8 lb.

Retail Packaging Dimensions 9 in. H x 15.563 in. W x 4.25 in. L

Retail Weight 5 lb.

Case Pack Quantity 4

Case Pack Dimensions 10 in. H x 18.5 in. W x 21.6 in. L

Case Pack Weight 24.5 lb.

Case Pack Cube 2.31

Includes MAXX Jump Starter, Premium Protection Cables, Home AC Adapter, 12V DC Car Adapter, 4-in-1 USB Charging Pigtail, Hard Storage Case and User Guide

- The MAXX jump starter is for use on single and dual 12V battery systems like garden tractors, ATVs, boats, motorcycles, passenger vehicles and diesel vehicles up to 7.3L
- 400 starting Amps / 800 peak Amps
- Powerful lithium polymer battery can be recharged hundreds of times
- Compact design
- 5 LED battery power/charging level indicator
- Built-in overcharge protection
- Holds a charge for up to 1 year
- Built-in high output LED flashlight includes strobe, SOS and emergency beacon flashing patterns
- Heavy duty impact resistant cover
- Provides multiple jump starts from a single charge
- 2 USB ports (2.1 Amp shared) can power and charge phones, tablets, cameras and more

1-800-457-6888

www.whistlergroup.com



POWER

Power Inverter XP100i



- 1 AC outlet
- 1 USB port
- 180° multi-position adjustable plug
- 100 watt continuous power
- 200 watt peak power
- Plugs into 12V socket
- Cooling fan
- 10 Amp power requirement
- Ground fault sensing
- Electronic circuit protection

Order Number XP100i

MSRP \$34.95

UPC 0 52303 40708 6

Packaging Clamshell

Unit Dimensions 1 in. H x 3.15 in. W x 3.55 in. L

Unit Weight .3 lb.

Retail Packaging Dimensions 7.75 in. H x 6.5 in. W x 3 in. L

Retail Weight .5 lb.

Case Pack Quantity 6

Case Pack Dimensions 6.75 in. H x 7.5 in. W x 11 in. L

Case Pack Weight 3.35 lb.

Case Pack Cube .32

Includes 100 Watt Power Inverter and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

Power Inverter XP200i



- 1 AC outlet
- 2 USB ports
- Plugs into 12V socket
- 200 watt continuous power
- 400 watt peak power
- 12V adapter cable
- Cooling fan
- 20 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP200i

MSRP \$49.95

UPC 0 52303 40710 9

Packaging Clamshell

Unit Dimensions 1.3 in. H x 3.5 in. W x 5.3 in. L

Unit Weight .8 lb.

Retail Packaging Dimensions 8 in. H x 7 in. W x 2.75 in. L

Retail Weight 1 lb.

Case Pack Quantity 6

Case Pack Dimensions 7.5 in. H x 7.5 in. W x 11 in. L

Case Pack Weight 6.75 lb.

Case Pack Cube .36

Includes 200 Watt Power Inverter, Power Cable and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

Power Inverter XP400i



- 2 AC outlets
- 2 USB ports
- 400 watt continuous power
- 800 watt peak power
- Plugs into 12V socket
- 12V adapter cable
- Battery cable w/clamps
- Cooling fan
- 40 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP400i

MSRP \$79.95

UPC 0 52303 40711 6

Packaging Clamshell

Unit Dimensions 2 in. H x 4.15 in. W x 6.5 in. L

Unit Weight 1.25 lb.

Retail Packaging Dimensions 9 in. H x 8 in. W x 3.25 in. L

Retail Weight 1.88 lb.

Case Pack Quantity 6

Case Pack Dimensions 8 in. H x 9.375 in. W x 13.5 in. L

Case Pack Weight 11.8 lb.

Case Pack Cube .59

Includes 400 Watt Power Inverter, 12v Adapter Cable,
Direct Wire Cable w/Clamps and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

Power Inverter XP800i



- 2 AC outlets
- 2 USB ports
- 800 Watt continuous power
- 1600 Watt peak power
- Battery cable w/clamps
- Mountable
- Cooling fan
- 80 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP800i

MSRP \$129.95

UPC 0 52303 40713 0

Packaging Clamshell

Unit Dimensions 2 in. H x 5.1 in. W x 8.25 in. L

Unit Weight 3.1 lb.

Retail Packaging Dimensions 9.375 in. H x 10.125 in. W x 3.625 in. L

Retail Weight 3.9 lb.

Case Pack Quantity 4

Case Pack Dimensions 10.75 in. H x 9.5 in. W x 10.25 in. L

Case Pack Weight 16.25 lb.

Case Pack Cube .61

Includes 800 Watt Power Inverter, Direct Wire Cable w/Clamps and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

Power Inverter XP1200i



- 3 AC outlets
- 2 USB ports
- 1200 watt continuous power
- 2400 watt peak power
- Digital volt/watt meter
- Mountable
- Overload indicator
- Remote control ready
- Thermostat controlled fan
- 120 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP1200i

MSRP \$199.95

UPC 0 52303 40714 7

Packaging Box

Unit Dimensions 3.54 in. H x 7.4 in. W x 8.9 in. L

Unit Weight 4.5 lb.

Retail Packaging Dimensions 9.625 in. H x 11.375 in. W x 5.125 in. L

Retail Weight 7 lb.

Case Pack Quantity 2

Case Pack Dimensions 10 in. H x 10.75 in. W x 11.5 in. L

Case Pack Weight 15.10 lb.

Case Pack Cube .72

Includes 1200 Watt Power Inverter and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

Power Inverter XP2000i



- 3 AC outlets
- 2 USB ports
- 2000 watt continuous power
- 4000 watt peak power
- Digital volt/watt meter
- Mountable
- Overload indicator
- Remote control ready
- Thermostat controlled fan
- 200 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP2000i

MSRP \$349.95

UPC 0 52303 40716 1

Packaging Box

Unit Dimensions 3.54 in. H x 8.9 in. W x 12 in. L

Unit Weight 7.3 lb.

Retail Packaging Dimensions 11 in. H x 14.875 in. W x 5.5 in. L

Retail Weight 11.5 lb.

Case Pack Quantity 2

Case Pack Dimensions 6.34 in. H x 15.67 in. W x 22.76 in. L

Case Pack Weight 26.25 lb.

Case Pack Cube 1.31

Includes 2000 Watt Power Inverter and User Guide

1-800-457-6888

www.whistlergroup.com



POWER

Power Inverter XP3000i



- 3 AC outlets
- 2 USB ports
- 3000 watt continuous power
- 6000 watt peak power
- Digital volt/watt meter
- Mountable
- Overload indicator
- Remote control ready
- Thermostat controlled fan
- 300 Amp power requirement
- Ground fault sensing
- Electronic circuit protection
- Exclusive On/Off/On rocker switch

Order Number XP3000i

MSRP \$549.95

UPC 0 52303 40717 8

Packaging Box

Unit Dimensions 3.54 in. H x 8.9 in. W x 15.5 in. L

Unit Weight 12.5 lb.

Retail Packaging Dimensions 11 in. H x 18.75 in. W x 5.5 in. L

Retail Weight 15 lb.

Case Pack Quantity 2

Case Pack Dimensions 6.34 in. H x 19.53 in. W x 22.91 in. L

Case Pack Weight 33.05 lb.

Case Pack Cube 1.64

Includes 3000 Watt Power Inverter and User Guide

1-800-457-6888

www.whistlergroup.com



GARAGE

INSPECTION CAMERA WIC-5000



- 9mm water, gas, diesel, alcohol and oil proof camera
- 2.4 in. color LCD monitor
- Image rotation capabilities
- Zoom capability
- 3.3 ft. flexible camera tube
- LED brightness control
- Requires 4 AA batteries (not included)

Order Number WIC-5000

MSRP \$149.95

UPC 0 52303 40624 9

Packaging Clamshell

Unit Dimensions 1.77 in. H x 3.46 in. W x 9.84 in. L

Unit Weight .81 lb.

Retail Packaging Dimensions 11.75 in. H x 15 in. W x 2.5 in. L

Retail Weight 1.2 lb.

Case Pack Quantity 6

Case Pack Dimensions 9 in. H x 12 in. W x 12 in. L

Case Pack Weight 7.75 lb.

Case Pack Cube .75

Includes Inspection Camera, 3.3' Flexible Camera Tube, Video Cable, Mirror, Magnet, Hook Clip and User Guide

1-800-457-6888

www.whistlergroup.com



GARAGE

FLEXIGLO
WFG-21



- Bend & shape to fit
- Magnetic back
- Durable silicone
- Weather resistant
- 126 lumens (fully illuminated)
- Battery life = 12 hrs (approx)
with standard alkaline batteries
- Uses 3 AAA batteries (not included)

Order Number WFG-21

MSRP \$24.95

UPC 0 52303 40783 3

Packaging Clamshell

Unit Dimensions

10.4375 in. H x 2.85 in. W x .76 in. D

Unit Weight .33 lbs.

Retail Packaging Dimensions

14.25 in. H x 6 in. W x .75 in. D

Retail Weight .47 lbs.

Case Pack Quantity 12

Case Pack Dimensions

8.75 in. H x 5.625 in. W x 13.875 in. L

Case Pack Weight 6.10 lbs.

Case Pack Cube .40

1-800-457-6888

www.whistlergroup.com



WHISTLER

1-800-457-6888

www.whistlergroup.com