

HOMEBAY® INSTALLATION GUIDE



Questions? Contact Us
support@rainorshinegolf.com
1-888-831-9489

Index

Exploded Drawing

Tips Before You Begin

HomeBay Parts List (Images not to scale)

Bracketing and Hardware Parts List

HomeBay Impact Screen and Netting Parts List

Step #1: Layout Pieces of Hardware Kit

Step #2: Locate Wall Studs and Make Measurements for Installation


Step #3: Install Brackets to Wall

Step #4: Install HomeBay Screen to Brackets

Step #5: Install Side Nets

Step #6: Install Ceiling Net & Ceiling Hooks

Exploded Drawing



Tips Before You Begin

- For your safety, and to make this a smoother setup process, make sure you work with at least one other person.
- Completing full assembly of your HomeBay will take about 1 hour

1 Hour Assembly Time

- Please be sure to follow the instructions laid out in this manual carefully.
- If needed, you can reach our support staff by phone at:






1-888-831-9489 Ext 1 support@rainorshinegolf.com

We are here to help!







Optional Pro tip: Order some pizzas, maybe some beer, and throw something on a TV near your work space... Take your time with the setup process and make it more enjoyable. It can be a tedious process but once complete, you will have an excellent golf simulator enclosure that will last for many years.

HomeBay Parts List (Images not to scale)

Bracketing and Hardware Parts List (Extra pieces will be included)

Part	Specs	Quantity	Image
Top Brackets	18" x 20"	2	
Bottom Brackets	18" x 20"	2	
Hex Washer Head Screws	1/4"	12	
Drywall Anchor	1/4"	12	
Elevator Bolt	2"	4	
Flat Washer	1"	4	
Nut	3/8"	4	
FlatHead Screwdriver		1	

Impact Screen, Netting, and Accessories Parts List

Part	Specs	Quantity	Image
White Impact Screen	8' x 10'	1	
Triangular Side Nets	8' x 10'	2	
SandBags		2	
Ceiling Net	10' x 6'	1	
Ceiling Hooks	3"	2	
Ball Bungees	6"	4	

Recommended Tools (not included)

Studfinder
Laser Level


Step #1: Layout the Pieces of Your Bracketing Kit

Layout all pieces of your HomeBay Bracket and Hardware kit. You should have 2 wide brackets for the top of the setup and 2 narrow brackets for the bottom. You will also want to layout all the hardware provided to confirm all pieces were received. Please note that we have provided one extra of each of the hardware pieces.

Step #2: Locate Studs and Make Measurements

A stud finder is recommended for this step (not provided). We have provided drywall anchors for your use, however, for the tightest fitting screen, we recommend using as many stud locations as possible when installing your brackets. If the stud placement is not sufficient for the width of the HomeBay, customers have placed spacer boards between studs to bridge the gap - thin 24" x 24" sheets of plywood will work well for this.

Mark your width at exactly 120" and your height at exactly 92". mounted. Essentially, you are marking the corner points of a 120" wide by 92" height rectangle



Step #3: Install Brackets to Wall

Install Top Brackets

Place your brackets in the positions that have been measured and marked. We highly recommend having at least one screw go into a stud with each bracket. Install drywall anchors wherever necessary on the remaining holes if studs are not possible. Once any anchors are in place, place the brackets and insert the provided screws into each of the holes.

Install Bottom Brackets

Place your brackets in the positions that have been measured and marked. For the best fit and durability, mount all screws into a stud. If this is not possible, install drywall anchors into the marked positions and insert a screw into this on the remaining holes. Once any anchors are in place, place the brackets and insert the provided screws into each of the holes. If you have floorboards, you will need to place a spacer board equal to the thickness of your floorboard behind the top hole (this is fairly common)

Step #4: Install Screen to Brackets


Unfold your screen and lay flat on a clean surface. The bottom of your screen will be the flap without the velcro attachment. Hold the top of the screen at each corner and align the corner grommet to the hole in the top bracket. Insert the elevator bolt through the grommet and the hole in the bracket, then fasten the washer and nut to the end of the bolt, hand tighten the nut to secure the fitting. Repeat this process for each of the remaining three corner brackets.

Step #5: Install Side Netting

Unpack your triangular side netting and indicate the right side from the left. Lay out the nets and locate the 8' section that contains the velcro as well as the 10' length section. The following diagram indicates where the velcro will need to be positioned. Attach the velcro portion of the side net to the side flap of your HomeBay Impact Screen from top to bottom. The side net should be the same height as the impact screen if properly fastened. Fasten the sandbags to the far corner of the side netting and fill with your heavy object of choice. Fasten the top grommet of the net to the impact screen utilizing the ball bungees provided for a tighter fit.

Step #6: Install Ceiling Netting

Unpack and layout your rectangular ceiling netting. Locate the velcro portion of the net and this will be the surface that attaches to the top flap of your impact screen. Attach the velcro and then fasten the top corner grommets of the net to the impact screen utilizing the ball bungees provided for a tighter fit. Once fully attached to your impact screen, pull the ceiling netting taught and up to your ceiling, marking the positioning of the grommets on your ceiling. Insert the ceiling hooks into your ceiling and hook the corner grommets to each of the ceiling hooks. For an average ceiling height of 9 feet to 10 feet, your net should be positioned in an upward angle about 4-5 feet from the screen.



You're all done!

Now that you have fully installed your HomeBay, go enjoy the golf simulator of your dreams! If you are in need of any additional assistance, please contact us at 888-831-9489 with extension 1 for our customer service department. We hope that you fully enjoy your brand new golf simulator and look forward to hearing your feedback.