

# GUARDIAN™

EVERYONE SHOULD



HAVE A GUARDIAN.™

## Guardian Lubrication Tools and Equipment Catalog

For more than 90 years, service professionals have looked to Lincoln for lubrication equipment designed to meet the demands of day-to-day shop life. In response to overwhelming requests, Lincoln proudly makes its equipment available to those outside the service industry with our Guardian line of lubrication products. Designed for life outside the shop, Guardian brings you a level of performance previously unavailable in over-the-counter lubrication equipment. Every Guardian product is engineered to meet the industry's most exacting standards for reliability and performance. Like all Lincoln products, the Guardian name is your assurance that what you're buying is an extraordinary piece of equipment.



### **Grease Guns**

#### **G100 LEVER ACTION**

Features electro-static, corrosion-resistant finish and non-slip knurling for better grip. Steel block head offers protection for hardened steel plunger. Heavy-duty steel barrel for long life. Posi-lock follower rod with T-handle provides sure-handed grip and easy filling at any position. Uses standard 14 oz. grease cartridge.

#### **G102 "THE BULLDOG" PREMIUM LEVER ACTION**

"The Bulldog" was designed to take punishment! Same as G100 plus filler nipple for 3-way loading; bulk, filler pump or cartridge. Bleeder valve allows purging of air from gun head. Includes sure-handle grip.

#### **G112/G113 HEAVY-DUTY PISTOL GRIP**

Die-cast head with 4" rigid pipe extension and coupler (G113 equipped with 18" flex hose extension and coupler). One-hand operation. Uses standard 14 oz. cartridge or can be bulk filled. Features heavy-duty steel barrel, electro-static, corrosion-resistant finish and non-slip knurling. Posi-lock follower rod with T-handle provides sure-handed grip and easy filling at any position.

#### **G110 MINI PISTOL GRIP**

Zinc die-cast head with 4" rigid pipe extension and coupler. Uses standard 3 oz. grease cartridges. Compact and lightweight, the G110 is the perfect tool for smaller, less frequent lubrication projects.

#### **G120 AIR-OPERATED PISTOL GRIP**

Ergonomic pistol grip design ensures easy operation. Rugged stainless steel barrel for long life. Handy 3-way loading. 1/4" NPT air inlet. Develops up to 4800 psi operating pressure. Input pressure of 40-120 psi.

#### **G150 SUCTION GUN**

18 oz. capacity with 12" flex hose. Perfect for draining and filling differentials, clutches, power steering reservoirs and transmissions. Needs no priming. Features heavy-duty steel barrel, electro-static, corrosion-resistant finish and non-slip knurling.

**Guardian – Bringing The  
Lincoln Tradition To You**

**LINCOLN**



G160

### Adapters

#### G160 GREASE GUN HOLDER

Holds grease and suction guns with 2½" OD barrel. Mount to any surface.



G901

#### G901 4" NEEDLE NOZZLE

For those hard-to-reach grease points on farm equipment, 4WDs and other recreational vehicles. Use with hand grease guns only.



G902

#### G902 SEAL OFF ADAPTER WITH RUBBER TIP

For use with grease plugs. Use with hand grease guns only. ⅛" NPT(f).



G904

#### G903 NEEDLE NOSE ADAPTER

For those hard-to-reach spots. Use with hand grease guns only ⅛" NPT(f).



G903

#### G904 SMALL 4-WAY GREASE FITTING TOOL

For tap repair of damaged threads (¼"-28) and removal of broken fittings.

#### G905 LARGE 4-WAY GREASE FITTING TOOL

For tap repair of damaged threads (⅜"-NPT) and removal of broken fittings.



G905

#### G906 GREASE GUN PIPE

6" extension replacement for grease guns. ⅛" NPT(m) on both ends.



G906

#### G907 GREASE GUN FILLER NIPPLE

Used to bulk fill grease guns. ⅛" NPT(m) fitting.



G907

### Grease Hose Extensions

For hand-operated grease guns only. Both ends have ⅛" NPT(m) threads. Working pressure 3500 psi. Burst pressure 14,000 psi.



G300

#### HOSE EXTENSIONS

Model	Description	Model	Description
G212	12" length	G218	18" length
G212S	12" length w/spring guard	G218S	18" length w/spring guard



G310

### Couplers

#### G300 STANDARD GREASE COUPLER

For use with most hand-operated grease guns and equipment. ⅛" NPT. Knurled body and mill flats for easy use, installation and removal.

#### G310 HEAVY-DUTY GREASE COUPLER

For use with most hand-operated grease guns and equipment. ⅛" NPT. Knurled body. Hex base for proper installation and removal.



G320

#### G320 90-DEGREE GREASE COUPLER

Specially designed for later model vehicles with hard-to-reach fittings. Complete with small and large quick-disconnect adapters.



G321

#### G321 360-DEGREE GREASE COUPLER

Designed for cars, trucks and equipment with hard-to-reach fittings. Great for front-wheel drive vehicles. ⅛" NPT(f) inlet.

# GUARDIAN

EVERYONE SHOULD HAVE A GUARDIAN.



## Guardian Pumps



### **G400 LEVER-ACTION BUCKET PUMP**

Fits 5-gallon buckets. Includes pump, 18" drum cover and 4' delivery hose. Perfect for transferring transmission fluid or heavier fluids.

### **G401 LEVER-ACTION BARREL PUMP**

Fits 16- to 55-gallon drums. Delivers 10 oz. per stroke. Includes standard bung bushing. Designed for transfer of petroleum-based, non-corrosive liquids. Rugged, corrosive-resistant finish. Curved metal spout features threads to fit all garden hoses.

### **G402 ROTARY BARREL PUMP**

Cast iron pump head for transferring petroleum-based, non-corrosive fluids. Comes with standard bung bushing. Delivers approximately one gallon per 18 revolutions of handle. Great for commercial, automotive, farm and industrial applications.

### **G404 GREASE GUN FILLER PUMP**

For bulk filling grease gun G102 or any gun using filler nipple G907. Fits 5-gallon buckets. Comes with follower plate, drum cover and filler adapter.

### **G410 PLASTIC BARREL PUMP**

Fits 5-, 6-, 15-, 30- and 55-gallon drums with 3/4" or 2" drum opening. Use mild chemicals, antifreeze, detergent and petroleum-based products.

### **MATERIALS**

Model	Materials (can be pumped)
G400	Antifreeze, automotive additives, detergents, grease, motor oil, oils (heavy & light), transmission fluid
G401	Motor oil, oils (heavy & light), heating oil, lacquer thinner, soaps, solvents, thinners, transmission fluid
G402	Diesel fuel, heating oil, kerosene, lacquer thinner, motor oil, oils (heavy & light), transmission fluid
G404	Grease
G410	Acids (weak), alcohols, alkalis (weak), antifreeze, automotive additives, benzene, chloride water, detergents, diesel fuel, disinfectants, fertilizers, herbicides, lacquer thinner, motor oil, oils (light), thinners, transmission fluid

# GUARDIAN

EVERYONE SHOULD



HAVE A GUARDIAN.

## Guardian Pumps



G412



G413



G414



G415



G721



G781

### G412 PLASTIC BUCKET

5-gallon capacity. Dispenses on down stroke. Complete with fixed curved metal spout and bung adapter.

### G413 LIFT-ACTION PLASTIC PISTON W/STEEL TUBE

Fits all drums with 2" bung opening. 16- to 55-gallon drum capacity. Includes 3' flex hose and bung adapter. Features a drain-back nozzle that prevents spills and accidents.

### G414 LIFT-ACTION STEEL PISTON W/FIXED SPOUT

Zinc-plated steel drum pump for use with non-corrosive liquids. Fits all 2" drum openings on 16- to 55-gallon drums. Features die-cast head and curved metal spout.

### G415 LIGHTWEIGHT SIPHON DRUM

Fits 55-gallon drums. Easily dispense small amounts of fluid.

### MATERIALS

Model	Materials (can be pumped)
G412	Alcohols, antifreeze, automotive additives, benzene, chloride water, cleaning solutions, diesel fuel, heating oil, kerosene, lacquer thinner, motor oil, oils (heavy & light), petroleum products (other), soaps, solvents, thinners, transmission fluid, water (cold & hot), water-based fluids, waxes
G413	Alcohols, antifreeze, automotive additives, benzene, chloride water, cleaning solutions, diesel fuel, heating oil, kerosene, lacquer thinner, motor oil, oils (heavy & light), petroleum products (other), soaps, solvents, thinners, transmission fluid, water (cold & hot), water-based fluids
G414	Lacquer thinner, motor oil, oils (heavy & light), petroleum products
G415	Acetone, acids (strong & weak), alkalis (weak), alcohols, antifreeze, automotive additives, benzene, chemicals (aggressive, mild, inorganic), cleaning solutions, corrosive fluids (mild), detergents, diesel fuel, disinfectants, farm chemicals, fertilizer, herbicides, insecticides, motor oil, oils (light), soaps, water (cold)

## Additional Accessories

### G721 UNIVERSAL BEARING PACKER

Will pack any bearing up to 4 1/2" ID while forcing out old grease. Can be used with any manual grease gun.

### G781 WASTE OIL DRAIN

5-gallon capacity, telescopic drain pan tube.

# GUARDIAN

EVERYONE SHOULD HAVE A GUARDIAN.



## Guardian Grease

### Multi-Purpose Lithium Grease

Heavy-duty, lithium-based grease is great for most agricultural, automotive and industrial applications. Perfect for chassis and U-joints that require frequent regreasing.

#### MULTI-PURPOSE LITHIUM GREASE

Model	Quantity	Size
G800	2 pack	3 oz.
G801	4 pack	3 oz.
G802	1 cartridge	14 oz.

### Heavy-Duty Red Farm/Industrial Grease

This durable "red" grease is ideal for high-wear applications. Manufactured to resist rust, oxidation, extreme pressures. Water insoluble.

#### HEAVY-DUTY RED GREASE

Model	Quantity	Size
G830	1 cartridge	14 oz.



### Grease Fitting Assortments

Guardian assortments contain the most popular fittings.

#### G600 MINI SAE

Quantity	Description
2	1/4"-28 straight short w/ball check
2	1/8"-27 straight long w/ball check
2	1/8"-27 45° short w/ball check
2	1/8"-27 90° long w/ball check

#### G601 MINI METRIC

Quantity	Description
2	6mm x 1 straight
2	6mm x 1 45°
2	6mm x 1 90°
2	8mm x 1 straight

#### G620 DELUXE SAE

Quantity	Description
8	1/4"-28, straight short w/ball check
7	1/8"-27, straight long w/ball check
5	1/8"-27, 45° short w/ball check
5	1/8"-27, 90° long w/ball check
3	1/4"-28, 90° short w/ball check
2	1/4"-28, 45° short w/ball check

### Grease Fittings

Guardian fittings are engineered for automotive, industrial and farm applications.

#### DOMESTIC/SAE FITTINGS

Quantity	Model	Description
10	G630	1/4"-28 straight short w/ball check
10	G631	1/8"-27 straight long w/ball check
10	G632	1/8"-27 45° short w/ball check
10	G633	1/8"-27 90° long w/ball check
10	G634	1/4"-28, 90° short w/ball check
10	G635	3/16"-drive/ball check
10	G636	1/4"-28, 45° short w/ball check

#### METRIC FITTINGS

Quantity	Model	Description
10	G640	6mm x 1, straight
10	G641	6mm x 1, 45°
10	G642	6mm x 1, 90°
10	G644	8mm x 1, 45°
10	G645	8mm x 1, 90°

Guardian Grease

LINCOLN



### Oiler Cans

Guardian offers oilers in variety of sizes with rigid or flexible spouts to fit your needs.

#### OILERS

Model	Description
G502	6 oz, rigid spout
G503	6 oz, flexible spout
G504	12 oz, rigid spout
G507	16 oz, flexible spout

### Flexible Spout Measures

Guardian's flexible spout measures are designed for one-hand operation. Thumb-operated valve controls flow. 14" flexible spout with tapered tip swings into the necessary angle for hard-to-reach spots. Recessed bottom drains fully and guards against puncture. Rolled-edge top helps prevent spilling.

#### FLEXIBLE SPOUT MEASURES

Model	Description
G524	4 quarts
G525	5 quarts
G528	8 quarts

### Filter Wrenches

#### G700 HEAVY-DUTY FILTER WRENCH

With swivel handle For those hard-to-reach filters. Fits standard car and truck filters 3 $\frac{1}{2}$ " to 3 $\frac{7}{8}$ " diameter.

#### G701 HEAVY-DUTY FILTER WRENCH

With swivel handle For hard-to-reach filters. Fits standard car and truck filters 2 $\frac{7}{8}$ " to 3 $\frac{3}{16}$ " diameter.

#### G702 UNIVERSAL NYLON STRAP FILTER WRENCH

Easily adapts to any spin-on filter up to 6" in diameter. Works with  $\frac{1}{2}$ " drive socket wrench.

#### G705 ADJUSTABLE FILTER WRENCH

Adjustable band conforms to filters ranging in size from 2 $\frac{3}{4}$ " to 4" in diameter.



G503



G524



G525



G528



G700



G701



G702



G705