# Safety data sheet according to 1907/2006/EC, Article 31

**AKEMI**<sup>®</sup>

nting data 11.00.2010	$\lambda$	
nting date 14.09.2016	Version number 7	Revision: 14.09.201
SECTION 1: Identification of	the substance/mixture and of the company/undertak	ing
• <b>1.1 Product identifier</b> • Trade name:	Natural Stone Basic Cleaner Spray	
• Article number:	11838	
• 1.2 Relevant identified uses of		
the substance or mixture and		
uses advised against	No further relevant information available.	
<ul> <li>Application of the substance / th</li></ul>	Cleaning agent/ Cleaner	
<ul> <li>1.3 Details of the supplier of the supplier of the supplier:</li> <li>Manufacturer/Supplier:</li> </ul>	AKEMI chemisch technische Spezialfabrik GmbH	Tel. +49(0)911-64296
<u>Manalactaren, eupphen.</u>	Lechstrasse 28	Fax. +49(0)911-64445
	D 90451 Nürnberg	e-mail info@akemi.d
· Further information obtainable		
from:	Laboratory	
• 1.4 Emergency telephone	Draduct Cafety Department AKENI shemiash tasha	iacha Crazialfahrik Orahl I
number:	Product Safety Department AKEMI chemisch techn Tel. +49(0)911-64296-59	ische Spezialiabrik GmbH
	Reachable during the following office hours:	
	Monday – Thursday from 07:30 a.m. to 16:30 p.m.	
	Friday from 07:30 a.m. to 13:30 p.m.	
SECTION 2: Hazards identific 2.1 Classification of the subs Classification according to Reg GHS07 Eye Irrit. 2 H319 Causes serio	stance or mixture gulation (EC) No 1272/2008	
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes series</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati</li> </ul>	stance or mixture gulation (EC) No 1272/2008 ous eye irritation.	
• 2.1 Classification of the subs Classification according to Reg GHS07 Eye Irrit. 2 H319 Causes seric	stance or mixture gulation (EC) No 1272/2008 ous eye irritation.	he CLP regulation.
2.1 Classification of the subs Classification according to Reg GHS07 Eye Irrit. 2 H319 Causes seric 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008	stance or mixture gulation (EC) No 1272/2008 ous eye irritation.	he CLP regulation.
2.1 Classification of the subs Classification according to Reg GHS07 Eye Irrit. 2 H319 Causes seric 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008	Stance or mixture gulation (EC) No 1272/2008 Dus eye irritation. Sion The product is classified and labelled according to t	he CLP regulation.
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati</li> <li>(EC) No 1272/2008</li> <li>Hazard pictograms</li> </ul>	$\frac{1}{3} \frac{1}{3} \frac{1}$	he CLP regulation.
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> </ul>	stance or mixture gulation (EC) No 1272/2008 ous eye irritation. ion The product is classified and labelled according to t GHS07 Warning	he CLP regulation.
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen</li> </ul>	stance or mixture gulation (EC) No 1272/2008 ous eye irritation. ion The product is classified and labelled according to t GHS07 Warning	he CLP regulation.
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining component of labelling:</li> </ul>	stance or mixture gulation (EC) No 1272/2008 ous eye irritation. ion The product is classified and labelled according to t GHS07 Warning nts Not applicable.	he CLP regulation.
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen</li> </ul>	Stance or mixture         gulation (EC) No 1272/2008         ous eye irritation.         ion         The product is classified and labelled according to t         ion         GHS07         Warning         Mot applicable.         H319 Causes serious eye irritation.         P101	
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen of labelling:</li> <li>Hazard statements</li> </ul>	<ul> <li>Stance or mixture</li> <li>Julation (EC) No 1272/2008</li> <li>Dus eye irritation.</li> <li>The product is classified and labelled according to t</li> <li>GHS07</li> <li>Warning</li> <li>Not applicable.</li> <li>H319 Causes serious eye irritation.</li> </ul>	
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen of labelling:</li> <li>Hazard statements</li> </ul>	Stance or mixture         gulation (EC) No 1272/2008         ous eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         Mts         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, ha at hand.         P102       Keep out of reach of children.         P103       Read label before use.	ve product container or labe
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen of labelling:</li> <li>Hazard statements</li> </ul>	stance or mixture         gulation (EC) No 1272/2008         bus eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         nts         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, ha at hand.         P102       Keep out of reach of children.         P103       Read label before use.         P280       Wear eye protection / face prote	ve product container or labe
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen of labelling:</li> <li>Hazard statements</li> </ul>	Stance or mixture         gulation (EC) No 1272/2008         Dus eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         Mts         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, hai at hand.         P102       Keep out of reach of children.         P103       Read label before use.         P280       Wear eye protection / face prote         P305+P351+P338 IF IN EYES: Rinse cautiously w	ve product container or labe ction. ith water for several minutes
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen of labelling:</li> <li>Hazard statements</li> </ul>	Stance or mixture         gulation (EC) No 1272/2008         bus eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         Mts         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, ha at hand.         P102       Keep out of reach of children.         P103       Read label before use.         P280       Wear eye protection / face prote         P305+P351+P338 IF IN EYES: Rinse cautiously w Remove contact lenses, if preserved	ve product container or labe ction. ith water for several minutes
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seric</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining componen of labelling:</li> <li>Hazard statements</li> </ul>	Stance or mixture         gulation (EC) No 1272/2008         Dus eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         Mts         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, hai at hand.         P102       Keep out of reach of children.         P103       Read label before use.         P280       Wear eye protection / face prote         P305+P351+P338 IF IN EYES: Rinse cautiously w	ve product container or labe ction. ith water for several minutes ent and easy to do. Continu
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seried</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining component of labelling:</li> <li>Hazard statements</li> <li>Precautionary statements</li> <li>2.3 Other hazards</li> </ul>	stance or mixture         gulation (EC) No 1272/2008         bus eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         tts         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, ha         at hand.         P102       Keep out of reach of children.         P103       Read label before use.         P280       Wear eye protection / face prote         P305+P351+P338 IF IN EYES: Rinse cautiously w         Remove contact lenses, if preserinsing.         P337+P313       If eye irritation persists: Get med	ve product container or labe ction. ith water for several minutes ent and easy to do. Continue
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes serice</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining component of labelling:</li> <li>Hazard statements</li> <li>Precautionary statements</li> <li>Precautionary statements</li> <li>Actionary statements</li> <li>Results of PBT and vPvB asses</li> </ul>	stance or mixture gulation (EC) No 1272/2008         bus eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         its         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, ha at hand.         P102       Keep out of reach of children.         P103       Read label before use.         P280       Wear eye protection / face prote         P305+P351+P338 IF IN EYES: Rinse cautiously w Remove contact lenses, if preservinsing.         P337+P313       If eye irritation persists: Get med	ve product container or labe ction. ith water for several minutes ent and easy to do. Continue
<ul> <li>2.1 Classification of the subs</li> <li>Classification according to Reg</li> <li>Classification according to Reg</li> <li>GHS07</li> <li>Eye Irrit. 2 H319 Causes seried</li> <li>2.2 Label elements</li> <li>Labelling according to Regulati (EC) No 1272/2008</li> <li>Hazard pictograms</li> <li>Signal word</li> <li>Hazard-determining component of labelling:</li> <li>Hazard statements</li> <li>Precautionary statements</li> <li>2.3 Other hazards</li> </ul>	stance or mixture         gulation (EC) No 1272/2008         bus eye irritation.         ion         The product is classified and labelled according to t         ion         The product is classified and labelled according to t         ion         GHS07         Warning         tts         Not applicable.         H319 Causes serious eye irritation.         P101       If medical advice is needed, ha         at hand.         P102       Keep out of reach of children.         P103       Read label before use.         P280       Wear eye protection / face prote         P305+P351+P338 IF IN EYES: Rinse cautiously w         Remove contact lenses, if preserinsing.         P337+P313       If eye irritation persists: Get med	ve product container or labe ction. ith water for several minutes ent and easy to do. Continue

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.09.2016

Version number 7

Revision: 14.09.2016

AKEMI®

#### Trade name: Natural Stone Basic Cleaner Spray

(Contd. of page 1)

#### **SECTION 3: Composition/information on ingredients** 3.2 Chemical characterisation: Mixtures · Description: Mixture: consisting of the following components. · Dangerous components: non-ionic surfactants 1-5% 📀 Eye Dam. 1, H318 🕥 Acute Tox. 4, H302 Aquatic Chronic 3, H412 CAS: 112-34-5 2-(2-butoxyethoxy)ethanol 1-5% 🛈 Eye Irrit. 2, H319 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx 02-2119751533-40-0000 · Regulation (EC) No 648/2004 on detergents / Labelling for contents non-ionic surfactants, perfumes < 5% · Additional information: For the wording of the listed hazard phrases refer to section 16. **SECTION 4: First aid measures** · 4.1 Description of first aid measures · General information: No special measures required. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Generally the product does not irritate the skin. Rinse opened eye for several minutes under running water. After eye contact: If symptoms persist consult doctor. After swallowing: 4.2 Most important symptoms and effects, both acute and No further relevant information available. delayed 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon. **SECTION 5: Firefighting measures** · 5.1 Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide (CO) Under certain fire conditions, traces of other toxic gases cannot be excluded. 5.3 Advice for firefighters Protective equipment: No special measures required. **SECTION 6: Accidental release measures** · 6.1 Personal precautions, protective equipment and emergency procedures Product forms slippery surface when combined with water. · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. (Contd. on page 3) GB

Safety data sheet according to 1907/2006/EC, Article 31

**AKEMI**<sup>®</sup>

Printing date 14.09.2016

Version number 7

Revision: 14.09.2016

	(Contd. of page
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, univers binders, sawdust).
6.4 Reference to other sections	No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
SECTION 7: Handling and storage	ge
7.1 Precautions for safe	
handling	No special measures required.
Information about fire - and	The second set is set flower as the
explosion protection:	The product is not flammable. No special measures required.
7.2 Conditions for safe storage,	
Storage:	more any moompationnes
Requirements to be met by	
storerooms and receptacles: Information about storage in one	Store only in the original receptacle.
common storage facility:	Store away from foodstuffs.
	Store away from oxidising agents.
Further information about storage	
conditions:	Protect from frost.
Storage class: 7.3 Specific end use(s)	10 No further relevant information available.
Additional information about	
	No further data: see item 7.
design of technical facilities:	No further data; see item 7.
Additional information about design of technical facilities: 8.1 Control parameters	
design of technical facilities: 8.1 Control parameters Ingredients with limit values that re	quire monitoring at the workplace:
design of technical facilities: 8.1 Control parameters Ingredients with limit values that re 112-34-5 2-(2-butoxyethoxy)etha	equire monitoring at the workplace: nol
design of technical facilities: 8.1 Control parameters Ingredients with limit values that re	equire monitoring at the workplace: nol m³, 15 ppm
design of technical facilities: 8.1 Control parameters Ingredients with limit values that re 112-34-5 2-(2-butoxyethoxy)etha WEL Short-term value: 101.2 mg/	equire monitoring at the workplace: nol m³, 15 ppm
design of technical facilities: 8.1 Control parameters Ingredients with limit values that re 112-34-5 2-(2-butoxyethoxy)etha WEL Short-term value: 101.2 mg/ Long-term value: 67.5 mg/m	equire monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm
design of technical facilities:8.1 Control parametersIngredients with limit values that re112-34-5 2-(2-butoxyethoxy)ethaWELShort-term value: 101.2 mg/ Long-term value: 67.5 mg/mAdditional information:8.2 Exposure controlsPersonal protective equipment:	equire monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic	nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis.
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic	nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handli
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic	require monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handli chemicals.
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic	require monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handlin chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working.
design of technical facilities:8.1 Control parametersIngredients with limit values that re112-34-5 2-(2-butoxyethoxy)ethaWELShort-term value: 101.2 mg/ Long-term value: 67.5 mg/mAdditional information:8.2 Exposure controls	require monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handlin chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/         Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	require monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handlin chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product.
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/n         Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	equire monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handlin chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Not required.
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/         Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	require monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handling chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Not required. Preventive skin protection by use of skin-protecting agents is recommended.
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/n         Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	Aquire monitoring at the workplace: nol m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handling chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Not required. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Skin protection agent recommendation for preventive skin shelter without use
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/n         Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	require monitoring at the workplace: <b>nol</b> m <sup>3</sup> , 15 ppm <sup>3</sup> , 10 ppm The lists valid during the making were used as basis. The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handlin chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Not required. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Skin protection agent recommendation for preventive skin shelter without use protective gloves:
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/n         Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Not required. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Skin protection agent recommendation for preventive skin shelter without use protective gloves: STOKO EMULSION (http://www.stoko.com)
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL       Short-term value: 101.2 mg/n         Long-term value: 67.5 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	require monitoring at the workplace: nol m³, 15 ppm ³, 10 ppm The lists valid during the making were used as basis. The usual precautionary measures are to be adhered to when handlin chemicals. Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Not required. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Skin protection agent recommendation for preventive skin shelter without use protective gloves: STOKO EMULSION (http://www.stoko.com) STOKODERM (http://www.stoko.com)
design of technical facilities:         8.1 Control parameters         Ingredients with limit values that re         112-34-5 2-(2-butoxyethoxy)etha         WEL         Short-term value: 101.2 mg/m         Additional information:         8.2 Exposure controls         Personal protective equipment:         General protective and hygienic         measures:	Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Not required. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Skin protection agent recommendation for preventive skin shelter without use protective gloves: STOKO EMULSION (http://www.stoko.com)

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.09.2016

Version number 7

Revision: 14.09.2016

**AKEMI**®

Trade name: Natural Stone Basic Cleaner Spray

	(Contd. of page 3)
	STOKO EMULSION (http://www.stoko.com) Skin protection recommendation for skin cleaning after product handling: FRAPANTOL (http://www.stoko.com)
	Skin protection agent recommendation for skin aftercare: STOKO VITAN (http://www.stoko.com)
	The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.
	This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).
	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
<ul> <li>Material of gloves</li> </ul>	Butyl rubber, BR Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
	As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material	Value for the permeation: Level $\leq$ 6, 480 min The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
<ul> <li>For the permanent contact gloves made of the following materials ar</li> </ul>	
suitable: • As protection from splashes glove	Butyl rubber, BR s
made of the following materials ar suitable:	<sup>e</sup> Nitrile rubber, NBR Camatril (KCL, 730, 731, 732, 733)
Not suitable are gloves made of the following materials:	Leather gloves Strong material gloves
Eye protection:	Goggles recommended during refilling
SECTION 9: Physical and chemi	cal properties
• <u>9.1 Information on basic physic</u> • General Information	al and chemical properties
· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Characteristic

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.09.2016

Version number 7

Revision: 14.09.2016

**AKEMI**<sup>®</sup>

Trade name: Natural Stone Basic Cleaner Spray		
		(Contd. of page 4)
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	9	
<u>Change in condition</u> <u>Melting point/Melting range:</u> Boiling point/Boiling range:	Undetermined. 100 °C	
Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1 g/cm <sup>3</sup> Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water)	: Not determined.	
<u>Viscosity:</u> <u>Dynamic:</u> <u>Kinematic at 20 °C:</u>	Not determined. 11 s (DIN 53211/4)	
Solvent content: Organic solvents: <u>Water:</u> <b>9.2 Other information</b>	1.2 % 96.0 % No further relevant information available.	

### **SECTION 10: Stability and reactivity**

<ul> <li><u>10.1 Reactivity</u></li> <li><u>10.2 Chemical stability</u></li> <li>Thermal decomposition /</li> </ul>	No further relevant information available.
conditions to be avoided:	No decomposition if used according to specifications.
reactions 10.4 Conditions to avoid	No dangerous reactions known. No further relevant information available.
• 10.5 Incompatible materials: • 10.6 Hazardous decomposition	No further relevant information available.
products:	No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.09.2016

Version number 7

Revision: 14.09.2016

#### Trade name: Natural Stone Basic Cleaner Spray (Contd. of page 5) · LD/LC50 values relevant for classification: **ATE (Acute Toxicity Estimates)** Oral LD50 27778 mg/kg (rat) · Primary irritant effect: Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Causes serious eye irritation. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) · Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. **SECTION 12: Ecological information** 12.1 Toxicity No further relevant information available. · Aquatic toxicity: · 12.2 Persistence and No further relevant information available. degradability · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · Additional ecological information: · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. vPvB: Not applicable. · 12.6 Other adverse effects No further relevant information available. **SECTION 13: Disposal considerations** · 13.1 Waste treatment methods · Recommendation Smaller quantities can be disposed of with household waste. European waste catalogue 20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS 20 01 00 separately collected fractions (except 15 01) 20 01 29\* detergents containing hazardous substances · Uncleaned packaging: · Recommendation: Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1 UN-Number · ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void (Contd. on page 7)



GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.09.2016

Version number 7

Revision: 14.09.2016

**AKEMI**®

9	
ade name: Natural Stone Basic	Cleaner Spray
	(Contd. of page
· 14.3 Transport hazard class(es	s)
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	Void
ADR, IMDG, IATA	Void
• <b>14.5 Environmental hazards:</b> • Marine pollutant:	No
14.6 Special precautions for us	ser Not applicable.
14.7 Transport in bulk accordi	
Marpol and the IBC Code	Not applicable.
Transport/Additional information	Not dangerous according to the above specifications.
UN "Model Regulation":	Void
ANNEXI	None of the ingredients is listed.
<b>15.1 Safety, health and environ</b> Directive 2012/18/EU	nmental regulations/legislation specific for the substance or mixture
Named dangerous substances -	
REGULATION (EC) No 1907/20	<u>06</u>
ANNEX XVII	Conditions of restriction: 3, 55
National regulations:	
Information about limitation of us	se: Employment restrictions concerning juveniles must be observed.
Waterhazard class: VOC EU 15.2 Chemical safety	Water hazard class 1 (Self-assessment): slightly hazardous for water. 12.0 g/l
assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other informatio	n
	r present knowledge. However, this shall not constitute a guarantee for any specif stablish a legally valid contractual relationship.
Relevant phrases	H302 Harmful if swallowed.
	H318 Causes serious eye damage. H319 Causes serious eye irritation.
	H412 Harmful to aquatic life with long lasting effects.
Department issuing SDS:	Laboratory
Contact:	Dieter Zimmermann
Abbreviations and acronyms:	ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europe Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity Category 4
  - Eye Dam. 1: Serious eye damage/eye irritation Category 1



Version number 7

Revision: 14.09.2016

Printing date 14.09.2016

Trade name: Natural Stone Basic Cleaner Spray

(Contd. of page 7) Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3



GB