

Safety Data Sheet

Stove Polish Paste

1	PRODUCT AND COMPANY IDENTIFICATION	
Product Identifier: SDS Number: Product Code: Revision Date: Version: Product Description:	Stove Polish Paste 39 70 6/12/2019 1 Black pigmented paste polish for cast iron stoves.	
Supplier Details:	Rutland Products 7 Crabtree Road Jacksonville, IL 62650	
Contact: Phone: Fax: Email: Web: Emergency:	Faith Nergenah, Brian Miller 217-245-7810 217-245-1194 faith@rutland.com bmiller@rutland.com www.rutland.com CHEMTREC (800) 424-9300	

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

- Health, Skin corrosion/irritation, 2
- Health, Serious Eye Damage/Eye Irritation, 2 B
- Health, Acute toxicity, 5 Inhalation
- Health, Acute toxicity, 5 Oral

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:

2



GHS Hazard Statements:

- H315 Causes skin irritation
- H320 Causes eye irritation
- H333 May be harmful if inhaled
- H303 May be harmful if swallowed

GHS Precautionary Statements:

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 - If on skin: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container according to all local, state and federal regulations.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry:	Eyes; Ingestion; Skin;	
Inhalation:	May be harmful if inhaled.	
Skin Contact:	May cause irritation.	
Eye Contact:	May cause irritation.	
Ingestion:	Ingestion is not an applicable route of entry for intended use. May be harmful if swallowed.	



Stove Polish Paste

3

COMPOSITION/INFORMATION OF INGREDIENTS

CAS#	Chemical Ingredients: % Chemical Name:
584-08-7 7782-42-5 8002-53-7 8015-86-9 106-11-6 1333-86-4 8012-89-3 8005-03-6 102-71-6	Carbonic acid, dipotassium salt Graphite Montan wax Carnauba wax Octadecanoic acid, 2-(2- hydroxyethoxy)ethyl ester Carbon black Beeswax C.I. Acid Black 2 Triethanolamine

Percentages withheld, Trade Secret

4	FIRST AID MEASURES		
Inhalation:	Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.		
Skin Contact:	Wash with plenty of water. Get medical attention if irritation develops or persists.		
Eye Contact:	Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to mechanical action.		
Ingestion:	If Swallowed, DO NOT INDUCE VOMITING. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.		

5

FIRE FIGHTING MEASURES

Flammability:

Non-Flammable

Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL

ACCIDENTAL RELEASE MEASURES

Absorb spilled material and place in appropriate container for disposal.

7	HANDLING AND STORAGE	
Handling Precautions:	Avoid contact with eyes, skin, or clothing. Use with adequate ventilation. Avoid prolonged and repeated contact with skin. Wash thoroughly after handling. Keep away from food and drinking water.	
Storage Requirements:	Store in a cool, well ventilated area. Keep container closed to prevent drying out.	
8	EXPOSURE CONTROLS/PERSONAL PROTECTION	
Engineering Controls:	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible.	
Personal Protective Equipment:	EYES AND FACE: Wear safety glasses with side shields. Chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent) are recommended. SKIN: Wear protective clothing, including long sleeves and gloves, to prevent skin contact. Thoroughly wash clothing before reuse. RESPIRATORY: In case of insufficient ventilation, wear suitable respiratory equipment.	

RUTLAND

Safety Data Sheet Stove Polish Paste

PHYSICAL AND CHEMICAL PROPERTIES 9 Thick black paste Appearance: **Physical State:** Liquid Odor: Waxy Molecular Formula: **Odor Threshold:** Not Available Not Available Particle Size: Not Available Solubility: Insoluble in water Spec Grav./Density: Not Available **Softening Point:** Not Available **Percent Volatile:** Viscosity: Not Available Not Available Saturated Vapor Not Available Heat Value: Not Available Concentration: Freezing/Melting Pt.: **Boiling Point:** Not Available Not Available Flammability: Non-Flammable Flash Point: Not Available Partition Coefficient: Not Available Octanol: Not Available Vapor Pressure: Not Available Vapor Density: Not Available pH: Not Available VOC: Not Available Not Available Evap. Rate: Not Available **Bulk Density:** Auto-Ignition Temp: Molecular weight: Not Available Not Available Decomp Temp: Not Available UFL/LFL: Not Available 10 **STABILITY AND REACTIVITY Reactivity:** This product is stable and non-reactive under normal conditions of use, storage and transport. **Chemical Stability:** Product is stable under normal conditions. **Conditions to Avoid:** None Known Materials to Avoid: Strong Acids; Strong Bases; Strong Oxidizing Agents; Hazardous Decomposition: May include, and are not limited to Oxides of Carbon Hazardous Polymerization: Will not occur. **TOXICOLOGICAL INFORMATION** 11

No data available.

12 ECOLOGICAL INFORMATION

No information available

13	DISPOSAL CONSIDERATIONS

Dispose of this product in accordance with all applicable local, state and federal regulations.

Not Regulated

Safety Data Sheet

Stove Polish Paste

15 REGULATORY INFORMATION

RQ (CAS#) Substance - Reg Codes

Carbonic acid, dipotassium salt (584-08-7) TSCA

Graphite (7782-42-5) MASS, OSHAWAC, PA, TSCA, TXAIR

Montan wax (8002-53-7) TSCA

Carnauba wax (8015-86-9) TSCA

Octadecanoic acid, 2-(2-hydroxyethoxy)ethyl ester (106-11-6) TSCA

Carbon black (1333-86-4) CAPROP65, MASS, OSHAWAC, PA, PROP65, TSCA, TXAIR

Beeswax (8012-89-3) TSCA

C.I. Acid Black 2 (8005-03-6) TSCA

Triethanolamine (102-71-6) CFATS, HAP, MASS, PA, TSCA, TXAIR



This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory Code Legend

TSCA = Toxic Substances Control Act MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level CAPROP65 = California Prop 65 CFATS = DHS Chemicals of Interest HAP = Hazardous Air Pollutants

OTHER INFORMATION

PREPARED BY: Brian Miller

16

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 6/12/2019