

William's Stove Polish

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: William's Stove Polish

SDS Number: 40

Product Code: Wi-00710 **Revision Date:** 6/14/2019

Version:

Product Description: Black pigmented polish for cast iron stoves.

Supplier Details: Rutland Products

7 Crabtree Road Jacksonville, IL 62650

Contact: Faith Nergenah, Brian Miller

Phone: 217-245-7810 **Fax:** 217-245-1194

Email: faith@rutland.com bmiller@rutland.com

Web: www.rutland.com

Emergency: CHEMTREC (800) 424-9300

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 2

Health, Serious Eye Damage/Eye Irritation, 2 B

Health, Acute toxicity, 5 Oral

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING GHS Hazard Pictograms:



GHS Hazard Statements:

H315 - Causes skin irritation

H320 - Causes eye irritation

H303 - May be harmful if swallowed

GHS Precautionary Statements:

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 - If on skin: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P312 - Call a POISON CONTROL CENTER (800-122-2222), physician or emergency room if you feel unwell.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Ingestion; Skin;
Inhalation: May be harmful if inhaled.

Skin Contact: May cause irritation.

Eye Contact: May cause irritation.

Ingestion: Ingestion is not an applicable route of entry for intended use. May be harmful if swallowed.



William's Stove Polish

3 COMPOSITION/INFORMATION OF INGREDIENTS

CAS#	Chemical Ingredients: % Chemical Name:
7782-42-5	Graphite
102-71-6	Triethanolamine
1333-86-4	Carbon black
57-11-4	Stearic acid
67762-27-0	Alcohols, C16-18

Percentages withheld, Trade Secret

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.

Skin Contact: Wash with plenty of water. Get medical attention if irritation develops or persists.

Eye Contact: Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at

least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to

mechanical action.

Ingestion: If Swallowed, DO NOT INDUCE VOMITING. Give one cup (8 ounces or 240 ml) of water or milk if available and

transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.

5 FIRE FIGHTING MEASURES

Flammability: Non-Flammable

Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

Absorb spilled material and place in appropriate container for disposal.

7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, or clothing. Use with adequate ventilation. Avoid prolonged and repeated

contact with skin. Wash thoroughly after handling. Keep away from food and drinking water.

Storage Requirements: Store in a cool, well ventilated area. Keep container closed to prevent drying out.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures as low as

possible.

Personal Protective Equipment:

EYES AND FACE: Wear safety glasses with side shields. Chemical splash goggles and face shield

(ANSI Z87.1 or approved equivalent) are recommended.

SKIN: Wear protective clothing, including long sleeves and gloves, to prevent skin contact. Thoroughly wash clothing before reuse. RESPIRATORY: In case of insufficient ventilation, wear suitable respiratory

equipment.

SDS Number: 40 Page: 2 / 4 Revision Date: 6/14/2019



William's Stove Polish

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Black, paste

Physical State: Liquid Odor: Waxy

Odor Threshold:Not AvailableMolecular Formula:Not AvailableParticle Size:Not AvailableSolubility:Insoluble in waterSpec Grav./Density:1.2Softening Point:Not Available

 Viscosity:
 Not Available
 Percent Volatile:
 Not Available

 Saturated Vapor
 Not Available
 Heat Value:
 Not Available

Concentration:

Freezing/Melting Pt.: **Boiling Point:** Not Available Not Available Flammability: Non-Flammable **Flash Point:** Not Available **Partition Coefficient:** Not Available Octanol: Not Available **Vapor Pressure:** Not Available Vapor Density: Not Available pH: Not Available VOC: Not Available Not Available Evap. Rate: Not Available **Bulk Density: Auto-Ignition Temp:** Molecular weight: Not Available Not Available

Decomp Temp: Not Available **UFL/LFL:** Not Available **UFL/LFL:** Not Available

10 STABILITY AND REACTIVITY

Reactivity: This product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical Stability: Product is stable under normal conditions.

Conditions to Avoid: None Known

Materials to Avoid: Strong Acids; Strong Bases; Strong Oxidizing Agents; Hazardous Decomposition: May include, and are not limited to Oxides of Carbon

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

No data available.

12 ECOLOGICAL INFORMATION

No information available

13 DISPOSAL CONSIDERATIONS

Dispose of this product in accordance with all applicable local, state and federal regulations.

14 TRANSPORT INFORMATION

Not Regulated

SDS Number: 40 Page: 3 / 4 Revision Date: 6/14/2019



William's Stove Polish

15

REGULATORY INFORMATION

RQ (CAS#) Substance - Reg Codes

Graphite (7782-42-5) MASS, OSHAWAC, PA, TSCA, TXAIR

Triethanolamine (102-71-6) CFATS, HAP, MASS, PA, TSCA, TXAIR

Carbon black (1333-86-4) CAPROP65, MASS, OSHAWAC, PA, PROP65, TSCA, TXAIR

Stearic acid (57-11-4) TSCA

Alcohols, C16-18 (67762-27-0) TSCA



This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory Code Legend

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

CFATS = DHS Chemicals of Interest

HAP = Hazardous Air Pollutants

CAPROP65 = California Prop 65

16

OTHER INFORMATION

PREPARED BY: Brian Miller

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 6/14/2019