
TJ 4200 Wagon Organizer 2023

Gorilla Carts Heavy-Duty Poly Yard Cart — 1500-Lb. Capacity, Model# GOR10-16

Google search the best company for your location and purchase this cart wagon and then attach the organizer kit to it...

Mobility and everything has a place!





Wood wedge used to hold jacks solid...

Drilling 3 of the 6 - 3/8" holes to attach the 2- angles to the sides...






Attach wood screws into plastic boards to secure to the wagon as shown here. 6 on this side and 6 on the opposite side.



Four lift feet secured in the rubber bump stop assembly here at the back of the angled wagon barrel



Wood wedge to secure the jacks



Three boards are fastened from the outside at the ends with two screws in each end.

Board with rubber bump stops is installed 1 ¾" from the angled back of the wagon.



Install Plastic bump and lock board 1 ¾" from angled back of the barrel



1 ½" gap provides the necessary room for the jack foot plates and the wood wedge.

At the front of the barrel.





Ratchet holster can be installed on either side.

Note ½" drive Ratchet not included with the TJ 4200- we recommend you use a 10" - 12" ratchet handle length – 100 foot pounds delivers 10,000 lbs of clamping force if you screw and nut assembly are clean and free of dirt and debre.



Ratchet holster can be installed on either side.





Pictures for installation perspective





Insert jacks at the front of the wagon and use the wood wedge to secure them





Showing the full equipment on the wagon.





Fully assembled organizer-

Drilling, bolting and screwing the super structure to the wagon-

A 3/8" drill bit for the Aluminum angle frames to the side- 3 per side

An 1/8" drill bit and a torx head driver for the bottom plastic runners- two screws per side of the 3- Plastic board holsters- 6 per side

2- 9/16" end wrenches or adjustable crescent wrenches also needed.



8- Clips to hold shovel, rake, Hoe and digging bar.



Un boxing your organizer

- 3- plastic boards
- 1- wood wedge
- 4- Large pack racks
- 8- Yellow tool clips

- 12- wood screws
- 6- 3/8" nuts, bolts x 2" and fender washers to attach the 2- aluminum angles
- 1- 3/8" x 1" bolt and nut for the ratchet holster



Any questions of concerns- please call Elite Products & Services LLC 660-605-0259, Michael@totaleps.com