


# Ventilator Fan **VentirMax 780S**

## Specifications

Specifications	VentirMax 780S
Airflow:	780 CFM
Size for:	1,300 sq.ft
Sound Pressure Level:	< 55 dBA
Standard Size:	16.1 × 11.9 × 4.4 in
Machine Net Weight:	9 lbs
Operating Voltage:	0.65 Amps
Rated Voltage:	115 V / 60 Hz
Thermostat:	ON at 50 °F / OFF at 35 °F
Dehumidistat:	10% - 80% RH



## Application

The VentirMax 780S uses updated humidity-resistant motor to create 780 CFM airflow while maintaining low noise. This crawlspace fan is designed to allow fresh outdoor air to circulate under the house and porch. The high humidity that circulates the crawl space is the main reason for the premature decay of the support column, joist, floor, and crossbeam support of the home.

Humidity can promote the growth of fungi and increase the activity of termites. Humidity can also cause pipeline failure due to rust and corrosion. The continuous operation of the fan helps to vent radon, gases from treated wood and other odors that may spread to the living area. Controlled by a circuit board, the dehumidifier control fan starts when the relative humidity is higher than the selected set value.

## Key Design Features

- Features intelligent control panel, easy to set humidity for running, support 10%-80% RH control range.
- Equipped with stainless steel insect nets, Prevents reptiles from entering fans and spaces more effectively.
- IP55 waterproof and dustproof features and stubborn stainless steel shell make it ideal for work in a humidity environment.
- Limited noise and quiet operation.
- Upgraded humidity-resistant motor.
- Built-in dehumidifier & freeze protection thermostat. The dehumidifier control will stop operating if the freeze protection thermostat senses low outdoor temperatures.

Applications	VentirMax 780S
Cellars	✓
Laboratory	✓
Garage	✓
Warehouse	✓
Attic	✓
Laundry	✓
Grow tent	✓
Basements	✓

# Ventilator Fan **VentirMax 780S**



Fan-powered crawl space ventilation quickly reduces moisture and humidity which helps in protecting both the home and the occupant. This crawl space fan increases air circulation to fight condensation and ventilates excess moisture which can be the cause of mold, mildew and wood rot. The constant operation of this unit helps vent radon, treated wood off-gassing and odors that might otherwise migrate into the living spaces of the home.

## Proven Performance

**REAL SPACE SAVER** - Unit Dimensions: L x W x H: 16.1 x 11.9 x 4.4 inches exhaust fan is an exceptional choice to control the temperature and humidity levels in the home's basement and crawl space.

**BUILT-IN DEHUMIDIFIER** - This 3-blade crawl space fan has a silent AC motor that can move 780 CFM of air. With an intelligent control panel, support 10%-80% RH control range. Dehumidifier control will not operate if the refrigerated thermostat detects low outdoor temperature.

**BUILT TO LAST** - Reach IP55 protection grade, with better dustproof and waterproof performance. Features metal isolation mesh and rugged stainless steel body, it is an exceptional choice for crawl spaces, basements, attics, garages, hydroponics, and grow tents.

**TRUSTED FOR GENERATIONS** - We believe in our sales and after-sales service. At ALORAIR, we are confident in the high-quality design of our long-lasting crawl space fans that are made for your full utilization. Your satisfaction is guaranteed with a 2 YEAR Warranty and a dedicated after-sales service team.



ALORAIR SOLUTIONS INC.

E-mail: [sales@alorair.com](mailto:sales@alorair.com)

Add: 14752 Yorba Ct Chino CA 91710 US

Web: [www.alorair.com](http://www.alorair.com)

Tel: 888-990-7469