


CH-Manual Chain Hoist-HSZ-V



ITEM NO.	CAPACITY	TEST LOAD	FALLS OF CHAIN	CHAIN Ø	A	B	Headroom (C)	D	Net Weight
	lbs	lbs	Qty	Inches	Inches	Inches	Inches	Inches	lbs.
9002-24005	1/2T	1,650	1	0.196	4.52	5.35	10.63	0.98	17.09
9002-24005-6	1/2T	1,650	1	0.196	4.52	5.35	10.63	0.98	27.01
9002-2401	1T	3,300	1	0.236	5.63	6.14	12.5	1.06	25.13
9002-2401-6	1T	3,300	1	0.236	5.63	6.14	12.5	1.06	37.04
9002-2402	2T	6,600	1	0.314	5.83	7.17	16.3	1.41	39.68
9002-2402-6	2T	6,600	1	0.314	5.83	7.17	16.3	1.41	54.9
9002-2403	3T	9,900	2	0.275	5.98	7.8	18.31	1.5	48.5
9002-2403-6	3T	9,900	2	0.275	5.98	7.8	18.31	1.5	76.28
9002-2405	5T	16,500	2	0.354	7.13	10.5	25.04	1.89	88.18
9002-2405-6	5T	16,500	2	0.354	7.13	10.5	25.04	1.89	118.61
9002-2410	10T	33,000	4	0.393	7.13	14.4	31.42	2.24	154.32
9002-2410-6	10T	33,000	4	0.393	7.13	14.4	31.42	2.24	219.14

- Material** High Tensile Steel
- Process** Stamping / Drop Forged / Machining / Assembly / Quenched and Tempered / Heat Treated
- Style** Chain Block / Hoist Block / HSZ-V
- Finish** Powder Coating



BISON
LIFTING EQUIPMENT