



SAFETY DATA SHEET
FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 1
Compilation date: 07/03/2014
Revision date: 30/06/2015
Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA G3 REGULAR GRADE PASTE COMPOUND

Product code: G3-250, G3-400, G3-1000, G3-1200, G3-3000, G3-4000, G3-80000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: Farecla Products Limited

Broadmeads

Ware

Hertfordshire

SG12 9HS

UK

Tel: +44 (0)1920 465041

Fax: +44 (0)1920 466557

Email: technical@farecla.com

1.4. Emergency telephone number

Emergency tel: +44 (0)1920 465041

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1: H317; STOT RE 2: H373; Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction. May cause an allergic skin reaction. May cause damage to organs [nervous system] through prolonged or repeated exposure [inhalation (vapour)]. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

H317: May cause an allergic skin reaction.

H373: May cause damage to organs [nervous system] through prolonged or repeated exposure [inhalation (vapour)].

H412: Harmful to aquatic life with long lasting effects.

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 2

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark

GHS08: Health hazard



Precautionary statements: P260: Do not breathe dust/vapours.

P261: Avoid breathing dust/vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

P314: Get medical attention if you feel unwell.

P321: Specific treatment (see instructions on this label).

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE 1 - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-691-6	1344-28-1	Substance with a Community workplace exposure limit.	-	30-50%

WHITE MINERAL OIL 8CPS - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8	8042-47-5	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	1-10%
-----------	-----------	--	-------------------	-------

KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT - REACH registered number(s): 01-2119484819-18-XXXX

265-149-8	64742-47-8	-	Asp. Tox. 1: H304; Aquatic Chronic 2: H411	1-10%
-----------	------------	---	--	-------

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%) - REACH registered number (s): 01-2119458049-33-0000

919-446-0	-	-	Flam. Liq. 3: H226; STOT SE 3: H336; Asp. Tox. 1: H304; Aquatic Chronic 2: H411; STOT RE 1: H372; -: EUH066	1-10%
-----------	---	---	---	-------

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 3

PINE OIL - REACH registered number(s): 01-2119553062-49-0005

232-268-1	8000-41-7	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Asp. Tox. 1: H304	1-10%
-----------	-----------	---	---	-------

Contains: Pine oil

Hydrocarbons, C9-C12, N-Alkanes, Isoalkanes, Cyclics, Aromatics (2-25%)

Kerosine - Unspecified - Distillates (Petroleum), Hydrotreated Light

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

[cont...]

SAFETY DATA SHEET
 FARECLA G3 REGULAR GRADE PASTE COMPOUND

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.
 Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.
Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE 1

Workplace exposure limits: **Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	-	5mg/m3	-

WHITE MINERAL OIL 8CPS

EU	5 mg/m3	-	-	-
----	---------	---	---	---

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

UK	350 mg/m3	-	-	-
----	-----------	---	---	---

PINE OIL

EU	25 ppm, 140 mg/m3	50 ppm, 300 mg/m3	-	-
----	-------------------	-------------------	---	---

SAFETY DATA SHEET
FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 5

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste

Colour: Cream

Odour: Characteristic odour

Evaporation rate: No Data Available

Oxidising: Not Available

Solubility in water: Slightly soluble

Also soluble in: Not Available

Viscosity: Highly viscous

Kinematic viscosity: 53000cps

Viscosity test method: Brookfield @ 20degC

Boiling point/range°C: Not Available

Melting point/range°C: Not Available

Flammability limits %: lower: Not Available

upper: Not Available

Flash point°C: 83

Part.coeff. n-octanol/water: Not Available

Autoflammability°C: >250

Vapour pressure: Not Available

Relative density: 1.44

pH: 9 - 10

VOC g/l: 177

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 6

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE 1

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

WHITE MINERAL OIL 8CPS

IHL	RAT	LC50	>5000	mg/kg
ORL	RAT	LD50	>5000	mg/kg
SKN	RBT	LD50	>2000	mg/kg

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

DERMAL	RBT	LD50	>4	mg/kg
ORAL	RAT	LD50	>5050	mg/kg
VAPOURS	RAT	4H LC50	>13.1	mg/l

PINE OIL

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg
VAPOURS	RAT	4H LC50	4.76	mg/l

Relevant hazards for substance:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 7

STOT-repeated exposure	-	Hazardous: calculated
------------------------	---	-----------------------

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALUMINIUM OXIDE 1

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

ALGAE	72H IC50	4.6-10	mg/l
DAPHNIA	48H EC50	10-22	mg/l
FISH	96H LC50	10-30	mg/l
Microorganisms	48H EC50	43.98	mg/l

PINE OIL

ALGAE	72H ErC50	68	mg/l
Daphnia magna	48H EC50	73	mg/l
FISH	96H LC50	>62	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. More than 75% biodegradable according to OECD 301 (calculated).

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Partly soluble in water.

12.5. Results of PBT and vPvB assessment

Persistence (P-):

Persistence result: not P-

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 8

Bioaccumulation (B-):

Bioconcentration factor (BCF): >=500

Bioaccumulation result: not B-

Toxicity (T-):

mg/l

NOEC for marine or freshwater organisms: >1

Toxicity result: not T-

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Not applicable.

Waste code number: 08 04 12

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/ 45 EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 9

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.
EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.
H226: Flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.
H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.