


## STAINLESS STEEL GUTTER SPIKES

SBBS-G



## **SPECIFICATIONS**

Material: 304 stainless steel spikes & base

Warranty: 15 years

Wire Diameter: 1.6mm

Height of spike: 140mm

Spike span (tip to tip): 80mm

Spike Quantity Per Strip: 40 spikes

Protection Width: Up to 120mm

**Base Size:**  $1000 \text{mm}(L) \times 17.5 \text{mm}(W) \times 0.8 \text{m}(H)$ 

Bird Species - Pigeons, starlings, mynas, sparrows

Infestation - From light to heavily infested areas.


**Situation** - Ideal for gutters on houses and commercial buildings to prevent birds from perching on and accessing gutter.


**Installation** – Place the spikes inside the gutter with the universal clip against the lip. Fold clip over gutter lip with pliers.

Optional: Rivet or screw the clips against the gutter through the prestamped holes

## STAINLESS STEEL SOLAR PANEL BIRD SPIKES

SBBS-SP





## **SPECIFICATIONS**

Material: 304 stainless steel spikes & base

Warranty: 15 years

Wire Diameter: 1.6mm

Height of spike: 140mm

Spike span (tip to tip): 120mm

Spike Quantity Per Strip: 80 spikes

Protection Width: Up to 200mm

**Base Size:**  $1000 \text{mm}(L) \times 17.5 \text{mm}(W) \times 0.8 \text{m}(H)$ 

**Bird Species** - Pigeons, starlings, mynas, sparrows

**Situation** - Ideal for solar panels on houses and commercial buildings to prevent perching on upper panel framework and nesting under panels.

**Installation** - Option 1: Place the spikes on top side of upper panel frame so the spikes point upwards. Use silicon adhesive to fix spikes. Option 2: Place spikes on side of panel framework so that spikes point downwards. Use silicon adhesive of solar panel clips to fix.