


verilux[®]
The Healthy Lighting Company[®] Est. 1956



Natural Spectrum[®]

Portable Reading Light

Model: VB01

Important Safeguards

SAVE THESE INSTRUCTIONS

PLEASE READ THE FOLLOWING SAFETY INFORMATION BEFORE USING

▲WARNING: **CHOKING HAZARD** — Small parts. This product is NOT a toy and is not intended for children younger than age three. Adult supervision is required to prevent a choking hazard from small parts or batteries.

▲WARNING: This product contains a chemical known to the State of California to cause birth defects and other reproductive harm.

▲WARNING: This bulb contains a trace amount of mercury. For more information on clean-up and disposal see www.epa.gov/cfl.

BATTERY SAFETY CAUTIONS: Improper use of this or any battery-operated product may cause batteries to leak or explode, which may cause personal injury or damage to electronic equipment.


- Do not mix BATTERY TYPES: Batteries are commonly available in alkaline, standard (carbon-zinc) and rechargeable (nickel-cadmium). DO NOT MIX. Use only (2) alkaline, (2) standard or (2) rechargeable type batteries.
- Do not mix OLD and NEW batteries.
- Remove batteries when the product is not in use for extended periods of time.
- Do not dispose of batteries in fire — Please recycle used batteries.

When used according to these instructions, the bulb of the Verilux® Portable Reading Light is rated for 10,000 hours and should never need replacement. DO NOT attempt to remove or replace the bulb. In the unlikely event your bulb fails within the first year of operation, contact our Customer Service Department at 1-800-786-6850.

Features and Operation

Main Parts & Controls

- A. Bulb
- B. Hinge System
- C. Book/Computer Clip
- D. Battery Compartment
- E. Power Switch
Off/Low/High
- F. DC Socket
- G. DC Jack
- H. USB Plug
- I. USB Cable



Battery Installation/Replacement

1. Slide the battery compartment door open in the direction indicated by the arrow.
2. Insert two (2) AA batteries (not included) so the poles (+) and (-) exactly match the diagram located in the battery compartment.
3. Slide battery door back on until fully closed.
4. Locate power switch on the back of the unit and choose between two brightness levels, (M) for lower light level and (H) for brighter light. Allow one to two minutes for bulb to achieve full brightness, and enjoy your Verilux® Natural Spectrum® Portable Reading Light.

USB-Powered Operation

1. If you are using non-rechargeable batteries, remove them BEFORE inserting USB plug adapter.
2. Plug DC jack end of USB cable in DC socket of the reading light.
3. Connect the USB plug end of the cable to the computer USB port (USB 1.0- and 2.0-compatible).
4. Turn on the light to your desired brightness level and enjoy!

NOTE: Due to current restrictions of USB (500mA), USB-powered light may not seem as bright as battery-powered light.

USB Battery Recharge Function

IMPORTANT: Use NiMH or NiCD rechargeable AA batteries only! DO NOT attempt to charge non-rechargeable batteries.

1. Switch book light to OFF position (must remain in OFF position for recharge function).
2. Connect USB cable from the book light to the computer USB port (as described above). Battery charging time is approximately 10 to 14 hours.

In Love with the Light?

The benefits of Verilux lighting are available in a range of products — all designed to help you live **life in a better light**:

■ **Get Back to Being You**

Products to Improve Skin, Mood, Energy and Well Being

■ **Don't Just Clean, Sanitize**

Wands and Vacuums that Use UV-C Rays to Banish Germs, Odors and other Nasties

■ **Productivity Lighting**


Lamps that Use Natural Spectrum Light so You Can Read, Task, Work and Excel

■ **Fix Your Fixtures**

Natural Spectrum Bulbs and Tubes to Illuminate Your Home, Work and Life



Rise & Shine® Natural Alarm Clock and Sleep System



CleanWave® Sanitizing Wand



Heritage™ Deluxe Natural Spectrum® Desk Lamp



A wide assortment of Natural Spectrum Bulbs and Tubes — CFL and LED — for all over your home

For more information, to order, or to find a retailer near you, visit us at www.verilux.com or call 1-800-786-6850.

One-Year Limited Warranty

ATTENTION! ONCE OPENED, PLEASE **DO NOT** RETURN THIS PRODUCT TO THE STORE WHERE IT WAS PURCHASED FOR REPAIR OR REPLACEMENT!

Many questions may be answered by visiting www.verilux.com, or you may call our Customer Service Department at 800-786-6850 during EST business hours.

This limited warranty is provided by: Verilux, Inc., 340 Mad River Park, Waitsfield, VT 05673

Verilux warrants this product to be free from defects in material and workmanship for a period of 1 year from the date of the original retail purchase from Verilux or an authorized Verilux distributor. **Proof of purchase is required for all warranty claims.** During the limited warranty period, Verilux Inc., will, at its option, repair or replace defective parts of this product, at no charge to the customer, subject to these limitations: This limited warranty does not include any postage, freight, handling, insurance or delivery fees. This warranty does not cover damage, defect or failure caused by or resulting from accident, external destruction, alteration, modification, abuse, misuse or misapplication of this product.

This warranty does not cover damage to the product resulting from return shipping or handling. Verilux recommends purchasing shipping insurance to protect your investment.

Return Authorization is required for all returns. To obtain a Return Authorization, please contact the Verilux Customer Service Department at 800-786-6850.

If, during the first year of ownership, this product fails to operate properly, it should be returned as specified at www.verilux.com/warrantyreplacement or as instructed by a Verilux customer service representative at 800-786-6850.

***Note:** Verilux recommends using a quality surge suppressor on all electronics equipment. Voltage variations and spikes can damage electronic components in any system. A quality suppressor can eliminate the vast majority of failures attributed to surges and may be purchased at electronics stores.*

Due to ongoing improvements, actual product may have slight variations from the one described in this manual.

Please visit our web site at: www.verilux.com or call

1-800-786-6850

Representatives are available Monday – Friday 9:00a.m to 5:00p.m. EST

VERILUX®

340 Mad River Park, Waitsfield, VT 05673

Made in China

Printed in China for Verilux, Inc.