


**verilux**<sup>®</sup>  
LIFE IN A BETTER LIGHT<sup>®</sup>



True Color Adjustable  
**Illuminated Mirror**

**VM03**



Dear Customer,

Thank you for purchasing the Verilux® True Color Adjustable Illuminated Mirror. You have received an innovative and quality manufactured product, backed by a one-year limited warranty. As a Verilux® customer, your satisfaction means everything to us. We look forward to serving you now and in the future.

Many other healthy lighting products are available through our catalog and online. Visit us on the web at [www.Verilux.com](http://www.Verilux.com) to request a free catalog and learn more about all our quality Verilux® products, or call our toll-free number 1-800-454-4408.

Have a Bright Day!

A handwritten signature in black ink that reads "Nicholas Harmon". The signature is written in a cursive, flowing style.

Nicholas Harmon  
President

## TROUBLESHOOTING

If the mirror does not light, or before requesting service on your Verilux® product please read the following:

- Make sure all power connectors, cords and plugs are inserted fully and securely.
- Make sure there is power to the wall outlet or try another outlet — not connected to a dimmer.
- If you are using a CFGI receptacle, check the reset switch on the face of the socket.

## CARE & CLEANING

Your Verilux® mirror is made from high quality materials that will last for many years with a minimum of care.

Clean only with a soft dry cloth – **DO NOT USE SOLVENTS OR CLEANERS CONTAINING ABRASIVES OR AMMONIA**



**WARNING:** To prevent risk of shock or personal injury when cleaning mirror, make sure you have turned off and unplugged the mirror and allow sufficient time for the bulb to cool.

## PRODUCT SPECIFICATIONS

- Bulb Type: Verilux 16W T4 Circular Fluorescent Bulb (FC16T4VLX)
- Mirror Electrical Parameters: 120VAC, 60Hz, 1A
- Base Outlet Electrical Parameters: 120VAC, 60Hz, 6A MAX

### Environmental

- Operating Temperature: 15°C to 35°C; 59°F to 95°F
- Relative Humidity: 75% max

## GENERAL PRECAUTIONS

- Use only with 120V AC 60Hz power supply.
- Avoid placing the product in areas that are dusty, lack ventilation, or are subject to constant vibration.
- Not for use with light dimmers, timers, motion detectors, voltage transformers, or extension cords.
- Do NOT use lubricating agent in bulb assembly.
- Close supervision is recommended when this product is used by or near children, or others who may not understand the need for these precautions.

## BASE OUTLET PRECAUTIONS

- For your convenience, there is an electric outlet at the base of your mirror. Do not plug any appliance that draws over 6 Amps into this outlet.
- Only use appliances with polarized plugs in the base outlet.



**WARNING:**  
KEEP AWAY FROM WATER

# IMPORTANT SAFETY INSTRUCTIONS

## CAUTION:

- TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT DISMANTLE. THERE ARE NO SERVICEABLE PARTS INSIDE.
- TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS UNIT TO RAIN OR MOISTURE.

## WARNING: TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR PERSONAL INJURY:

- Do not place near sink or where water can splash on the mirror.
- Turn off or unplug and allow to cool before replacing bulb or cleaning.
- Do not operate the mirror in close proximity to flammable or combustible vapors such as aerosol (spray) products or where oxygen is being administered.
- Use only the type of bulb and maximum wattage indicated by Verilux®.
- Never cover the product when it is in operation.
- **Read these instructions** – before using this product.
- For indoor use only.
- Clean only with dry cloth.
- Do not defeat the safety purpose of the polarized plug. A polarized plug has two blades with one wider than the other. If the provided plug does not fit in your outlet, consult an electrician for replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched particularly at the plugs and the point where it exits from the mirror.
- Unplug this product during lightning storms.
- If the product has been damaged in any way, such as the power-supply cord or plug is damaged, liquid has been spilled or objects have fallen onto the product, the product has been exposed to rain or moisture, does not operate normally, or has been dropped, it should not be operated.

**SAVE THESE INSTRUCTIONS**

## **BULB REPLACEMENT**

Replacing the Natural Spectrum® bulb:

1. Unplug the power cord from the electrical receptacle.
2. Remove three Philips screws from the sides and bottom of the 10X magnification side of the mirror.
3. While mirror is lying on its side, carefully remove the mirror panel and lay it over to expose the bulb and wire.
4. Carefully detach the plug from the 4-prong bulb connector.
5. Undo the plastic tie holding the bulb connector plug in place.
6. Pull up on the bulb to release it from the 3 clips holding it in place and dispose of the old bulb in accordance with local and federal requirements.
7. Place new bulb in clips, re-connect power cord, re-tie plastic tie holding the bulb connector plug in place, replace 10X mirror panel, and replace the 3 screws.

**Important:**  
Open Magnified (10x) Side  
for bulb replacement

# BULB REPLACEMENT

