

Printed from www.chemquest.com.au

IDENTIFICATION					
8.1 Product Name:	ARTMIL CRAFT PVA GLUE				
8.2 Other Names:	Cross-Linking Pva Glue				
8.3 Manufacturer's Product Code:	R6355				
UN Number:	N/A				
Dangerous Goods Class:	N/A				
Packaging Group:					
Subsidiary Risk:	N/A				
8.6 Hazchem Code:	not classified as hazardous				
8.8 Poisons Schedule No.:	N/A				
8.10 Use:	Artemil Craft Pva Glue is a high solids, one part self cross-linking Pva. It is an ideal product for bonding tongue and groove solid timber, composite and laminated flooring substrates.				
Linked barcodes:	<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;">Barcode</td> <td style="text-align: center;">Description</td> </tr> <tr> <td style="text-align: center;">9336709002290</td> <td style="text-align: center;">Artemil Craft PVA Glue 125ml</td> </tr> </table>	Barcode	Description	9336709002290	Artemil Craft PVA Glue 125ml
Barcode	Description				
9336709002290	Artemil Craft PVA Glue 125ml				
Other:					
Physical Description		Other Properties			
8.16 Appearance:	Medium Viscosity, White liquid with slight sweet odour.	8.23a Shock Sensitivity:			
8.17 Boiling Point/Melting Point:	100 degrees Celcius	8.23b Corrosiveness:			
8.18 Vapour Pressure:		8.23c Oxidising Properties:			
8.19 Specific Gravity:	1.07 -1.08	8.23d Reactivity with Common Substances:	This product is stable when stored under normal storage conditions. Store away from incompatible materials.		
8.20 Flash Point:		8.23e Auto-Ignition Temperature:			
8.21 Flammability Limits:	Non flammable in liquid form.	8.23f Evaporation Rate:			
8.23 Solubility in Water:		8.23g Vapour Density:			

Other:	Flammability: Product residue, following evaporation of liquid content will burn in the presence of a naked flame.	8.23h Odour Threshold:	
		8.23i pH:	pH value 3.0 - 4.0
		8.23j Solubility in Organic Solvents:	Solubility in water: completely dispersible.
		8.23k Per Cent Volatiles:	
		8.23l Volatile Organic Compounds:	
		8.23m Bulk Density:	
		Other:	
Ingredients	8.27 Chemical Name	8.28 CAS No.	8.29 Proportion
	Synthetic Polymer Emulsion		90-100%
	Biocide	2634-33-5	0-0.01 %
9 HEALTH HAZARD INFORMATION		10 PRECAUTIONS FOR USE	
9.2 Health Effects		10.4 Exposure Standards:	
Acute		10.10 Engineering Controls:	
Swallowed:	May cause gastric irritation.	10.13 Personal Protection:	Wear safety glasses to prevent eye contamination.
Eye:	A mild eye irritant. May cause watering of eyes.	10.18 Flammability:	Non flammable in liquid form. Product residue, following evaporation of liquid content will burn in the presence of a naked flame.
Skin:	Repeated or prolonged skin contact may lead to irritation.	Other:	
Inhaled:	Not normally an inhalation risk due to low vapour pressure at ambient temp.	11 SAFE HANDLING INFORMATION	
Chronic		11.1 Storage and Transport:	Not classified as hazardous.
9.30 First Aid		11.4 Spills and Disposal:	Contain spills with sawdust or sand. Prevent contamination of drains and waterways. Wash down

Swallowed:	Rinse mouth thoroughly with water. Seek medical advise if effects persist.	11.11 Fire/Explosion Hazard:	area with copious amounts of water. Only the dry residue will burn. Use CO2, dry chemical or water. Firefighters or others exposed to vapours or products of combustion should wear self-contained breathing apparatus.
Eye:	Immediately irrigate with copious quantity of water for at least 15 minutes. Whilst holding eyelids open. Seek medical advise if effects persist.	Other:	
Skin:	Wash affected area with warm soapy water. If irritation occurs seek medical advise.		
Inhaled:	Remove from exposure. Provide plenty of fresh air.		
First Aid Facilities			
9.33 Advice to Doctor	Treat symptomatically.		
Other			
GENERAL			
General	ARTMIL CRAFT PVA GLUE		
SUPPLIER			
Supplier	CSA Trading P/L		
Supplier Date	6/1/2009		
13 CONTACT POINT:			
13.1 Contact Title:	Mr Graham Ashburn		
13.1 Contact 'Phone:	03 9899 1080		
13.1 Contact Pager:			

MSDS Supplied by: CSA Trading P/L on date: 6/1/2009