

USER INFORMATION

CMC Rescue recommends separating the User Information from the equipment and retaining the information in a permanent record. CMC also recommends making a copy of the information to keep with the equipment and that the information should be referred to before and after each use.

INSPECTION

Inspect the equipment according to your department's policy for inspecting life safety equipment. The equipment should be inspected after each use and at least once a year by an inspector that meets your department's training standards for inspection of life safety equipment. Record the date of the inspection and the results in the equipment log or on a tag that attaches to the equipment. Each user should be trained in equipment inspection and should do a cursory inspection and check component compatibility before each use.

When inspecting the equipment, check the webbing for cuts, worn or frayed areas, broken fibers, soft or hard spots, discoloration or melted fibers. Check the stitching for pulled threads, abrasion or breaks. Inspect the buckle for cracks, sharp edges, dents, corrosion, burrs or excessive wear. If any of the above are noted, or if the equipment has been subjected to shock loads, fall loads, or abuse other than normal use, or if there is any doubt about the serviceability of the equipment, remove the equipment from service and destroy it.

USE

The CMC Rescue Adjustable Foot Loop is designed to be used in conjunction with an ascender / rope grab for ascending purposes. Connect an ascender to the top loop (adjacent to the adjuster buckle). The yellow tether can be connected to your harness by clipping into any single loop on the tether for adjustment.

Place your foot inside the loop and cinch it down so that it is snug. The tail end of the strap can then be passed around your ankle, under the foot loop strap and back onto itself (see photo). This will help keep your foot from sliding out of the loop.



CARRYING, MAINTENANCE & STORAGE

During use, carrying, and storage keep the equipment away from acids, alkalis, exhaust emissions, rust and strong chemicals. Do not expose the equipment to flame or high temperatures. Carry the equipment where it will be protected as the straps could melt or burn and fail if exposed to flame or high temperatures.

If the equipment becomes soiled, it can be washed in cold water with a mild detergent. CMC Rescue recommends the use of LifeLine Cleaner. Dry out of direct sunlight. Do not dry in an automatic dryer. Store in a cool, dry location.

REPAIR

All repair work shall be performed by the manufacturer. All other work or modifications may void the warranty and releases CMC Rescue, Inc. from all liability and responsibility as the manufacturer.

SAMPLE LOG

The sample log suggests records that should be maintained by the purchaser or user of rescue equipment.

Equipment Inspection and Maintenance Log			
Item _____ # _____		Date in Service _____	
Brand/Model _____		Strength _____	
Date	How Used or Maintained	Comments	Name

IMPORTANT INFORMATION - PLEASE READ AND SAVE



Adjustable Foot Loop

Made in USA
of US and foreign components

PRODUCT LABEL

⚠ WARNING

- **SERIOUS INJURY OR DEATH MAY RESULT FROM THE IMPROPER USE OF THIS EQUIPMENT.**
- **THIS EQUIPMENT HAS BEEN DESIGNED AND MANUFACTURED FOR USE BY EXPERIENCED PROFESSIONALS ONLY.**
- **DO NOT ATTEMPT TO USE THIS EQUIPMENT WITHOUT PROPER TRAINING.**
- **USE, INSPECT, AND REPAIR ONLY IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS.**

CMC Rescue, Inc.

6740 Cortona Drive, Goleta CA 93117

USA

805-562-9120 / 800-235-5741

cmcrecue.com

ISO 9001:2008 Certified