









The **CAMON TC07** simplifies the task of turf removal. Combining power and compactness, it's constructed with top-grade components. Designed for longevity and consistent performance, the TC07 will remain a dependable tool in your arsenal for years to come.



Compact yet robust, the **CAMON TC07** effortlessly tackles tasks that would otherwise be time-consuming and labour-intensive.

Within moments, it can strip a grassy surface down to the bare soil, priming it for your next project. Its size allows for easy manoeuvrability in tight spots, as well as convenient storage and transport.

With the **CAMON TC07**, users can trust in its enduring build quality, promising years of reliable service. The grass cutting blade is made from specialty steel, guaranteeing longevity, while its drive mechanism is constructed from high quality components to ensure reliability.

The **CAMON TC07** also offers a choice of drive wheels, that allows the user to choose between levels of traction. The agricultural wheels offer a more aggressive drive.



HARDENDED STEEL REVERSIBLE CUTTING BLADE

made of Hardox° for extended wear and reversible for double the lifespan.





ENGINE	HONDA GX160
WORKING WIDTH	30CM
CUTTING DEPTH	1CM TO 3 ¹ / ₂ CM
DRIVE	POSITIVE GEAR DRIVE
WHEELS	PUNCTURE PROOF TYRES
	AGRICULTURAL TYRES
WEIGHT	93KG
DIMENSIONS	128CM X 54CM X 102CM

















The **CAMON LS42** is renowned for its ability to eliminate thatch and moss from all sorts of lawns with exceptional effectiveness. It comes with an easily adjustable handwheel to regulate the depth of scarification, and is powered by a robust Honda engine that guarantees the uninterrupted operation of the spinning cartridges.

Known for its reliability and build quality, the **CAMON LS42** is versatile enough to operate effectively in domestic, rental, and commercial environments. It's an tireless worker, consistently delivering results without ever disappointing its user.

The **CAMON LS42** offers the convenience of selecting from a variety of cartridges, catering to the exact requirements of its user. Be it reviving an aged lawn or maintaining an existing one throughout the summer season, there's a cartridge designed for every need.

Each aspect of the **CAMON LS42** has been designed with the operator in mind, from the fine height adjustment to the folding handlebars and simple controls. The **CAMON LS42** is a machine that will deliver great results every time.

CARTRIDGES

Key to the success of the **CAMON LS42** scarifier is the ability to change between a range of cartridges. Each cartridge is tailored to a specific role and offers the operator incredible options to work on a lawn.



FREE SWINGING BLADES 30 X 1.6MM FREE SWINGING BLADES



FIXED BLADES 15 X 2MM BLADES



RENOVATION BLADES 15 X 2MM BLADES WITH ANGLED LEADING EDGE



VERTICUTTER GROOMING REEL 36 X 1MM BLADES AT 10MM SPACING



SPRING TINES 30 X 2.5MM THICK SPRINGS



FLAIL BLADES 30 X 3MM HARDOX® 'STAY SHARP' BLADES



ENGINE	HONDA GX160
WORKING WIDTH	42CM
WHEELS	60MM WIDTH WITH SCRAPERS
	80MM WIDTH, NO SCRAPERS
WEIGHT	68KG
DIMENSIONS	120CM X 59CM X 98CM













Just like the smaller LS42, the **CAMON LS52** is renowned for its ability to eliminate thatch and moss from all sorts of lawns. It comes with an easily adjustable handwheel to regulate the depth of scarification, and is powered by a robust Honda engine that guarantees the uninterrupted operation of the spinning cartridges.



The CAMON LS52 stands out in several ways.

Firstly, it offers a wide 52cm working width so it can cover a larger area with each pass. Additionally, it features a powerful Honda engine, enabling it to perform effectively in more challenging conditions.

Another advantage is its ability to switch between different cartridges, meaning it can adapt to different lawn types and levels of thatch and moss.

This flexibility gives it an edge over many other pedestrian scarifiers that are limited in their functionality.

Finally, the **CAMON LS52** boasts a robust and durable UK-built design, ensuring it can handle heavy use over time, and making it a wise investment for those seeking a reliable, long-lasting machine.

CARTRIDGES

Key to the success of the **CAMON LS52** scarifier is the ability to change between a range of cartridges. Each cartridge is tailored to a specific role and offers the operator incredible options to work on a lawn.



FREE SWINGING BLADES 36 X 1.6MM FREE SWINGING BLADES



FIXED BLADES 18 X 2MM BLADES



RENOVATION BLADES 18 X 2MM BLADES WITH ANGLED LEADING EDGE



VERTICUTTER GROOMING REEL 45 X 1MM BLADES AT 10MM SPACING



SPRING TINES 36 X 2.5MM THICK SPRINGS



FLAIL BLADES 36 X 3MM HARDOX® 'STAY SHARP' BLADES

ENGINE	HONDA GX200
WORKING WIDTH	52CM
WHEELS	60MM WIDTH WITH SCRAPERS
WEIGHT	72KG
DIMENSIONS	120CM X 69CM X 98CM













The **CAMON LS14** boasts a lightweight yet sturdy design, making it ideal for both home and professional use. This efficient unit can effortlessly eliminate vast quantities of thatch and moss, aiding you in achieving a consistently plush and even lawn. Its narrow design and lightweight build ensure user-friendliness. With an assortment of cartridges at your disposal, you can create and maintain your lawn's pristine condition throughout the year.



The **CAMON LS14** stands out in the scarifier market due to its impressive power-to-size ratio. Not only is it user-friendly and easy to navigate, but it also delivers the full range of scarification benefits: it efficiently removes thatch, boosts nutrient absorption, encourages grass growth, and facilitates optimal water penetration into a lawn.

Crafted from high-end materials, the **CAMON LS14** promises longevity. Especially noteworthy is the construction of our blades, made from specialty metals to withstand frequent usage. As a testament to the **CAMON LS14**'s quality, it has a 3-year domestic and a 2-year commercial warranty.

The selection of cartridges for the **CAMON LS14** empowers the user to pick the ideal tool tailored to the lawn's condition and the season. No other scarifier of this stature provides such adaptability, enabling owners to customise solutions for their lawns. The range of cartridges also allow the **LS14** to be operated throughout the year in different conditions.

CARTRIDGES

Key to the success of the **CAMON LS14** scarifier is the ability to change between a range of cartridges. Each cartridge is tailored to a specific role and offers the operator incredible options to work on a lawn.



FREE SWINGING BLADES 30 X 1.6MM FREE SWINGING BLADES



FIXED BLADES 15 X 2MM BLADES



FLAIL BLADES 30 X 3MM HARDOX[®] 'STAY SHARP' BLADES



VERTICUTTER GROOMING REEL 36 X 1MM BLADES AT 10MM SPACING



SPRING TINES 30 X 2.5MM THICK SPRINGS

SPECIFICATION

ENGINE	LONCIN GF200F-P5	
	HONDA GP160	
	HONDA GX160	
WORKING WIDTH	42CM	
WEIGHT	40KG	
DIMENSIONS	95CM X 59CM X 102CM	









9

LS14 / LS42 / LS52 SCARIFIER CARTRIDGES

One of the features that make the CAMON Lawn Scarifiers so indispensible is their ability to operate a range of different rotors. From "standard" scarifying to verticutting, these unique machines can undertake all types of scarification for all types of lawns.

FREE SWINGING BLADES



VERTICUTTER BLADES




- 1.6mm thick blades with double edges
- Free swinging staggered layout on 3 rods
- Best for thatch removal
- 42cm 30 blades / 52cm 39 blades
- Fits all models

- 1mm thick blades with 9 tips
- Alternating layout fixed on central rod
- Removes weed grass and grooms all year round
- 42cm 36 blades / 52cm 45 blades
- Fits all models





SPRING TINES



- 2.5mm thick metal springs
- Free swinging staggered layout on 3 rods
- For moss removal and lighter scarifying
- 42cm 30 springs / 52cm 39 springs
- Fits all models

Fits all models

FIXED BLADES



RENOVATION BLADES

Alternating layout fixed on central rod

42cm - 15 blades / 52cm - 18 blades

Remove subsurface thatch and create seedlines

2mm thick blades with 3 tips

- 2mm thick blades with 3 tips 2 angled
- Alternating layout fixed on central rod
- For complete renovation and removing old lawns
- 42cm 15 blades / 52cm 18 blades
- Fits LS42 and LS52

'STAY SHARP' BLADES



- 3mm thick Hardox[®] blades with one edge
- Free swinging staggered layout on 3 rods
- For extra tough conditions
- 42cm 30 blades / 52cm 39 blades
- Fits all models





Aeration plays a pivotal role in lawn health, and the **CAMON LA25** is your perfect tool for fostering robust and vibrant grass. With its six interchangeable tine options, you can cater to your lawn's needs all year round, alleviating soil compaction, enhancing drainage, and optimizing nutrient circulation.



The **CAMON LA25** combines power and compactness, setting the bar high with its versatility in tine selection and short change-over time. Transitioning between hollow corers, chisel tines, or fracture tines is a breeze, taking less than 5 minutes. Its straightforward operation allows for rapid and efficient coverage of expansive areas.

Crafted using specialty steels, the **CAMON LA25**'s tines promise extended durability, ensuring the aerator can handle rigorous, prolonged usage. Its high-quality gearbox drive mechanism underscores its reliability, making the **CAMON LA25** a valuable tool for many years.

Beyond its rapid tine switches, users can adjust the ground speed and hole-spacing pattern, underscoring its adaptability. With unparalleled build quality, the **CAMON LA25**'s versatility stands second to none in the market.

TINES

The **CAMON LA25** aerator has the ability to change between a range of tines ensuring that the operator always has the best tool for the job.



10MM SOLID SPIKE INCLUDED AS STANDARD







HOLLOW CORER 21MM OUTER/15MM INNER DIA. INCLUDED AS STANDARD

FRACTURE TINE 40MM WIDE



20MM WIDF



CHISEL TINES

40MM WIDF

SPECIFICATION

ENGINE	HONDA GX160
WORKING WIDTH	40CM
AERATION DEPTH	7½CM
TINES INCLUDED	10MM SOLID TINES
	HOLLOW CORERS
WEIGHT	103KG
DIMENSIONS	100CM X 65CM X 68CM





30MM WIDE









The **CAMON SG30** stump grinder seamlessly combines agility with power, capable of eradicating stumps and their roots swiftly. Designed for durability, its robust steel framework and durable carbide teeth - which can be rotated for extended lifespan - ensure it stands the test of time.



Slim enough to fit through garden gates, yet robust enough to tackle any garden stump, the **CAMON SG30** is an essential, long-lasting tool.

Equipped with 8 Greenteeth[®], each fortified with carbide tips and designed for three-way rotation, the **CAMON SG30** maximizes tooth longevity.

Its top-tier clutch and drive system, complemented by a potent bank engine, guarantee operation even on inclines.

The **CAMON SG30**'s sizable wheels and optimal balance make it effortless to manoeuvre, while its collapsible handlebars facilitate both transport and storage.

The **CAMON SG30** is a real workhorse built to withstand domestic, commercial and rental environments. It will work tirelessly at removing difficult stumps, turning awkward areas into usable garden.

SPECIFICATION

ENGINE	HONDA GX390 BANKS
WORKING HEIGHT	56CM ABOVE GROUND
WORKING DEPTH	33CM BELOW GROUND
TEETH	8 GREENTEETH®
WEIGHT	135KG
DIMENSIONS	190CM X 63CM X 126CM





STRONG AND EFFICIENT GREENTEETH[®] with a carbide edge and the ability to be rotated three times, the teeth are fitted in straight and angled pockets to offer maximum efficiency.













The **CAMON C22** is the ideal tool for preparing garden borders, vegetable patches, and allotments for the upcoming planting season. With its potent engine and sturdy digging tines, it can easily churn through even the most stubborn soils, offering a more effective and efficient alternative to traditional spade digging.



The **CAMON C22** is a powerful machine for turning your soil into usable areas for planting. It has been built for all types of operator from domestic to commercial, having been made to last and combines this with a very simple system to operate. Just pull the single lever and the power of the **C22** will quickly do the work for you.

The tines of the **CAMON C22** are not only crafted from hardened steel, but unlike many tillers they are also individually replaceable. The tiller's drive train, made from premium components, ensures both ease of maintenance and demonstrated dependability.

The foldable handlebars simplify the machine's vehicle transport and storage, while the handy front wheel ensures the **CAMON C22** can be easily manoeuvered to its required location.



HARDWEARING INDIVIDUALLY REPLACEABLE TINES

are each 6mm thick with a Y-shaped profile for heavy-duty digging applications.



ENGINE	HONDA GX160
DIGGING WIDTH	64CM
DIGGING DEPTH	20CM
SPEEDS	ONE FORWARD
NO. OF TINES	16
WEIGHT	75KG
DIMENSIONS	140CM X 70CM X 84CM
















ATTACHMENTS

Key to the success of the **CAMON HA10 HAND AERATOR**

is the ability to change between a range of tine options. Each tine is tailored to a specific role and offers the operator incredible options to work on a lawn.



1	10MM SOLID SPIKE TINE
2	15MM SOLID SPIKE TINE
3	21MM OUTER/15MM INNER HOLLOW CORER TINE
4	20MM CHISEL TINE
5	30MM CHISEL TINE
6	40MM CHISEL TINE

WEIGHT	5.3KG (EXCL TINES)
DIMENSIONS (W X H)	655MM (HANDLEBARS) X
	945MM (WITHOUT TINES)
	1035MM (WITH TINES)
AERATING WIDTH	320MM
AERATING DEPTH	75MM (MAX)



OUR SERVICES



SPARE PARTS

Normally available from stock, we carry a complete range of original spare parts for all our machines.



TECHNICAL SUPPORT

Our technical team are available during office hours to provide a telephone support service to keep you running.



WARRANTY

Our warranty periods reflect the build quality of our machines; namely 3 years for domestic and 2 years for commercial use.



NATIONWIDE SUPPORT

We have a nationwide network of authorised dealers who offer both pre- and post-sales support and services.







TRACMASTER LTD Units 6-7 Winterpick Business Park | Hurstpierpoint Road | Wineham | BN5 9BJ Tel: +44(0)1444 247689 | www.tracmaster.co.uk | sales@tracmaster.co.uk