

PSP

EARTHQUAKE ACTUATED GAS SHUT OFF VALVES

Protecting your properties since 1989









Pacific Products
Seismic Products

RESIDENTIAL

COMMERCIAL

INDUSTRIAL

Stays Closed....

PSP's Residential Valves are rated up to 7 PSI and come in a variety of sizes and directional orientations. These are ideal for installation in your average Single Family Dwellings.



Residential Valve Specs

| Model | Size | PSI | Direction | |
|--------|--------|-------|-----------------------|--|
| 300 | 3/4" | 7 psi | Horizontal | |
| VT-300 | 3/4" | 7 psi | Vertical Top Inlet | |
| VB-300 | 3/4" | 7 psi | Vertical Bottom Inlet | |
| 301 | 1" | 7 psi | Horizontal | |
| VT-301 | 1" | 7 psi | Vertical Top Inlet | |
| VB-301 | 1" | 7 psi | Vertical Bottom Inlet | |
| 302 | 1-1/4" | 7 psi | Horizontal | |
| VT-302 | 1-1/4" | 7 psi | Vertical Top Inlet | |
| VB-302 | 1-1/4" | 7 psi | Vertical Bottom Inlet | |
| 303 | 1-1/2" | 7 psi | Horizontal | |
| VT-303 | 1-1/2" | 7 psi | Vertical Top Inlet | |
| VB-303 | 1-1/2" | 7 psi | Vertical Bottom Inlet | |

PSP's Commercial Valves are rated up to 60 PSI and come in a variety of sizes and directional orientations. These are ideal for installation in businesses and Multiple Family Dwellings.

Commercial Valve Specs

| Model | Size | PSI | Direction |
|--------|--------|--------|--------------------------|
| 310 | 3/4" | 60 psi | Horizontal |
| VT-310 | 3/4" | 60 psi | Vertical Top Inlet |
| VB-310 | 3/4" | 60 psi | Vertical Bottom Inlet |
| 311 | 1" | 60 psi | Horizo <mark>ntal</mark> |
| VT-311 | 1" | 60 psi | Vertical Top Inlet |
| VB-311 | 1" | 60 psi | Vertical Bottom Inlet |
| 312 | 1-1/4" | 60 psi | Horizontal |
| VT-312 | 1-1/4" | 60 psi | Vertical Top Inlet |
| VB-312 | 1-1/4" | 60 psi | Vertical Bottom Inlet |
| 313 | 1-1/2" | 60 psi | Horizontal |
| VT-313 | 1-1/2" | 60 psi | Vertical Top Inlet |
| VB-313 | 1-1/2" | 60 psi | Vertical Bottom Inlet |









At ANY Angle

PSP also supplies a variety of industrial valves and specialty products. Our industrial valves can come with or without flanges depending on the size, and we have a variety of specialty controls available as well.



Industrial Valve Specs

| Model | | | | | |
|--------------|----------------------------|----------------|----------------------------|---|--|
| Threaded | Flanged | Size | PSI | Direction | |
| 314 | 314F | 2" | 60 psi | Horizontal | |
| VT-314 | VT-314F | 2" | 60 psi | Vertical Top Inlet | |
| VB-314 | VB-314F | 2" | 60 psi | Vertical Bottom Inlet | |
| 318 | 318F | 2-1/2" | 60 psi | Horizontal | |
| VT-318 | VT-318F | 2-1/2" | 60 psi | Vertical Top Inlet | |
| VB-318 | VB-318F | 2-1/2" | 60 psi | Vertical Bottom Inlet | |
| 315 | 315F | 3" | 60 psi | Horizontal | |
| VT-315 | VT-315F | 3" | 60 psi | Vertical Top Inlet | |
| VB-315 | VB-315F | 3" | 60 psi | Vertical Bottom Inlet | |
| 316 | 316F | 4" | 60 psi | Horizontal | |
| VT-316 | VT-316F | 4" | 60 psi | Vertical Top Inlet | |
| VB-316 | VB-316F | 4" | 60 psi | Vertical Bottom Inlet | |
| | 317F VT-317F VB-317F | 6" 6" 6" | 60 psi 60 psi 60 psi | Horizontal Vertical Top Inlet Vertical Bottom Inlet | |
| je salifa se | 319F VT-319F VB-319F | 8" 8" 8" | 60 psi 60 psi 60 psi | | |

Specialty Valves

| Model | Description | |
|--------|---|--|
| EV400 | 3-Way Valve | |
| RA-501 | Remote Actuator (Valve not included) Seismically Activated Electrical Switch | |
| ES-510 | | |
| MS | Monitoring Switch (Valve not included) | |







Horizontal - Vertical Top Inlet - Vertical Bottom Inlet Valves Sizes Available **Threaded** Flanged 11/4" 1 1/2" 21/2" 3" 4" 4" 21/2" 2" 3/4" 3" 6" 8" Maximum 7 psi **Pressure Available** 60 psi Sizes Ambient Temperature 30° C (-22° F) to 70° C (150° F) Fluid Natural gas LP gas

Pacific Seismic Products is the world's leading supplier of earthquake-activated automatic gas shut-off valves and other seismic devices.

PSP was incorporated in 1989 when it acquired the rights to Koso's seismic valves. PSP continues to develop its gas shut-off valves by adding vertical top inlet and vertical bottom inlet valves to its already successful horizontal line. PSP has the most complete line of flanged or threaded seismically activated gas shut-off valves from ¾" to 8". Specialty products include Monitoring systems, remotes, electrical switches and 3 way valves.

Having a complete hi-tech on-site manufacturing facility in Lancaster, California, PSP is able to engineer, machine, and assemble all parts and valves. Pacific Seismic Products' state-of-the-art quality control process leads the industry with multi-stage testing of every valve manufactured to the most current standards, assuring you absolute reliability in a "Made in America" product.









233 East Avenue H-8 • Lancaster, CA 93535 • USA Tel: (661) 942-4499 • Fax: (661) 942-0999

www.4GasOff.net







