

# Safety Data Sheet

Page 1 of 10

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Printing Date: 12 August 2014

## 1. Identification

### Product identifier

**Trade name:** Rislone® Head Gasket Fix  
**Product code:** 41111

### Recommended use and restriction on use

**Recommended use:** Sealant

**Restrictions on use:** No further relevant information available.

### Details of the supplier of the Safety Data Sheet

#### Manufacturer/Supplier:

Rislone  
P.O. Box 187  
Holly, MI 48442 USA  
Phone: (810) 603-1321



#### Distributor:

Smits Group Pty Ltd.  
50 Radius Drive  
Larapinda  
QLD 4110  
Australia  
AUS Telephone 1800 883 888

#### Emergency telephone number:

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

New Zealand 0800 764 766 (National Poison Control Centre)  
Australia 131126 (NSW Poison Control Centre)

## 2. Hazards identification

### GHS Label elements

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

**Hazard pictograms:** Not Regulated

**Signal word:** Not Regulated

**Hazard Statements:** Not Regulated

**Precautionary Statements:** Not Regulated

**Hazard description:**

**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

# Safety Data Sheet

Page 2 of 10

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Head Gasket Fix

## 3. Composition and information on ingredients

### Chemical characterization: Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
1344-09-8	Silicic acid, sodium salt ----- ☠ Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 ☠ STOT SE 3, H335	<10%
7440-50-8	Copper ----- ☠ Aquatic Acute 1, H400 Aquatic Chronic 3, H412	<10%
142844-00-6	Aluminum Silicate	<10%

## 4. First-aid measures

### Description of first aid measures

**General information:** No special measures required.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

#### After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

#### After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

**Most important symptoms and effects, both acute and delayed:** Gastric or intestinal disorders.

**Hazards** No further relevant information available.

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

**For safety reasons unsuitable extinguishing agents:** None

**Special hazards arising from the substance or mixture** No further relevant information available.

#### Advice for firefighters

### Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

**Additional information** No further relevant information available.

# Safety Data Sheet

Page 3 of 10

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Head Gasket Fix

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

**Environmental precautions:** Do not allow to enter sewers/surface or ground water.

### Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material as waste according to item 13.

Clen the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

### Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7. Handling and storage

### Handling:

#### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

### Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

#### Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8. Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

### Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

7440-50-8 copper

NES (Australia)

Long-term value: 1\* 0.2\*\* mg/m<sup>3</sup>

# Safety Data Sheet

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Head Gasket Fix

PEL (USA)	*dust and mist **fume Long-term value: 1* 0.1** mg/m <sup>3</sup>
REL (USA)	As Cu *dusts and mists **fume Long-term value: 1* 0.1** mg/m <sup>3</sup>
TLV (USA)	As Cu *dusts and mists **fume Long-term value: 1* 0.2** mg/m <sup>3</sup>
WES (New Zealand)	As Cu *dusts and mists **fume Long-term value: 0.2* 1** mg/m <sup>3</sup>
<b>9004-34-6 Cellulose</b>	
NES (Australia)	Long-term value: 10 mg/m <sup>3</sup>
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>
WES (New Zealand)	Long-term value: 10* mg/m <sup>3</sup> *inhalable dust: no asbestos, <1% free silica

**DNELs:** No further relevant information available.

**PNECs:** No further relevant information available.

**Additional information:** The lists valid during the making were used as basis.

## Exposure controls

**Engineering controls:** Use only in a well-ventilated area.

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

**Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

**Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

# Safety Data Sheet

Page 5 of 10

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

## Trade Name: Rislone® Head Gasket Fix

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**For the permanent contact gloves made of the following materials are suitable:** Rubber gloves

### Eye protection:

Contact lenses should not be worn.



Safety glasses

**Body protection:** Protective work clothing.

### Limitation and supervision of exposure into the environment:

No further relevant information available.

### Risk management measures:

See Section 7 for additional information.

No further relevant information available.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

#### General information

<b>Appearance</b>	
<b>Form</b>	Liquid suspension
<b>Colour</b>	Red-brown
<b>Odour</b>	Mild
<b>Odour threshold</b>	Not determined.
<b>Change in condition</b>	
<b>Melting point/Melting range</b>	Not determined.
<b>Boiling point/Boiling range</b>	104°C
<b>Flammability (solid, gaseous)</b>	Not applicable.
<b>Danger of explosion</b>	Product does not present an explosion hazard.
<b>Explosion limits</b>	
<b>Lower</b>	Not determined.
<b>Upper</b>	Not determined.
<b>Flash point</b>	Not applicable.
<b>Auto/Self-ignition temperature</b>	Not determined.
<b>Decomposition temperature</b>	Not determined.
<b>Self-igniting</b>	Product is not self-igniting.
<b>pH-value at 20°C</b>	<11
<b>Viscosity</b>	
<b>Dynamic</b>	Not determined.
<b>Kinematic</b>	Not determined.
<b>Solubility in/Miscibility with water</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water) at 20°C</b>	Not determined.
<b>Vapour pressure at 20°C</b>	23 hPa
<b>Density at 20°C</b>	1.14 g/cm <sup>3</sup>

# Safety Data Sheet

Page 6 of 10

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Head Gasket Fix

<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solvent content</b>	
<b>Organic solvents</b>	Not determined.
<b>Solids content</b>	Not determined.
<b>Particle characteristics</b>	Not determined.
<b>Other information</b>	No further relevant information available.

## 10. Stability and Reactivity

### Reactivity

#### Chemical stability

#### Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

**Possibility of hazardous reactions** Reacts with strong acids.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

#### Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

## 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### Primary irritant effect:

**Skin corrosion/irritation:** Irritant to skin and mucous membranes.

**Serious eye damage/irritation:** Strong irritant with the danger of severe eye injury.

**Respiratory or skin sensitisation:** Sensitising effect by skin contact is possible by prolonged exposure.

#### Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

**Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12. Ecological information

# Safety Data Sheet

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Head Gasket Fix**

## Toxicity

**Aquatic toxicity:** The product contains materials that are harmful to the environment.

## Persistence and degradability

The organic portion of the product is biodegradable.

The product is partially biodegradable. Significant residuals remain.

**Bioaccumulative potential** May be accumulated in organism.

**Mobility in soil** No further relevant information available.

## Ecotoxicity

**Remark:** After neutralization a reduction of the harming action may be recognized.

## Additional ecological information:

### General notes:

This statement was deduced from the properties of the single components.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water. Water course or sewage system.

## Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## 13. Disposal considerations

### Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulation.

### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## 14. Transport information

<b>UN-Number</b> DOT, ADG, ADN, IMDG, IATA	Not Regulated
<b>UN proper shipping name</b> DOT, ADG, ADN, IMDG, IATA	Not Regulated
<b>Transport hazard class(es)</b> DOT, ADG, ADN, IMDG, IATA Class	Not Regulated
<b>Packing group</b> DOT, ADG, IMDG, IATA	Not Regulated

# Safety Data Sheet

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Head Gasket Fix

<b>Environmental hazards:</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	Not Applicable
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not Applicable
<b>UN "Model Regulation"</b>	-
<b>Additional Information</b>	Not Applicable

## 15. Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA)**

### SARA

<b>Section 355 (extremely hazardous substances):</b>	
None of the ingredients are listed.	
<b>Section 313 (Specific toxic chemical listings):</b>	
7440-50-8	Copper
<b>TSCA (Toxic Substances Control Act):</b>	
All ingredients are listed.	

### Proposition 65 (California):

<b>Chemicals known to cause cancer:</b>
None of the ingredients is listed.
<b>Chemicals known to cause reproductive toxicity for females:</b>
None of the ingredients are listed.
<b>Chemicals known to cause reproductive toxicity for males:</b>
None of the ingredients are listed.
<b>Chemicals known to cause developmental toxicity:</b>
None of the ingredients are listed.

### Carcinogenic Categories

<b>EPA (Environmental Protection Agency)</b>		
7440-50-8	Copper	D
<b>IARC (International Agency for Research on Cancer)</b>		
None of the ingredients are listed.		
<b>TLV (Threshold Limit Value established by ACGIH)</b>		
None of the ingredients are listed.		
<b>MAK (German Maximum Workplace Concentration)</b>		
None of the ingredients are listed.		
<b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
None of the ingredients are listed.		

### Canada

<b>Canadian Domestic Substances List (DSL)</b>
All ingredients are listed.
<b>Canadian Ingredient Disclosure list (limit 0.1%)</b>
None of the ingredients are listed.



# Safety Data Sheet

Page 9 of 10

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Head Gasket Fix**

<b>Canadian Ingredient Disclosure list (limit 1%)</b>	
7440-50-8	Copper

## Australia

<b>Australian Inventory of Chemical Substances</b>
All ingredients are listed.
<b>Standards for the Uniform Scheduling of Medicines and Poisons</b>
Not a SUSMP Schedule preparation.
<b>New Zealand Inventory of Chemicals (NZIOC)</b>
All ingredients are listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## Other regulations, limitations and prohibitive regulations

<b>Substances of very high concern (SVHC) according to REACH, Article 57</b>
None of the ingredients are listed.

## 16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Date of preparation of latest revision of SDS

December 13, 2022: Revised SDS to comply with The Model Work Health and Safety Regulation, and the Globally Harmonized System of Classification and Labelling of Chemicals 7<sup>th</sup> Revised Edition.

### Relevant phrases

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
Met. Corr. 1: Corrosive to metals – Hazard Category 1  
Skin Corr. 1B: Skin corrosion/irritation – Hazard Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Hazard Category 1  
STOT SE 3: Specific target organ toxicity - Single exposure – Hazard Category 3

# Safety Data Sheet

Page **10** of **10**

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Head Gasket Fix**

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic hazard – Category 3

**Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)