
According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023



· Hazard statements

H315 Causes skin irritation.

(Cont'd. on page 2)

According to The Model Work Health and Safety Regulations, and the

Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak

(Cont'd. from page 1)

	(containen page)			
	serious eye irritation.			
	se an allergic skin reaction.			
• Precautionary	v statements			
P261	Avoid breathing mist/vapours/spray.			
P264	Wash thoroughly after handling.			
P272	Contaminated work clothing should not be allowed out of the workplace.			
P280	Wear protective gloves/protective clothing/eye protection.			
P302+P352	IF ON SKIN: Wash with plenty of soap and water.			
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if			
	present and easy to do. Continue rinsing.			
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.			
P337+P313	If eye irritation persists: Get medical advice/attention.			
P362+P364	Take off contaminated clothing and wash it before reuse.			
P501	Dispose of contents/container in accordance with local/regional/national/international			
	regulations.			
Other hazard	Is There are no other hazards not otherwise classified that have been identified.			
· Results of PBT and vPvB assessment				
• PBT: Not applicable.				
· vPvB: Not applicable.				

3 Composition/information on ingredients

• Chemical characterisation: Mixtures

· Components:		
CAS: 112-50-5 EINECS: 203-978-9	2-(2-(2-ethoxyethoxy)ethoxy)ethanol Skin Irrit. 2, H315 Eye Irrit. 2B, H320	30-40%
CAS: 71243-41-9 EC number: 615-261-1	poly(oxy-1,2-ethanediyl), α-hydro-ω-hydroxy-, ester with boric acid (H3BO3), methyl ether ♦ Skin Sens. 1B, H317	30-40%
CAS: 25322-68-3 NLP: 500-038-2	Polyethylene glycol	5-15%
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol Eye Irrit. 2A, H319 Acute Tox. 5, H303; Acute Tox. 5, H313; Skin Corr. 3, H316	<10%
CAS: 111-46-6 EINECS: 203-872-2	diethylene glycol ♦ Acute Tox. 4, H302	<10%
CAS: 111-90-0 EINECS: 203-919-7	Diethylene glycol monoethyl ether Flam. Liq. 4, H227; Aquatic Acute 3, H402	<5%
Additional information	For the wording of the listed Hazard Statements refer to section 16.	•

4 First aid measures

[·] Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

Page: 2/9

According to The Model Work Health and Safety Regulations, and the

Page: 3/9

Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak (Cont'd. from page 2) Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Do not induce vomiting; call for medical help immediately. Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders when ingested. Coughing Cramp Nausea in case of ingestion. Irritating to eyes and skin. Allergic reactions Indication of any immediate medical attention and special treatment needed Contains poly(xy-1,2-ethanediyl), α -hydro- ω -hydroxy-, ester with boric acid (H3BO3), methyl ether. May produce an allergic reaction. Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Firefighting measures

• Extinguishing media

- Suitable extinguishing agents:
- Fire-extinguishing powder
- Gaseous extinguishing agents
- Water haze or fog
- Carbon dioxide
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use personal protective equipment as required.

Particular danger of slipping on leaked/spilled product.

• Environmental precautions

Avoid release to the environment.

Prevent from spreading (e.g. by damming-in or oil barriers).

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 4)

According to The Model Work Health and Safety Regulations, and the

Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak

(Cont'd. from page 3)

[•] Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

Precautions for safe handling

Avoid breathing mist/vapours/spray. Avoid contact with the eves and skin.

Keep out of reach of children.

Open and handle receptacle with care.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

• Information about storage in one common storage facility: No further relevant information available.

• Specific end use(s) No further relevant information available.

 Ingredients with limit values that require monitoring at the workplace: 25322-68-3 Polyethylene glycol 		
WEEL (USA)	Long-term value: 10 mg/m ³ (H); MW>200	
112-34-5 2-(2-butoxy	vethoxy)ethanol	
TLV (USA)	Long-term value: 67.5* mg/m³, 10* ppm *Inhalable fraction and vapor	
111-46-6 diethylene	glycol	
NES (Australia)	Long-term value: 100 mg/m ³ , 23 ppm	
WES (Australia)	Long-term value: 100 mg/m ³ , 23 ppm	
WEEL (USA)	Long-term value: 10 mg/m ³	
WES (New Zealand)	Long-term value: 101 mg/m ³ , 23 ppm	
111-90-0 Diethylene	glycol monoethyl ether	
WEEL (USA)	Long-term value: 25 ppm	
The usual precaution	and hygienic measures: ary measures are to be adhered to when handling chemicals. stuffs, beverages and feed. vapours/spray. e eyes and skin.	
		(Cont'd. on pa

Page: 4/9

According to The Model Work Health and Safety Regulations, and the

Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak

(Cont'd. from page 4)

Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. • **Protection of hands:**

Protective gloves

· Eye protection:



Safety glasses

· Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment: No special requirements.

* Risk management measures: No special requirements.

Physical and chemical properties			
[•] Information on basic physical a	and chemical properties		
· Appearance			
Form:	Liquid		
Colour:	Green		
Odour:	Odourless		
· Odour threshold:	Not determined.		
· pH-value:	Alkaline		
· Melting point/freezing point:	Not determined.		
Initial boiling point and boiling ran	ge: >200 °C (>392 °F)		
· Flash point:	>175 °C (>347 °F)		
· Flammability (solid, gas):	Not applicable.		
· Auto/Self-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Explosive properties:	Product does not present an explosion hazard.		
· Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
 Oxidising properties 	Non-oxidising.		
· Vapour pressure:	Not determined.		
· Density:			
Relative density:	1.0-1.1		
Vapour density:	Not determined.		
Evaporation rate:	Not determined.		
· Solubility in / Miscibility with			
water:	Not miscible or difficult to mix.		
		(Cont'd. on page	

Page: 5/9

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak

(Cont'd. from page 5)

· Partition coefficient: n-octanol/water: Not determined.

· Viscositv

Dynamic: Kinematic: Other information Not determined. Not determined. No further relevant information available.

10 Stability and reactivity

• **Reactivity** No further relevant information available.

· Chemical stability Stable under normal temperatures and pressures.

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

 Possibility of hazardous reactions Reacts with strong oxidising agents. Reacts with strong acids.

· Conditions to avoid Direct sunlight.

Excessive heat.

Avoid acids.

[•] Incompatible materials

Oxidisers

Strong acids.

· Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

111-46-6 diethylene glycol

LD50 1120 mg/kg (man)

12565 mg/kg (rat)

Dermal LD50 11890 mg/kg (rabbit)

Primary irritant effect

· Skin corrosion/irritation: Irritant to skin and mucous membranes.

· Serious eye damage/irritation: Irritating effect.

• **Respiratory or skin sensitisation:** Sensitisation possible through skin contact.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Oral

(Cont'd. on page 7)

Page: 6/9

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of

y Harmonized System of Classification and Labellin

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak

(Cont'd. from page 6)

Inhalation. Eye contact.

Skin contact.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity: No further relevant information available.

• Persistence and degradability No further relevant information available.

- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.

Additional ecological information:

· General notes: Avoid release to the environment.

• Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[•] Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· ADG, DOT, IATA, IMDG	Not Regulated	
[·] UN proper shipping name		
· ADG, DOT, IATA, IMDG	Not Regulated	
[·] Transport hazard class(es)		
ADG, DOT, IATA, IMDG		

According to The Model Work Health and Safety Regulations, and the

Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak

		(Cont'd. from page 7)	
· Class	Not Regulated		
 Packing group ADG, DOT, IATA, IMDG 	Not Regulated		
 Environmental hazards: Marine pollutant: 	No		
• Special precautions for user	Not applicable.		
 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. 			

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· Australia

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

112-34-5 2-(2-butoxyethoxy)ethanol

111-46-6 diethylene glycol

New Zealand Inventory of Chemicals (NZIOC) All ingredients are listed.

Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard HSR002503

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H227 Combustible liquid.

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H320 Causes eye irritation.

H402 Harmful to aquatic life.

• Abbreviations and acronyms:

ADG: Australian Code for the Transport of Dangerous Goods by Road & Rail IMDG: International Maritime Code for Dangerous Goods

(Cont'd. on page 9)

S5

S5, S6, S10

According to The Model Work Health and Safety Regulations, and the

Globally Harmonized System of Classification and Labelling of

Chemicals 7th Revised Edition

Printing date: 23 October 2018

Revision: 17 August 2023

Trade name: Rislone®Clutch Fluid with Stop Leak

(Cont'd. from page 8)

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 5: Acute toxicity – Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Skin Corr. 3: Skin corrosion/irritation - Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com