

# Safety Data Sheet

Page 1 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Printing Date: 08 August 2018

## 1. Identification

### Product identifier

**Trade name:** Rislone® Jack Oil with Stop Leak  
**Product code:** 41812

### Recommended use and restriction on use

**Recommended use:** Engine Lubricant

**Restrictions on use:** No further relevant information available.

### Details of the supplier of the Safety Data Sheet

#### Manufacturer/Supplier:

Rislone  
P.O. Box 187  
Holly, MI 48442 USA  
Phone: (810) 603-1321



#### Distributor:

Smits Group Pty Ltd.  
50 Radius Drive  
Larapinda  
QLD 4110  
Australia  
AUS Telephone 1800 883 888

#### Emergency telephone number:

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

New Zealand 0800 764 766 (National Poison Control Centre)  
Australia 131126 (NSW Poison Control Centre)

## 2. Hazards identification

### Classification of the substance or mixture

Asp. Tox 1 H304 May be fatal if swallowed and enters airways.

### Label elements

#### GHS Label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms:



GHS08

**Signal word:** Danger

#### Hazard Statements:

H304 May be fatal if swallowed and enters airways.

#### Precautionary Statements:

# Safety Data Sheet

Page 2 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

## Trade Name: Rislone® Jack Oil with Stop Leak

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazard description:

**Other hazards** There are no other hazards not otherwise classified that have been identified.



### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

## 3. Composition and information on ingredients

### Chemical characterization: Mixtures

Components:		
CAS: 64742-55-8 EINECS: 265-158-7	Distillates (petroleum), hydrotreated light paraffinic  Asp. Tox. 1, H304	60-80%
CAS: 64742-54-7 EINECS: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic  Asp. Tox. 1, H304	20-40%

**Note L:** The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.  
For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.  
For the wording of the listed Hazard Statements refer to section 16.

## 4. First-aid measures

### Description of first aid measures

#### After inhalation:

Supply fresh air; consult doctor in case of complaints.  
Provide oxygen treatment if affected person has difficulty breathing.  
In case of irregular breathing or respiratory arrest provide artificial respiration.  
In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Wash with soap and water.  
If skin irritation is experienced, consult a doctor.

#### After eye contact:

Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

# Safety Data Sheet

Page 3 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Jack Oil with Stop Leak**

**After swallowing:**

Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.  
A person vomiting while lying on their back should be turned onto their side.

**Most important symptoms and effects, both acute and delayed:**

Breathing difficulty  
Coughing  
Slight irritant effect on eyes.  
Slight irritant effect on skin and mucous membranes.  
Gastric or intestinal disorders when ingested.  
Nausea in case of ingestion.

**Hazards:**

Danger of impaired breathing.  
May be fatal if swallowed and enters airway.

**Indication of any immediate medical attention and special treatment needed**

If swallowed or in case of vomiting, danger of entering the lungs.  
If necessary oxygen respiration treatment.  
Later observation for pneumonia and pulmonary oedema.  
Medical supervision for at least 48 hours.  
If medical advice is needed, have product container or label at hand.

## 5. Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:**

Foam  
Gaseous extinguishing agents  
Carbon dioxide  
Fire-extinguishing powder

**For safety reasons unsuitable extinguishing agents:** Water

**Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**Advice for firefighters**

**Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Use respiratory protective device against the effects of fumes/dust/aerosol.  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.  
Particular danger of slipping on leaked/spilled product.

**Environmental precautions:**

Avoid release to the environment.  
Prevent from spreading (e.g., by damming-in or oil barriers).

# Safety Data Sheet

Page 4 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Jack Oil with Stop Leak**

## **Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Remove from the water surface (e.g., skin or suck off).  
Send for recovery or disposal in suitable receptacles.

## **Reference to other sections**

See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7. Handling and storage

### **Handling:**

#### **Precautions for safe handling**

Avoid splashes or spray in enclosed areas.  
Use only in well ventilated areas.

**Information about fire - and explosion protection:** No special measures required.

### **Conditions for safe storage, including any incompatibilities**

#### **Storage:**

#### **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.  
Store in cool, dry conditions in well sealed receptacles.

#### **Information about storage in one common storage facility:**

Store away from foodstuffs.  
Store away from oxidising agents.

**Specific end use(s)** No further relevant information available.

## 8. Exposure controls/personal protection

### **Control parameters**

#### **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### **Exposure controls**

**Engineering controls:** Use only in a well-ventilated area.

#### **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Do not inhale gases/fumes/aerosols.  
Avoid contact with the eyes.  
Avoid close or long term contact with the skin.

#### **Respiratory protection:**

Not required under normal conditions of use.  
Use suitable respiratory protective device when aerosol or mist is formed.  
For spills, respiratory protection may be advisable.

#### **Protection of hands:**

# Safety Data Sheet

Page 5 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Jack Oil with Stop Leak**



Protective gloves

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

**Eye protection:**



Safety glasses

**Body protection:** Oil resistant protective clothing.

**Limitation and supervision of exposure into the environment:** No further relevant information available.

**Risk management measures:** No further relevant information available.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

#### General information

<b>Appearance</b>	
<b>Form</b>	Liquid
<b>Colour</b>	Amber colored
<b>Odour</b>	Petroleum-like
<b>Odour threshold</b>	Not determined.
<b>Change in condition</b>	
<b>Melting point/Melting range</b>	Not determined.
<b>Boiling point/Boiling range</b>	Not determined.
<b>Flammability (solid, gaseous)</b>	Not applicable.
<b>Explosive properties</b>	Product does not present an explosion hazard.
<b>Explosion limits</b>	
<b>Lower</b>	Not determined.
<b>Upper</b>	Not determined.
<b>Oxidising properties</b>	Non-oxidising.
<b>Flash point</b>	>93°C (>199.4°F)
<b>Auto/Self-ignition temperature</b>	Not determined.
<b>Decomposition temperature</b>	Not determined.
<b>pH-value</b>	Not determined.
<b>Viscosity</b>	
<b>Dynamic</b>	Not determined.
<b>Kinematic at 40°C (104°F)</b>	11.50-13.50 cSt
<b>Solubility in/Miscibility with water</b>	Not miscible or difficult to mix.
<b>Partition coefficient (n-octanol/water) at 20°C</b>	Not determined.

# Safety Data Sheet

Page 6 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Jack Oil with Stop Leak

<b>Vapour pressure</b>	Not determined.
<b>Density</b>	
<b>Relative density</b>	0.8-0.9
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Particle characteristics</b>	Not determined.
<b>Other information</b>	No further relevant information available.

## 10. Stability and Reactivity

**Reactivity** No further relevant information available.

**Chemical stability** Stable under normal temperatures and pressures.

**Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

**Possibility of hazardous reactions**

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidising agents.

**Conditions to avoid:** Excessive heat

**Incompatible materials:** Oxidisers

**Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Hydrocarbons

## 11. Toxicological information

**Information on toxicological effects**

**Acute toxicity:** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:** None.

**Primary irritant effect**

**Skin corrosion/irritation:** Slight irritant effect on skin and mucous membranes.

**Serious eye damage/irritation:** Slight irritant effect on eyes.

**Respiratory or skin sensitisation:** No sensitising effects known.

**IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

**Probable routes of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** May be fatal if swallowed and enters airways.

# Safety Data Sheet

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Jack Oil with Stop Leak**

## 12. Ecological information

### Toxicity

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability** No further relevant information available.

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

### Ecotoxicity

**Remark:** Due to mechanical actions of the product (e.g., agglutinations), damages may occur.

### Additional ecological information:

**General notes:** Avoid release to the environment.

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## 13. Disposal considerations

### Waste treatment methods

#### Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

## 14. Transport information

<b>UN-Number</b> ADG, DOT, IATA, IMDG	Not Regulated
<b>UN proper shipping name</b> ADG, DOT, IATA, IMDG	Not Regulated
<b>Transport hazard class(es)</b> ADG, DOT, IATA, IMDG Class	Not Regulated
<b>Packing group</b> ADG, DOT, IATA, IMDG	Not Regulated
<b>Environmental hazards:</b> Marine pollutant:	No
<b>Special precautions for user</b>	Not Applicable

# Safety Data Sheet

Page 8 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Jack Oil with Stop Leak**

<b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not Applicable
<b>Additional Information</b>	Not Applicable

## 15. Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>IARC (International Agency for Research on Cancer)</b>	
None of the ingredients are listed.	
<b>Australia</b>	
<b>Australian Inventory of Chemical Substances</b>	
All ingredients are listed.	
<b>Standards for the Uniform Scheduling of Medicines and Poisons</b>	
Hydrocarbon Liquids	S5
<b>New Zealand Inventory of Chemicals (NZIOC)</b>	
All ingredients are listed.	

## 16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Date of preparation of latest revision of SDS**

December 13, 2022: Revised SDS to comply with The Model Work Health and Safety Regulation, and the Globally Harmonized System of Classification and Labelling of Chemicals 7<sup>th</sup> Revised Edition.

### **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

### **Abbreviations and acronyms:**

ADG: Australian Code for the Transport of Dangerous Goods by Road & Rail  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bio-accumulable, Toxic  
vPvB: very Persistent and very Bioaccumulative  
Asp. Tox. 1: Aspiration hazard – Category 1

### **Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/subreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/subreg/home/overview/home.do))



# Safety Data Sheet

Page 9 of 9

According to The Model Work Health and Safety Regulations, and the  
Globally Harmonized System of Classification and Labelling of  
Chemicals 7<sup>th</sup> Revised Edition

Revision: 13 December 2022

**Trade Name: Rislone® Jack Oil with Stop Leak**

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))

Patty's Industrial Hygiene, 6<sup>th</sup> ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8<sup>th</sup> Ed., Klaasen, Curtis D., ed., ISBN:  
978-0-07-176923-5

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)