

Safety Data Sheet

Page 1 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Printing Date: 22 February 2016

1. Identification

Product identifier

Trade name: Rislone® Engine Oil Stop Leak Concentrate
Product code: 44209

Recommended use and restriction on use

Recommended use: Sealant

Restrictions on use: No further relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Rislone
P.O. Box 187
Holly, MI 48442 USA
Phone: (810) 603-1321



Distributor:

Smits Group Pty Ltd.
50 Radius Drive
Larapinda
QLD 4110
Australia
AUS Telephone 1800 883 888

Emergency telephone number:

ChemTel Inc.
(800) 255-3924 (North America)
+1 (813) 248-0585 (International)

New Zealand 0800 764 766 (National Poison Control Centre)
Australia 131126 (NSW Poison Control Centre)

2. Hazards identification

Classification of the substance or mixture

H423 Harmful to the soil environment.

H433 Harmful to terrestrial vertebrates.

GHS Label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms: Not Regulated

Signal word: Not Regulated

Hazard-determining components of labelling: Not applicable.

Hazard Statements:

H423 Harmful to the soil environment.

H433 Harmful to terrestrial vertebrates.

Precautionary Statements:

P103 Read label before use.

P273 Avoid release to the environment.

Safety Data Sheet

Page 2 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Engine Oil Stop Leak Concentrate

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

Other hazards There are no other hazards not otherwise classified that have been identified.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3. Composition and information on ingredients

Chemical characterization: Mixtures

Components: None in reportable quantities.

Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oil and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

4. First-aid measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Clean with soap and water.

If skin irritation is experienced, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Most important symptoms and effects, both acute and delayed:

Slight irritant effect on eyes.

Nausea in case of ingestion.

Irritating to eyes and skin.

Gastric or intestinal disorders when ingested.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

Foam

Safety Data Sheet

Page 3 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Engine Oil Stop Leak Concentrate

Gaseous extinguishing agents

Fire-extinguishing powder

Carbon dioxide

For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g., by damming in-or oil barriers).

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g., skim or suck off).

Dispose of the material collected according to regulations.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and storage

Handling:

Precautions for safe handling

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Safety Data Sheet

Page 4 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Engine Oil Stop Leak Concentrate

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. Exposure controls/personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs: No further relevant information available.

PNECs: No further relevant information available.

Exposure controls

Engineering controls: Use only in a well-ventilated area.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases/fumes/aerosols.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Eye protection:



Safety glasses

Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

Limitation and supervision of exposure into the environment: No special requirements.

Risk management measures: No special requirements.

9. Physical and chemical properties

Information on basic physical and chemical properties

General information

Safety Data Sheet

Page 5 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Engine Oil Stop Leak Concentrate

Appearance	
Form	Liquid
Colour	Amber coloured
Odour	Petroleum-like
Odour threshold	Not determined.
Change in condition	
Melting point/Melting range	Not determined.
Boiling point/Boiling range	Not determined.
Flammability (solid, gaseous)	Not applicable.
Explosion limits	
Lower	Not determined.
Upper	Not determined.
Oxidising properties	Not determined.
Flash point	224°C (435°F)
Auto/Self-ignition temperature	Not determined.
Decomposition temperature	Not determined.
pH-value	Not determined.
Viscosity	
Dynamic	Not determined.
Kinematic at 40°C (104°F)	56.3 mm ² /s
Solubility in/Miscibility with water	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water) at 20°C	Not determined.
Vapour pressure	Not determined.
Density at 20°C (68°F)	0.893 g/cm ³ (7.452 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Particle characteristics	Not determined.
Other information	No further relevant information available.

10. Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids oxidising agents.

Conditions to avoid

Excessive heat.

Incompatible materials:

Oxidisers.

Safety Data Sheet

Page 6 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Engine Oil Stop Leak Concentrate

Hazardous decomposition products:

Carbon monoxide and carbon dioxide
Hydrocarbons

11. Toxicological information

Information on toxicological effects

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: None

Primary irritant effect:

Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.

Serious eye damage/irritation: Slight irritant effect on eyes.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

Probable routes of exposure:

Ingestion.

Eye contact.

Skin contact.

Repeated dose toxicity: No further relevant information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicity

Remark: Due to mechanical actions of the product (e.g., agglutinations), damages may occur.

Additional ecological information:

General notes: Avoid transfer to the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

Safety Data Sheet

Page 7 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Engine Oil Stop Leak Concentrate

13. Disposal considerations

Waste treatment methods

Recommendation

Contact waste processors for recycling information.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14. Transport information

UN-Number DOT, ADG, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADG, IMDG, IATA	Not Regulated
Transport hazard class(es) DOT, ADG, IMDG, IATA Class	Not Regulated
Packing group DOT, ADG, IMDG, IATA	Not Regulated
Environmental hazards:	Not Applicable
Special precautions for user	Not Applicable
Transport in bulk according to Annex II of Marpol and the IBC Code	Not Applicable
Additional Information	Not Applicable

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

United States (USA)

SARA

Section 355 (extremely hazardous substances):
None of the ingredients are listed.
Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
TSCA (Toxic Substances Control Act):
All ingredients are listed

Safety Data Sheet

Page 8 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Engine Oil Stop Leak Concentrate

Carcinogenic Categories

IARC (International Agency for Research on Cancer)
None of the ingredients are listed.

Australia

Australian Inventory of Chemical Substances
All ingredients are listed.
Standards for the Uniform Scheduling of Medicines and Poisons
TGA Schedule 5 poison (Hydrocarbon Liquids)
New Zealand Inventory of Chemicals (NZIOC)
All ingredients are listed.

Chemical safety assessment

New Zealand

Group Standard Allocation and EPA Approval Code:

Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2020

Approved Handler Not Required

Location Certificate Not Required

Tracking Trigger Quantities Not applicable

Signage Trigger Quantities Not applicable

Emergency Response Plan Trigger Quantities Not applicable

Named dangerous substances – ANNEX I None of the ingredients are listed.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57
None of the ingredients are listed.

16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation of latest revision of SDS

December 13, 2022: Revised SDS to comply with The Model Work Health and Safety Regulation, and the Globally Harmonized System of Classification and Labelling of Chemicals 7th Revised Edition.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

Safety Data Sheet

Page 9 of 9

According to The Model Work Health and Safety Regulations, and the
Globally Harmonized System of Classification and Labelling of
Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone[®] Engine Oil Stop Leak Concentrate

LD50: Lethal dose, 50 percent
PBT: Persistent, Bio-accumulable, Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative

Sources

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sorinternet/registry/subreg/home/overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com