Revision: 13 December 2022

1. Identification

Product identifier

Trade name: Rislone® Power Steering Repair – Left & Right Sides

Product code: 44650

Recommended use and restriction on use Recommended use: Engine Lubricant

Restrictions on use: No further relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321



Distributor:

Smits Group Pty Ltd. 50 Radius Drive Larapinda QLD 4110 Australia AUS Telephone 1800 883 888

Emergency telephone number:

ChemTel Inc. (800) 255-3924 (North America) +1 (813) 248-0585 (International)

New Zealand 0800 764 766 (National Poison Control Centre) Australia 131126 (NSW Poison Control Centre)

2. Hazards identification

Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements

GHS Label elements: Not Regulated Hazard pictograms: Not Regulated Signal word: Not Regulated

Hazard Statements: Not Regulated

Precautionary Statements: Not Regulated

Hazard description:

Other hazards There are no other hazards not otherwise classified that have been identified.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Revision: 13 December 2022

Trade Name: Rislone® Power Steering Repair - Left & Right Sides

3. Composition and information on ingredients

Chemical characterization: Mixtures

Components:		
CAS: 64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L, -	>60%
EINECS: 265-169-7	R45, 3% dimethyl sulfoxide)	
	♦ Asp. Tox. 1, H304	

Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oil and asphaltene free petroleum fractions – Dimethyl suphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4. First-aid measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Most important symptoms and effects, both acute and delayed:

Slight irritant effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

No further relevant information available.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

Gaseous extinguishing agents

For safety reasons unsuitable extinguishing agents: Water

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Power Steering Repair – Left & Right Sides

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Prevent from spreading (e.g., by damming in-or oil barriers).

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g., skim or suck off).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Specific end use(s) No further relevant information available.

8. Exposure controls/personal protection

Control parameters

Revision: 13 December 2022

Trade Name: Rislone® Power Steering Repair - Left & Right Sides

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Exposure controls

Engineering controls: Use only in a well-ventilated area.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases/fumes/aerosols.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Eye protection:



Safety glasses

Body protection: Protective work clothing.

Limitation and supervision of exposure into the environment: No special requirements.

Risk management measures: No special requirements.

9. Physical and chemical properties

Information on basic physical and chemical properties

General information

Appearance	
Form	Liquid
Colour	According to product specification
	Red
	Yellow
Odour	Petroleum-like
Odour threshold	Not determined.
Change in condition	
Melting point/Melting range	Not determined.
Boiling point/Boiling range	Not determined.

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Power Steering Repair - Left & Right Sides

Flammability (solid, gaseous)	Not applicable.
Explosive properties	Product does not present an explosion hazard.
Explosion limits	
Lower	Not determined.
Upper	Not determined.
Oxidising properties	Non-oxidising
Flash point	257°C (494.6°F)
	The product is not flammable.
Auto/Self-ignition temperature	Not determined.
Decomposition temperature	Not determined.
pH-value	Not determined.
Viscosity	
Dynamic	Not determined.
Kinematic @ 25°C (77°F)	119 mm ² /s
Solubility in/Miscibility with water	Not miscible or difficult to mix.
Partition coefficient (n-	
octanol/water) at 20°C	Not determined.
Vapour pressure	Not determined.
Density @ 20°C (68°F)	0.86 g/cm³ (7.18 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Particle characteristics	Not determined.
Other information	No further relevant information available.

10. Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidising agents.

Conditions to avoid Excessive heat.

Incompatible materials Oxidisers.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

11. Toxicological information

Information on toxicological effects

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Power Steering Repair – Left & Right Sides

64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L, -R45, <3%		
dimethyl sulfoxide)		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)

Primary irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

toopinatory or other control and the article and the control a		
IARC (International Agency for Research on Cancer):		
Present in trace quantities.		
71-43-2	Benzene	1
140-88-5	Ethyl acrylate	2B

Probable routes of exposure:

Ingestion. Inhalation.

Eye contact.

Skin contact.

Repeated dose toxicity: No further relevant information available.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. **STOT-single exposure:** Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological information

Toxicity

Aquatic toxicity: The material is harmful to the environment.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicity

Remark: Due to mechanical actions of the product (e.g., agglutinations), damages may occur.

Additional ecological information:

General notes: Avoid transfer to the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13. Disposal considerations

Waste treatment methods

Revision: 13 December 2022

Trade Name: Rislone® Power Steering Repair – Left & Right Sides

Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14. Transport information

LIM Muncher	
UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated
UN proper shipping name	
DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR/RID/ADN, IMDG, IATA	
Class	Not Regulated
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not Applicable
Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not Applicable
Additional Information	Not Applicable

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

IARC (International Agency for Research on Cancer)		
Present in trace quantities.		
71-43-2	Benzene	1
140-88-5	Ethyl acrylate	2B

Australia

Australian Inventory of Chemical Substances
All ingredients are listed.

Standards for the Uniform Scheduling of Medicines and Poisons		
Present in trace quantities: Benzene		
71-43-2	Benzene	S7
	Hydrocarbon Liquids	S5

According to The Model Work Health and Safety Regulations, and the Globally Harmonized System of Classification and Labelling of Chemicals 7th Revised Edition

Revision: 13 December 2022

Trade Name: Rislone® Power Steering Repair – Left & Right Sides

New Zealand Inventory of Chemicals (NZIOC)

All ingredients are listed.

16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation of latest revision of SDS

December 13, 2022: Revised SDS to comply with The Model Work Health and Safety Regulation, and the Globally Harmonized System of Classification and Labelling of Chemicals 7th Revised Edition.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

Abbreviations and acronyms:

LDLo: Lowest Lethal Dose Observed

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard - Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/subreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com