

**SAMPLE ID** : SGS / AE51644 / 2018  
**LAB ID** : SGS / 239755 / 2018  
**JOB NO** : SGS / 2018-02-21-001-22  
**DATE** : 27 February, 2018  
**CLIENT REF NUM** :-

**TEST REPORT**

**CUSTOMER** : TEELIXIR  
 1/10 NESTER ROAD,  
 WOORI YALLOCK,  
 VICTORIA,  
 3139 AUSTRALIA.

**SAMPLE DESCRIPTION** : ONE (1) SAMPLE OF POWDER  
**SAMPLE CONDITION** : AMBIENT

**SAMPLE RECEIVED** : 20 February 2018  
**SAMPLE MARKING** : TREMELLA MUSHROOM- PROFESIONALLY LABELLED 50G

| TEST PARAMETER    | UNIT  | TEST METHOD   | RESULT     |
|-------------------|-------|---|------------|
| Arsenic (as As)   | mg/kg | In-house SGS/SOP/004 based on AOAC 999.10, 2005 (ICP-MS)  | N.D(<0.05) |
| Mercury (as Hg)   | mg/kg | In-house method, CL-TM-01-044 based on US EPA SW-846 Method 7473, 2007 (Mercury Analyzer)                     | N.D(<0.01) |
| Lead (as Pb)      | mg/kg | In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES) | N.D(<0.01) |
| Cadmium (as Cd)   | mg/kg | In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES) | N.D(<0.01) |
| Aluminium (as Al) | mg/kg | In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02. 2005: AACC 40-70, Vol.II 9th Edi (ICP-OES) | N.D(<0.01) |

**REMARK:**  
 1) N.D - Not Detected.



LOW ZHEN HUI  
 B.SC.(HONS)  
 TECHNICAL MANAGER