

**SAMPLE ID** : SGS / AE39156 / 2017  
**LAB ID** : SGS / 227419 / 2017  
**JOB NO** : SGS / 2017-07-31-003-22  
**DATE** : 04 August, 2017

## TEST REPORT

**CUSTOMER** : TEELIXIR  
 2421 WARBURTON HIGHWAY YARRA JUNCTION,  
 VIC 3797  
 AUSTRALIA

**SAMPLE DESCRIPTION** : ONE (1) SAMPLE OF POWDER

**SAMPLE CONDITION** : AMBIENT

**SAMPLE RECEIVED** : 28 July 2017

**SAMPLE MARKING** : ELEUTHERO ROOT, PROFESSIONALLY LABELLED 50G

TEST PARAMETER	UNIT	TEST METHOD	RESULT
Arsenic (as As)	mg/kg	In-house SGS/SOP/004 based on AOAC 999.10, 2005 (ICP-MS)	0.49
Mercury (as Hg)	mg/kg	In-house method, CL-TM-01-044 based on US EPA SW-846 Method 7473, 2007 (Mercury Analyzer)	N.D(<0.01)
Lead (as Pb)	mg/kg	In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES)	0.39
Cadmium (as Cd)	mg/kg	In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES)	N.D(<0.01)

**REMARK:**

1) N.D - Not Detected



LOW ZHEN HUI  
 B.SC.(HONS)  
 TECHNICAL MANAGER