

SAMPLE ID : SGS / AE39157 / 2017
LAB ID : SGS / 227420 / 2017
JOB NO : SGS / 2017-07-31-003-23
DATE : 04 August, 2017

TEST REPORT

CUSTOMER : TEELIXIR
 2421 WARBURTON HIGHWAY YARRA JUNCTION,
 VIC 3797
 AUSTRALIA

SAMPLE DESCRIPTION : ONE (1) SAMPLE OF POWDER

SAMPLE CONDITION : AMBIENT

SAMPLE RECEIVED : 28 July 2017

SAMPLE MARKING : PRIMAL ENERGY, PROFESSIONALLY LABELLED 50G

TEST PARAMETER	UNIT	TEST METHOD	RESULT
Arsenic (as As)	mg/kg	In-house SGS/SOP/004 based on AOAC 999.10, 2005 (ICP-MS)	0.51
Mercury (as Hg)	mg/kg	In-house method, CL-TM-01-044 based on US EPA SW-846 Method 7473, 2007 (Mercury Analyzer)	N.D(<0.01)
Lead (as Pb)	mg/kg	In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES)	0.24
Cadmium (as Cd)	mg/kg	In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES)	N.D(<0.01)

REMARK:

1) N.D - Not Detected



LOW ZHEN HUI
 B.SC.(HONS)
 TECHNICAL MANAGER