

SAMPLE ID : SGS / AE42832 / 2017
LAB ID : SGS / 231091 / 2017
JOB NO : SGS / 2017-09-28-006-21
DATE : 05 October, 2017
CLIENT REF NUM :-

TEST REPORT

CUSTOMER : TEELIXIR
 2421 WARBURTON HIGHWAY YARRA JUNCTION,
 VIC 3797
 AUSTRALIA

SAMPLE DESCRIPTION : ONE (1) SAMPLE OF POWDER
SAMPLE CONDITION : AMBIENT
SAMPLE RECEIVED : 27 September 2017
SAMPLE MARKING : AMBROSIA, PROFESSIONALLY LABELLED 50G

| TEST PARAMETER | UNIT | TEST METHOD | RESULT |
|-----------------|-------|---|------------|
| Lead (as Pb) | mg/kg | In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES) | N.D(<0.01) |
| Mercury (as Hg) | mg/kg | In-house method, CL-TM-01-044 based on US EPA SW-846 Method 7473, 2007 (Mercury Analyzer) | N.D(<0.01) |
| Arsenic (as As) | mg/kg | In-house SGS/SOP/004 based on AOAC 999.10, 2005 (ICP-MS) | N.D(<0.05) |
| Cadmium (as Cd) | mg/kg | In-house method, CL-TM-01-020, based on AOAC 985.01 & AOAC 922.02, 2005; AACC 40-70, Vol.II 9th Edi (ICP-OES) | N.D(<0.01) |

REMARK:
 1) N.D - Not Detected



LOW ZHEN HUI
 B.SC.(HONS)
 TECHNICAL MANAGER