





MATRICE 30 SERIES

Power in Portability

EN_pm320_f1yer_a5. indd 1 2022/3/21 下午9:27



Zoom Camera

48 MP

5x-16x Optical Zoom

Wide Camera

12 MP

1/2" CMOS Sensor

Thermal Imaging Camera [1]

Resolution: 640×512@30Hz

Temperature Measurement Accuracy: $\pm 2^{\circ}$ or $\pm 2^{\circ}$

Laser Rangefinder

Range: 3 m - 1200 m

Accuracy: $\pm (0.2m+D\times0.15\%)^{[3]}$

EN_pm320_flyer_a5. indd 2 2022/3/21 下午9:27

Powerful Flight Performance

- -41-min Max Flight Time[4]
- -15 m/s Wind Resistance[5]
- -7000 m Service Ceiling[6]
- -25 m/s Max Speed

Safe and Reliable

- -IP55 Protection
- -20 ° ~ 50 ° Temp. Operating Range
- -6 Directional Sensing & Positioning
- -Quad-Antenna OcuSync 3 Enterprise + DJI Cellular^[7]
- -AirSense ADS-B Receiver[8]

Revolutionary Flight Experience

- -DII RC Plus with IP54 Protection
- -Redesign Pilot 2 Flight App
- -6 Hr On-Screen Time[9]
- -4 Antenna OcuSync 3 Enterprise[7]

Advanced Intelligence

- -Smart Inspection
- -Smart Low-Light Photo
- -Low-Light FPV Camera

DJI FlightHub 2

- -2.5D Base Map and Cloud Mapping
- -Low Latency Live Streaming
- -Live Annotations
- -Cross-device Compatibility

DJI Dock[10]

- -IP54 Protection
- -35° ~ 50° Temp. Operating Range
- -25-Min Fast Charge[11]
- -7 km[12] Operation Radius
- -DJI Cloud API

- 1. Infrared camera only included in M30T model.
- 2. The maximum value is taken for both.
- 3. Where D indicates the distance from the vertical reflective surface.
- 4. Measured at 36 km/h uniform speed in a windless environment.
- 5. Takeoff and landing can withstand wind speeds up to 12 m/s.
- $\ \, \text{6. The service ceiling of 7000 m is achievable with high altitude propellers.}$

- 7. Quad-antenna design includes two transmitting and four receiving antennas. DJI Cellular module is not available in some regions. Please consult your local dealer for details.
- 8. Integrated ADS-B receiver gives alerts of nearby aircrafts and helicopters.
- 9. DJI RC Plus internal battery works in conjunction with its hot-swappable external battery.
- 10. Only the M30 Series (Dock Version) can be used with DJI Dock.
- 11.25 minutes to charge the drone from 10 to 90%.
- 12. Measured in clear environments without transmission or signal interference.

EN pm320 flyer a5. indd 3 2022/3/21 下午9:





Distributed by:

TeleEye (South Africa) / GoUAV Unit 4, 4 Homestead Ave, Bryanston, Johannesburg, South Africa Tel: (+27) 11 557 9200 e-mail: Sales@GoUAV.co.za

> www.GoUAV.co.za Follow us @gouav_sa





EN_pm320_flyer_a5. indd 4 2022/3/21 下午9:27