STONE SOAP CO., INC

Safety Data Sheet Bug X Liquid Insect Remover

SECTION 1: Identification

1.1 Product identifier

1.4

Product name	Bug X Liquid Insect Remover
Product number Brand Substance name	AW-910, 911, 912, 915 Stone Soap Automotive Shampoo Detergent
Supplier's details	
Name Address	Stone Soap Co., Inc 2000 Pontiac Dr. Sylvan Lake, MI 48320 US
Telephone Fax email	248-706-1000 248-706-1001 sales@stonesoap.com

1.5 Emergency phone number(s)

Chemtrec 1-800-424-9300

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

- Eye damage/irritation (chapter 3.3), Cat. 2A
- Skin corrosion/irritation (chapter 3.2), Cat. 3
- Acute toxicity, dermal (chapter 3.1), Cat. 3
- Acute toxicity, oral (chapter 3.1), Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s) H319 H302+H332 H315+H320

Precautionary statement(s) P280 Causes serious eye irritation Harmful if swallowed or if inhaled Causes skin and eye irritation

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P312	Call a POISON CENTER/doctor/ if you feel unwell.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/

2.3 Other hazards which do not result in classification

Causes mild skin irritation

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Substance name	Automotive Shampoo Detergent
Substance name	Automotive Shampoo Detergent

Hazardous components

1. WATER

Concentration

Concentration 65 - 72 % (Weight)

Other names / synonyms	WATER
CAS no.	7732-18-5

2. ETHYLENE GLYCOL MONOBUTYL ETHER

thanol; BUTOXYETHANOL; BUTYL CELLOSOLVE; Ethanol, 2- thylene glycol monobutyl ether
)
00-0

10 - 15 %

- Acute toxicity (chapter 3.1), Cat. 4

- Eye damage/irritation (chapter 3.3), Cat. 2

- Skin corrosion/irritation (chapter 3.2), Cat. 2

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled

3. TRIETHANOLAMINE

Concentration	5 - 9 %
Other names / synonyms	TRIAETHANOLAMIN-NG; TRIETHANOLAMIN; TRIETHANOLAMINE; TRIETHYLOLAMINE; TRIHYDROXYTRIETHYL AMINE;

CAS no.	102-71-6	
4. Proprietary amphoteric surfactant blend Concentration4 - 7 %		
Other names / synonyms	Proprietary amphoteric surfactant blend	
 Acute toxicity, oral (chapter 3.1), Cat. 5 Eye damage/irritation (chapter 3.3), Cat. 2A Skin corrosion/irritation (chapter 3.2), Cat. 3 		
H302 H315 H318 H400	Harmful if swallowed Causes skin irritation Causes serious eye damage Very toxic to aquatic life	
5. Ethyl Alcohol 70% Concentration	4 - 7 %	
Other names / synonyms EC no. CAS no. Index no.	Denatured Alcohol; Ethanol; ethyl alcohol 200-578-6 64-17-5 603-002-00-5	
- Flammable liquids (chapter 2.6), Cat. 2		

H225

Highly flammable liquid and vapor

Trade secret statement (OSHA 1910.1200(i))

If Chemical Name/CAS number is "proprietary" and/or weight is listed as a range, the specific chemical identity and/or percentage of composition has been withheld a s a trade secret.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration may be necessary. Seek medical attention-if required.
In case of skin contact	Wash with large quantity of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs, seek medical attention.
In case of eye contact	Rinse immediately with cool running water, including under eyelids for at least 15 minutes. Remove contact lenses, if present, after five minutes. continue rinsing eyes. If irritation continues, seek medical attention.
If swallowed	DO NOT induce vomiting. Drink one ot two glasses of water. Seek medical attention immediately.

4.2 Most important symptoms/effects, acute and delayed

Direct contact may cause skin or eye irritation. May cause irritation to gastric/intestional mucosa.

SECTION 5: Fire-fighting measures

- **5.1** Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- 5.2 Specific hazards arising from the chemical None
- **5.3** Special protective actions for fire-fighters Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle according to accepted industrial hygene and safety practice. Use personal protective equipment (see section 8). Follow all label directions.

7.2 Conditions for safe storage, including any incompatibilities Keep away from excessive heat or incompatible materials, oxidizers and reducing agents.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. 2-Butoxyethanol (CAS: 111-76-2) PEL (Inhalation): 50 ppm (OSHA) OSHA Annotated Table Z-1, www.osha.gov

2. 2-Butoxyethanol (CAS: 111-76-2) PEL (Inhalation): 240 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

3. 2-Butoxyethanol (CAS: 111-76-2) PEL (Inhalation): 20 ppm (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

4. 2-Butoxyethanol (CAS: 111-76-2)

REL (Inhalation): 5 ppm (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Use in well ventilated area. Eyewash and emergency showers should be available.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

None required

Thermal hazards

None

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability limits Upper/lower explosive limits Vapor pressure Vapor density Relative density Solubility(ies)	Blue liquid Omdostinct Not determined 8.5-9.5 > 32F > 212F N/A N/A N/A N/A N/A N/A N/A N/A Not determined 1.01 100% in water
Partition coefficient: n-octanol/water	Not determined

Auto-ignition temperature	N/A
Decomposition temperature	N/A
Viscosity	20 cst
Explosive properties	None
Oxidizing properties	None

SECTION 10: Stability and reactivity

10.1 Reactivity

Not reactive under normal storage conditions.

10.2 Chemical stability Stable under normal storage conditions

- 10.3 Possibility of hazardous reactions None
- 10.4 Conditions to avoid Excessive heat
- **10.5 Incompatible materials** Strong oxidiers and reducing agents

10.6 Hazardous decomposition products

Carbon dioxide (CO2). Carbon monoxide. Oxides of nitrogen. Hydrocarbons.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity TRIETHANOLAMINE LD50 Oral - Rat - 7200 mg/l

Ethyl Alcohol 70% LD50 - 7060 mg/kg LC50 - 25 mg/l

ETHYLENE GLYCOL MONOBUTYL ETHER LD50 Skin - Guinea pig - >2000 mg/kg LD50 Oral - Rat - 1300 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes moderate to severe eye irritation.

Respiratory or skin sensitization No data available.

Germ cell mutagenicity No specific data

Carcinogenicity

No known significant effects or critial hazards.

Reproductive toxicity

No known significant effects or critial hazards.

Summary of evaluation of the CMR properties

No known significant effects or critial hazards.

STOT-single exposure

No known significant effects or critial hazards.

STOT-repeated exposure No known significant effects or critial hazards.

Aspiration hazard

No known significant effects or critial hazards.

SECTION 12: Ecological information

Toxicity

TRIETHANOLAMINE LC50 - lepomis macrochirus - 450-1000 mg/l - 96 h

Ethyl Alcohol 70% Result: No data available

ETHYLENE GLYCOL MONOBUTYL ETHER LC50 - Oncorhynchus mykiss (rainbow trout) - 1474 mg/kg - 96h EC50 - Daphnia magna (water flea) - 1550 mg/l - 48h Result: Ethylene glycol monobutyl ether CAS 111-76-2 Partition coefficient: n-octanol/water: log Pow 0.83

Persistence and degradability

ETHYLENE GLYCOL MONOBUTYL ETHER Biodegradability:aerobic. Inoculum: activated sludge. Result: Readily biodegradable Biodegradation: 90.4% Exposude time: 28 days OECD Test Guideline 301B

Bioaccumulative potential

ETHYLENE GLYCOL MONOBUTYL ETHER Result: Ethylene glycol monobutyl ether CAS 111-76-2 Partition coefficient: n-octanol/water: log Po

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No data available.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

The generation of waste should be avoided or minimized whenever possible. Disposal of this product, solutions and any by-products should at all time comply with the requirements of environmental protection and waste disposal legislation and any regional or local requirements.

Disposal of contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: Transport information

DOT (US) UN Number: Not regulated

IMDG Not regulated

IATA Not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

No SARA hazards.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16: Other information

Effective 4/10/15

16.1 Further information/disclaimer

The statements on this SDS are believed to be true and accurate, but because conditions are beyond our control, Stone Soap Co., Inc. does not make, nor does it authorize any agent or representative to make any oral or written warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof beyond the

statements on the label. Stone Soap Co., Inc. and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personal injury or property damage or loss resulting from handling, storage or use of this material not in accordance with the written directions. No other warranty exists.

16.2 Preparation information

Generated by Stone Soap Co., Inc. 2000 Pontiac Dr. Sylvan Lake, MI 48320