STONE SOAP CO., INC

Safety Data Sheet Cherry Plnk Shampoo

SECTION 1: Identification

1.1 Product identifier

Product name Cherry Plnk Shampoo

Brand Stone Soap

Substance name Automotive Shampoo Detergent

1.4 Supplier's details

Name Stone Soap Co., Inc Address 2000 Pontiac Dr.

Sylvan Lake, MI 48320

US

Telephone 248-706-1000 Fax 248-706-1001

email sales@stonesoap.com

1.5 Emergency phone number(s)

Chemtrec 1-800-424-9300

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

- Eye damage/irritation (chapter 3.3), Cat. 2A
- Skin corrosion/irritation (chapter 3.2), Cat. 1C

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H319 Causes serious eye irritation
H316 Causes mild skin irritation

Precautionary statement(s)

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Version: 1.0, Date of issue: 2015-04-06, p. 1 of 8

P332+P313 If skin irritation occurs: Get medical advice/attention.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

2.3 Other hazards which do not result in classification

Causes mild skin irritation

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Substance name Automotive Shampoo Detergent

Hazardous components

1. WATER

Concentration 80 - 86 % (Weight)

Other names / synonyms WATER CAS no. 7732-18-5

2. Proprietary anionic surfactant blend

Concentration 12 - 19 %

Other names / synonyms Proprietary anionic surfactant blend

Acute toxicity, oral (chapter 3.1), Cat. 5Eye damage/irritation (chapter 3.3), Cat. 2A

- Skin corrosion/irritation (chapter 3.2), Cat. 3

H302 Harmful if swallowed H315 Causes skin irritation

H318 Causes serious eye damage

3. XYLENESULFONIC ACID, SODIUM SALT

Concentration 2 - 5 %

Other names / synonyms SXS CAS no. 1300-72-7

4. ETHANOL

Concentration 1 - 3 %

Other names / synonyms ETHYL ALCOHOL

EC no. 200-578-6 CAS no. 64-17-5 Index no. 603-002-00-5

- Flammable liquids (chapter 2.6), Cat. 2

H225 Highly flammable liquid and vapor

5. Proprietary nonionic surfactant blend

Concentration 1 - 3 %

Other names / synonyms Proprietary nonionic surfactant blend

- Acute toxicity, oral (chapter 3.1), Cat. 4

- Skin corrosion/irritation (chapter 3.2), Cat. 1B

- Hazardous to the aquatic environment acute hazard (chapter 4.1), Cat. 3
- Hazardous to the aquatic environment long-term hazard (chapter 4.1), Cat. 4

H302 Harmful if swallowed

H302+H312 Harmful if swallowed or in contact with skin

Causes severe skin burns and eye damage

Very toxic to aquatic life with long lasting effects

Trade secret statement (OSHA 1910.1200(i))

If Chemical Name/CAS number is "proprietary" and/or weight is listed as a range, the specific chemical identity and/or percentage of composition has been withheld a s a trade secret.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Oxygen or artificial respiration may be necessary. Seek medical

attention-if required.

In case of skin contact Wash with large quantity of soap and water. Wash contaminated clothing

before reuse. If skin irritation occurs, seek medical attention.

In case of eye contact Rinse immediately with cool running water, including under eyelids for at

least 15 minutes. Remove contact lenses, if present, after five minutes. continue rinsing eyes. If irritation continues, seek medical attention.

If swallowed DO NOT induce vomiting. Drink one of two glasses of water. Seek medical

attention immediately.

4.2 Most important symptoms/effects, acute and delayed

Direct contact may cause skin or eye irritation. May cause irritation to gastric/intestional mucosa.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

None

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle according to accepted industrial hygene and safety practice. Use personal protective equipment (see section 8). Follow all label directions.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or incompatible materials, oxidizers and reducing agents.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Ethyl alcohol (Ethanol) (CAS: 64-17-5)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

2. Ethyl alcohol (Ethanol) (CAS: 64-17-5)

PEL (Inhalation): 1900 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

3. Ethyl alcohol (Ethanol) (CAS: 64-17-5)

PEL (Inhalation): 1000 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

4. Ethyl alcohol (Ethanol) (CAS: 64-17-5)

REL (Inhalation): 1000 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Use in well ventilated area. Eyewash and emergency showers should be available.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Version: 1.0, Date of issue: 2015-04-06, p. 4 of 8

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

None required

Thermal hazards

None

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form Pink liquid Odor Cherry

Odor threshold Not determined На 7.5 to 8.5 Melting point/freezing point > 32FInitial boiling point and boiling range > 212F Flash point > 212FEvaporation rate N/A Flammability (solid, gas) N/A Upper/lower flammability limits N/A Upper/lower explosive limits N/A

Vapor pressure Not determined Vapor density Not determined

Relative density 1.01

Solubility(ies) 100% in water Partition coefficient: n-octanol/water Not determined

Auto-ignition temperatureN/ADecomposition temperatureN/AViscosity200 cstExplosive propertiesNoneOxidizing propertiesNone

SECTION 10: Stability and reactivity

10.1 Reactivity

Not reactive under normal storage conditions.

10.2 Chemical stability

Stable under normal storage conditions

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

Excessive heat

10.5 Incompatible materials

Strong oxidiers and reducing agents

10.6 Hazardous decomposition products

Carbon dioxide (CO2). Carbon monoxide. Oxides of nitrogen. Hydrocarbons.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Proprietary anionic surfactant blend LD50 Oral - Rat - 2000 mg/kg

Ethanol

LD50 Oral - Rat - 21000 mg/kg LD50 Skin - Rabbit - 20000 mg/kg

XYLENESULFONIC ACID, SODIUM SALT

LD50 Oral - Rat - .5000 mg/kg LC50 Skin - Rabbit - 2000 mg/kg

Proprietary nonionic surfactant blend

Calculation method Oral - Not listed - 4854 mg/kg Calculation method Skin - Not listed - 2534 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes moderate to severe eye irritation.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No specific data

Carcinogenicity

No known significant effects or critial hazards.

Reproductive toxicity

No known significant effects or critial hazards.

Summary of evaluation of the CMR properties

No known significant effects or critial hazards.

STOT-single exposure

No known significant effects or critial hazards.

STOT-repeated exposure

No known significant effects or critial hazards.

Aspiration hazard

No known significant effects or critial hazards.

SECTION 12: Ecological information

Toxicity

Proprietary anionic surfactant blend

LD50 Oral - Rat - 1150 mg/kg

EC50 - Ceriodaphnia dubia - 4.66 - 6.83 mg/l - 48 h

XYLENESULFONIC ACID, SODIUM SALT

EC50 - Daphnia magna (water flea) - 408 mg/kg - 48 h

EC50 - Algae - Selenastrium sp. - 230 mg/l - 96 h

Proprietary nonionic surfactant blend

LC50 - Pimephales promelas (fathead minnow) - 1.2-9.3 mg/l - 96 h

EC50 - Daphnia magna (water flea) - 1.6 - 10 mg/l - 48 h

Persistence and degradability

Readily biodegradable

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No data available.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

The generation of waste should be avoided or minimized whenever possible. Disposal of this product, solutions and any by-products should at all time comply with the requirements of environmental protection and waste disposal legislation and any regional or local requirements.

Disposal of contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: Transport information

Version: 1.0, Date of issue: 2015-04-06, p. 7 of 8

DOT (US)

UN Number: Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

No SARA hazards.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16: Other information

Effective 4/10/15

16.1 Further information/disclaimer

The statements on this SDS are believed to be true and accurate, but because conditions are beyond our control, Stone Soap Co., Inc. does not make, nor does it authorize any agent or representative to make any oral or written warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof beyond the statements on the label. Stone Soap Co., Inc. and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personal injury or property damage or loss resulting from handling, storage or use of this material not in accordance with the written directions. No other warranty exists.

16.2 Preparation information

Generated by Stone Soap Co., Inc. 2000 Pontiac Dr. Sylvan Lake, MI 48320