# STONE SOAP CO., INC

# Safety Data Sheet Golden Glo Clearcoat / Sealer Wax

### **SECTION 1: Identification**

#### 1.1 Product identifier

Product name Golden Glo Clearcoat / Sealer Wax

Product number AW-016, 17, 18,19
Brand Stone Soap

Substance name Automotive Rinse Aid

1.4 Supplier's details

Name Stone Soap Co., Inc Address 2000 Pontiac Dr.

Sylvan Lake, MI 48320

US

Telephone 248-706-1000 Fax 248-706-1001

email sales@stonesoap.com

1.5 Emergency phone number(s)

Chemtrec 1-800-424-9300

### **SECTION 2: Hazard identification**

### 2.1 Classification of the substance or mixture

- Eye damage/irritation (chapter 3.3), Cat. 2A
- Skin corrosion/irritation (chapter 3.2), Cat. 3

### 2.2 GHS label elements, including precautionary statements

### **Pictogram**



Signal word Warning

Hazard statement(s)

H319 Causes serious eye irritation
H316 Causes mild skin irritation

Precautionary statement(s)

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention. P332+P313 If skin irritation occurs: Get medical advice/attention. P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

#### 2.3 Other hazards which do not result in classification

Causes mild skin irritation

### **SECTION 3: Composition/information on ingredients**

#### 3.2 **Mixtures**

Automotive Rinse Aid Substance name

### **Hazardous components**

1. WATER

Concentration 60 - 70 % (Weight)

Other names / synonyms WATER CAS no. 7732-18-5

2. Nonionic

Concentration 8 - 12 %

Other names / synonyms **Proprietary** 

## 3. Distallates (petroleum), straight-run middle

Concentration 4 - 12 %

Other names / synonyms Distallates (petroleum), straight-run middle

CAS no. 64741-44-2

### 4. ETHYLENE GLYCOL MONOBUTYL ETHER

Concentration 2 - 10 %

Other names / synonyms 2-BUTOXY-1-ETHANOL; 2-BUTOXYETHANOL; BUTYL CELLUSOLVE

EC no. 203-905-0 CAS no. 111-76-2 Index no. 603-014-00-0

- Acute toxicity (chapter 3.1), Cat. 4

- Eye damage/irritation (chapter 3.3), Cat. 2 - Skin corrosion/irritation (chapter 3.2), Cat. 2

Harmful if swallowed H302 H312 Harmful in contact with skin H315 Causes skin irritation

H319 Causes serious eye irritation

H332 Harmful if inhaled

### Trade secret statement (OSHA 1910.1200(i))

If Chemical Name/CAS number is "proprietary" and/or weight is listed as a range, the specific chemical identity and/or percentage of composition has been withheld a s a trade secret.

### **SECTION 4: First-aid measures**

### 4.1 Description of necessary first-aid measures

If inhaled Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Oxygen or artificial respiration may be necessary. Seek medical

attention-if required.

In case of skin contact Wash with large quantity of soap and water. Wash contaminated clothing

before reuse. If skin irritation occurs, seek medical attention.

In case of eye contact Rinse immediately with cool running water, including under eyelids for at

least 15 minutes. Remove contact lenses, if present, after five minutes. continue rinsing eyes. If irritation continues, seek medical attention.

If swallowed DO NOT induce vomiting. Drink one ot two glasses of water. Seek medical

attention immediately.

### 4.2 Most important symptoms/effects, acute and delayed

Headache, nausea or dizziness. Direct contact may cause skin or eye irritation.

### **SECTION 5: Fire-fighting measures**

### 5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Specific hazards arising from the chemical

None

### 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Handle according to accepted industrial hygene and safety practice. Use personal protective equipment (see section 8). Follow all label directions.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or incompatible materials, oxidizers and reducing agents.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### 1. 2-Butoxyethanol (CAS: 111-76-2)

PEL (Inhalation): 50 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

### 2. 2-Butoxyethanol (CAS: 111-76-2)

PEL (Inhalation): 240 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

### 3. 2-Butoxyethanol (CAS: 111-76-2)

PEL (Inhalation): 20 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

#### 4. 2-Butoxyethanol (CAS: 111-76-2)

REL (Inhalation): 5 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

### 8.2 Appropriate engineering controls

Use in well ventilated area. Eyewash and emergency showers should be available.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

None required

#### Thermal hazards

None

### **Environmental exposure controls**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance/form Amber liquid Odor Wild berry Odor threshold Not determined На 6.0 to 8.0 > 32F Melting point/freezing point Initial boiling point and boiling range > 212FFlash point > 212FEvaporation rate N/A Flammability (solid, gas) N/A Upper/lower flammability limits N/A Upper/lower explosive limits N/A

Vapor pressure Not determined Vapor density Not determined

Relative density 0.98

Solubility(ies) 100% in water Partition coefficient: n-octanol/water Not determined

Auto-ignition temperatureN/ADecomposition temperatureN/AViscosity30 cstExplosive propertiesNoneOxidizing propertiesNone

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not reactive under normal storage conditions.

### 10.2 Chemical stability

Stable under normal storage conditions

### 10.3 Possibility of hazardous reactions

None

### 10.4 Conditions to avoid

Excessive heat

### 10.5 Incompatible materials

Strong oxidiers and reducing agents

### 10.6 Hazardous decomposition products

Carbon dioxide (CO2). Carbon monoxide. Oxides of nitrogen. Hydrocarbons.

### **SECTION 11: Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

Nonionic (Proprietary) Oral LD50 = 620mg/kg (Rat) Dermal LD50 = 10g/kg (Rat)

Ethylene glycol monobutyl ether CAS 111-76-2
Oral LD50 =500mg/kg estimate based upon calculation method
Inhalation = 4500 ppm estimate based upon calculation method
Dermal LD50 = 1100mg/kg estimate based upon calculation method

Distallates (petroleum), straight-run middle CAS 64741-44-2 Oral LD50 (Rat) >2000mg/kg Dermal LD50 (Rabbit) >5000mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes moderate to severe eye irritation.

### Respiratory or skin sensitization

No data available.

#### Germ cell mutagenicity

No specific data

### Carcinogenicity

No known significant effects or critial hazards.

#### Reproductive toxicity

No known significant effects or critial hazards.

### Summary of evaluation of the CMR properties

No known significant effects or critial hazards.

### STOT-single exposure

No known significant effects or critial hazards.

## STOT-repeated exposure

No known significant effects or critial hazards.

### **Aspiration hazard**

No known significant effects or critial hazards.

### **SECTION 12: Ecological information**

#### **Toxicity**

Nonionic (Proprietary)

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ethylene glycol monobutyl ether CAS 111-76-2

EC50 =1800mg/l Daphina magna (water flea) 48 hours OECD TEst Guideline 202

LC50 =1474mg/l Oncorhychus mykiss 96 hours OECD TEst Guideline 203

EC50 =911mg/l Pseudokirchneriella subcapitata (green algae) 72 hours OECD TEst Guideline 201

Distallates (petroleum), straight-run middle CAS 64741-44-2 Not available

### Persistence and degradability

Nonionic (proprietary) Not Determined

Ethylene glycol monobutyl ether CAS 111-76-2

Biodegradability:aerobic. Inoculum: activated sludge. Result: Readily biodegradable Biodegradation: 90.4% Exposude time: 28 days OECD Test Guideline 301B

Distallates (petroleum), straight-run middle CAS 64741-44-2

Biodegradability: Inherent

### **Bioaccumulative potential**

Nonionic (proprietary) Not Determined

Ethylene glycol monobutyl ether CAS 111-76-2 Partition coefficient: n-octanol/water: log Pow: 0.83

Distallates (petroleum), straight-run middle CAS 64741-44-2 Not available

#### Mobility in soil

Nonionic (proprietary) Not Determined

Ethylene glycol monobutyl ether CAS 111-76-2 No data available

Distallates (petroleum), straight-run middle CAS 64741-44-2 Not available

# **SECTION 13: Disposal considerations**

### Disposal of the product

The generation of waste should be avoided or minimized whenever possible. Disposal of this product, solutions and any by-products should at all time comply with the requirements of environmental protection and waste disposal legislation and any regional or local requirements.

### Disposal of contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **SECTION 14: Transport information**

DOT (US)

UN Number: Not regulated

**IMDG** 

Not regulated

**IATA** 

Not regulated

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations specific for the product in question

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **Toxic Substances Control Act (TSCA) Inventory**

Ethylene glycol monobutyl ether CAS 111-76-2, this material is listed or exempted, Distallates (petroleum), straight-run middle CAS 64741-44-2

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

The following components are subject to reporting levels established by SARA Title III, Section 311/312: Ethylene glycol monobutyl ether CAS 111-76-2, Distallates (petroleum), straight-run middle CAS 64741-44-2

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313: Ethylene glycol monobutyl ether CAS 111-76-2, Distallates (petroleum), straight-run middle CAS 64741-44-2

#### **SECTION 16: Other information**

Effective 4/10/15

#### 16.1 Further information/disclaimer

The statements on this SDS are believed to be true and accurate, but because conditions are beyond our control, Stone Soap Co., Inc. does not make, nor does it authorize any agent or representative to make any oral or written warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof beyond the statements on the label. Stone Soap Co., Inc. and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personal injury or property damage or loss resulting from handling, storage or use of this material not in accordance with the written directions. No other warranty exists.

#### 16.2 Preparation information

Generated by

Version: 1.0, Date of issue: 2015-04-06, p. 8 of 9

Stone Soap Co., Inc. 2000 Pontiac Dr. Sylvan Lake, MI 48320