

GORDTEC


POWER CORPORATION



LOCAL - WAREHOUSING - TARIFF SAVINGS



Mobile Cart Solutions



RoHS
COMPLIANT



OUR PRODUCTS MEET THE FOLLOWING STANDARDS

UL498, UL817, UL1363A, CSA C22.2, UL, C-UL,
TüV, and NO.60601-1

Powering products like OR Equipment, IV Units, Medical
Carts, EKG Equipment, Power Exam Tables and more.

MEDICAL GRADE POWER SUPPLY CORDS

MALE PLUG



Other plug, connector, color, and length options available upon request.



Locking
Straight C13

IEC 60320 FEMALE CONNECTOR



Straight C13 Right C13 Left C13 Up C13 Down C13 C19 C5

RATING 10 AMP 125 VOLT

Part Number	Plug	Connector	Cord	Length
MD10AC13-036	NEMA 5-15P	Straight C13	SJTW 18/3	3FT
MD10AC13-048				4FT
MD10AC13-072				6FT
MD10AC13-096				8FT
MD10AC13-120				10FT
MD10AC13-180				15FT
MD10AC13-072				6FT

RATING 13 AMP 125 VOLT

Part Number	Plug	Connector	Cord	Length
MD13AC13-018	NEMA 5-15P	Straight C13	SJTW 16/3	1.5 FT
MD13AC13-072				6 FT
MD13AC13-096				8 FT
MD13AC13-096AL				8 FT
MD13AC13-120				10 FT
MD13AC13-180		15 FT		
MD13ARC13-180		15 FT		
MD13ALC13-180		15 FT		
MD13APR-180		15 FT		
MD13APR-240		20 FT		
		Locking C13		
		Right C13		
		Left C13		
		NEMA 5-15R		

RATING 15 AMP 125 VOLT

Part Number	Plug	Connector	Cord	Length		
MD15AC13-072	NEMA 5-15P	Straight C13	SJTW 14/3	6 FT		
MD15AC13-096				8 FT		
MD15AC13-120				10 FT		
MD15AC13-180				15 FT		
MD15AC13-240				20 FT		
MD15AC13-120AL				10 FT		
MD15AC13-180AL				15 FT		
MD15AC13-300BKAL				25 FT		
MD15ARC13-180AL				15 FT		
MD15ARC13-180				15 FT		
MD15ARC13-240		20 FT				
MD15ARC13-240BK		20 FT				
MD15ALC13-180		15 FT				
MD15ALC13-240		20 FT				
MD15AC19-180		15 FT				
MD15AC19-240		20 FT				
				Locking Straight C13		
				Locking Right C13		
				Right C13		
				Left C13		
		Straight C19				

How To Order

Scan the QR code to fill out a custom build project form.



Be prepared to answer questions about your power need.

1. What is your equipment rating?
2. What is the length of cable needed?
3. What device type needs power?
4. Is medical or hospital-grade required?
5. Description of the product.

Attach any drawing you have to the form and submit.

The more information you provide allows us the opportunity to more accurately quote you.

You may also email us for a quote.
info@CordtecPower.com

Contact our Sales Engineers for products you don't see here.

9811 South 13th Street
Oak Creek, WI 53154
Office 414.434.2220
Text 414.323.3240
Fax 414.323.8386

MOBILE CART SOLUTIONS

Mobile cart solution products meet standards for use with medical and hospital carts.

COILED SPRING CABLES

FLEXIBILITY FEATURE

The coiled cords number one feature is flexibility. They stretch to their extended length, when in use, while recovering to their original length, for convenience and space saving.



MD515PR-V1
PLUG: NEMA 5-15P
CONNECTOR: NEMA 5-15R
RATING: 10 AMP 125 VOLT
CORD: SITW 18/3
LENGTH: UP TO 10 FEET



MD195-AL
PLUG: NEMA 5-15P
CONNECTOR: LOCKING C13
RATING: 10 AMP 125 VOLT
CORD: SITW 18/3
LENGTH: UP TO 10 FEET



MD515RC13-V1
PLUG: NEMA 5-15P
CONNECTOR: RIGHT IEC C13
RATING: 10 AMP 125 VOLT
CORD: SITW 18/3
LENGTH: 6.5 FEET



MD220-CC
PLUG: NEMA 5-15P
CONNECTOR: (1) NEMA 5-15R
RATING: 13 AMP 125 VOLT
CORD: SITW 16/3
LENGTH: 11 FEET



CC14Y515
PLUG: IEC C14
CONNECTOR: (2) NEMA 5-15R
RATING: 10A 125V
CORD: SITW 18/3
LENGTH: 7 FEET



MD115
PLUG: NEMA 5-15P
CONNECTOR: IEC C13
RATING: 10 AMP 125 VOLT
CORD: SITW 18/3
LENGTH: 10 FEET



S515B515-060
PLUG: NEMA 5-15P
CONNECTOR: THREE
NEMA 5-15R
RATING: 15 AMP
SITW 12/3



MD115-AL
PLUG: NEMA 5-15P
CONNECTOR: IEC LOCKING C13
RATING: 10 AMP 125 VOLT
CORD: SITW 18/3
LENGTH: 10 FEET



MD515AB515-036
PLUG: NEMA 5-15P
CONNECTOR: THREE
NEMA 5-15R
RATING: 15 AMP
SITW 12/3



MD170-AL
PLUG: NEMA 5-15P
CONNECTOR: IEC LOCKING C13
RATING: 13 AMP 125 VOLT
CORD: SITW 16/3
LENGTH: 10 FEET



MD171-ALY
PLUG: NEMA 5-15P
CONNECTOR: TWO
LOCKING C13
RATING: 13 AMP 125 VOLT
CORD: SITW 16/3
LENGTH: 10 FEET



MD173
PLUG: NEMA 5-15P
CONNECTOR: IEC C13
RATING: 13 AMP 125 VOLT
CORD: SITW 16/3
LENGTH: 15 FEET



MD115-Y
PLUG: NEMA 5-15P
CONNECTOR: (2) IEC C13
RATING: 10 AMP 125 VOLT
CORD: SITW 18/3
LENGTH: 10 FEET



MD173-AL
PLUG: NEMA 5-15P
CONNECTOR: IEC LOCKING C13
RATING: 13 AMP 125 VOLT
CORD: SITW 16/3
LENGTH: 15 FEET



MD10AYC13-120
PLUG: NEMA 5-15P
CONNECTOR: (2) IEC C13
RATING: 10 AMP SITW 18/3

Medical Grade Power Strips



MD203-15
LENGTH: 15 FEET
RATING: 15 AMP 125 VOLT
CORD: 14/3 SITW
NEMA 5-15P TO (4) NEMA 5-15R OUTLET STRIP



MD228
PLUG: NEMA 5-15P
CONNECTOR: IEC C13
RATING: 15 AMP 125 VOLT
CORD: SITW 14/3
LENGTH: 10 FEET



MD13AYC13-120
PLUG: NEMA 5-15P
CONNECTOR: (2) IEC C13
RATING: 13 Amp SITW 16/3



MD204-15
LENGTH: 15 FEET
RATING: 15 AMP 125 VOLT
CORD: 14/3 SITW
NEMA 5-15P TO (6) NEMA 5-15R OUTLET STRIP





MD261-AL
PLUG: NEMA 5-15P
CONNECTOR: IEC LOCKING C13
RATING: 15 AMP 125 VOLT
CORD: SITW 14/3
LENGTH: 15 FEET



Locking
Right
Angle C13

INTERNATIONAL SOLUTIONS



IT - SERVER - CPU SOLUTIONS



C14C13

SHEET E (IEC C14) TO IEC C13 JUMPER CORD COMES IN BLUE, RED, AND BLACK. IT, CPU, SERVER CORD.



AD1308-FG

SHEET E (IEC C14) TO NEMA 5-15R WITH MOUNTING HOLES. IT, CPU, SERVER ADAPTER.



C14B515-018

IEC C14 TO (3) NEMA 5-15R OUTLETS. IT POWER STRIP.



WS-045-0-4

INLET: IEC C14 CONNECTOR. (4) SHEET F (IEC C13) NOTE: PRODUCT INCLUDES A 10 AMP CIRCUIT BREAKER



WS-045-0-4WG

INLET: IEC C14 CONNECTOR. (4) SHEET F (IEC C13) NOTE: PRODUCT INCLUDES A GROUND WIRE



WS-045-0-5WG

INLET: IEC C14 CONNECTOR. (5) SHEET F (IEC C13) NOTE: PRODUCT INCLUDES A GROUND WIRE

MEDICAL GRADE WIRING DEVICES



ASMD515P

RATING: 15 AMP 125 VOLT NEMA 5-15P DIY GREEN DOT, S10, S00, STW, 12/3, 14/3, 16/3, 18/3, CABLE SPECIFICATIONS.



ASEMD515P

RATING: 15 AMP 125 VOLT ALL ANGLE NEMA 5-15P DIY GREEN DOT, S10, S00, STW, 12/3, 14/3, 16/3, 18/3, CABLE SPECIFICATIONS.

